

Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label

This file examines in greater detail the behaviors of the Medicare population with respect to various preventative healthcare screeners. In addition to mammograms and Pap smears this file contains data on procedures associated with the prostate and colon cancer, osteoporosis, and diabetes. There is one record for every community interview.

RIC	1	2			C Record Identification Code
VERSION	3	1			C Version Number
BASEID	4	8	\$BSIDFMT		C Unique SP Identification Number
			14,916		LOW-HIGH BASEID Count
MAMNNEED	12	2	IND1FMT	HFF5	N Wasn't needed/no need/nothing wrong
			10,801		. Inapplicable
			15		-8 Don't know
			2		-7 Refused
			970		1 Indicated
			3,128		2 Not indicated

Notes: Applies only if RIC 2, MAMMOGRM = 2
 First available in 2000

MAMNANUL	14	2	IND1FMT	HFF5	N Not recommended annually/diff schedule
			10,801		. Inapplicable
			15		-8 Don't know
			2		-7 Refused
			483		1 Indicated
			3,615		2 Not indicated

Notes: Applies only if RIC 2, MAMMOGRM = 2
 First available in 2000

MAMNGET	16	2	IND1FMT	HFF5	N Could get cancer anyway/test useless
			10,801		. Inapplicable
			15		-8 Don't know
			2		-7 Refused
			159		1 Indicated
			3,939		2 Not indicated

Notes: Applies only if RIC 2, MAMMOGRM = 2
 First available in 2000

MAMNRISK	18	2	IND1FMT	HFF5	N Not at risk for breast cancer
			10,801		. Inapplicable
			15		-8 Don't know
			2		-7 Refused
			104		1 Indicated
			3,994		2 Not indicated

Notes: Applies only if RIC 2, MAMMOGRM = 2
 First available in 2000

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
MAMNPRES	20	2	IND1FMT	HFF5			N Dr. did not prescribe or recommend it
				10,801			. Inapplicable
				15			-8 Don't know
				2			-7 Refused
				810			1 Indicated
				3,288			2 Not indicated
Notes: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000							
MAMNREC	22	2	IND1FMT	HFF5			N Dr. recommended against getting it
				10,801			. Inapplicable
				15			-8 Don't know
				2			-7 Refused
				43			1 Indicated
				4,055			2 Not indicated
Notes: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000							
MAMNLIKE	24	2	IND1FMT	HFF5			N Don't like mammograms/pain/reactions to
				10,801			. Inapplicable
				15			-8 Don't know
				2			-7 Refused
				386			1 Indicated
				3,712			2 Not indicated
Notes: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000							
MAMNLOCA	26	2	IND1FMT	HFF5			N Inconvenient/unable to get to location
				10,801			. Inapplicable
				15			-8 Don't know
				2			-7 Refused
				157			1 Indicated
				3,941			2 Not indicated
Notes: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000							
MAMNMISS	28	2	IND1FMT	HFF5			N Forgot/missed it/procrastinated
				10,801			. Inapplicable
				15			-8 Don't know
				2			-7 Refused
				481			1 Indicated
				3,617			2 Not indicated
Notes: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000							

 Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label

MAMNCOST 30 2 IND1FMT HFF5 N Cost of mammogram/not covered by ins
 10,801 . Inapplicable
 15 -8 Don't know
 2 -7 Refused
 66 1 Indicated
 4,032 2 Not indicated

Notes: Applies only if RIC 2, MAMMOGRM = 2
 First available in 2000

MAMNFEAR 32 2 IND1FMT HFF5 N Afraid of results/don't want to know
 10,801 . Inapplicable
 15 -8 Don't know
 2 -7 Refused
 60 1 Indicated
 4,038 2 Not indicated

Notes: Applies only if RIC 2, MAMMOGRM = 2
 First available in 2000

MAMNRADI 34 2 IND1FMT HFF5 N Mammogram radiation could cause cancer
 10,801 . Inapplicable
 15 -8 Don't know
 2 -7 Refused
 18 1 Indicated
 4,080 2 Not indicated

Notes: Applies only if RIC 2, MAMMOGRM = 2
 First available in 2000

MAMNHEAR 36 2 IND1FMT HFF5 N Never heard of mammogram
 10,801 . Inapplicable
 15 -8 Don't know
 2 -7 Refused
 12 1 Indicated
 4,086 2 Not indicated

Notes: Applies only if RIC 2, MAMMOGRM = 2
 First available in 2000

MAMNAPPT 38 2 IND1FMT HFF5 N Appointment is scheduled/due soon
 10,801 . Inapplicable
 15 -8 Don't know
 2 -7 Refused
 482 1 Indicated
 3,616 2 Not indicated

Notes: Applies only if RIC 2, MAMMOGRM = 2
 First available in 2000

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
MAMNMASC	40	2	IND1FMT	HFF5			N SP had a mastectomy
				10,801			. Inapplicable
				15			-8 Don't know
				2			-7 Refused
				83			1 Indicated
				4,015			2 Not indicated
Notes: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000							
MAMNILL	42	2	IND1FMT	HFF5			N SP was too ill, physically or mentally
				10,801			. Inapplicable
				15			-8 Don't know
				2			-7 Refused
				110			1 Indicated
				3,988			2 Not indicated
Notes: Applies only if RIC 2, MAMMOGRM = 2 First available in 2001							
MAMNOTHR	44	2	IND1FMT	HFF5			N Reason not had mammogram - other
				10,801			. Inapplicable
				15			-8 Don't know
				2			-7 Refused
				204			1 Indicated
				3,894			2 Not indicated
Notes: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000							
PAPNNEED	46	2	IND1FMT	HFF8			N Wasn't needed/no need/nothing wrong
				9,697			. Inapplicable
				38			-8 Don't know
				2			-7 Refused
				1,229			1 Indicated
				3,950			2 Not indicated
Notes: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							
PAPNANUL	48	2	IND1FMT	HFF8			N Not recommended annually/diff schedule
				9,697			. Inapplicable
				38			-8 Don't know
				2			-7 Refused
				652			1 Indicated
				4,527			2 Not indicated
Notes: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							

Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label

PAPNGET 50 2 IND1FMT HFF8 N Could get cancer anyway/test useless
 9,697 . Inapplicable
 38 -8 Don't know
 2 -7 Refused
 106 1 Indicated
 5,073 2 Not indicated

Notes: Applies only if RIC2, PAPSMEAR = 2
 First available in 2000

PAPNRISK 52 2 IND1FMT HFF8 N Not at risk for cancer
 9,697 . Inapplicable
 38 -8 Don't know
 2 -7 Refused
 80 1 Indicated
 5,099 2 Not indicated

Notes: Applies only if RIC2, PAPSMEAR = 2
 First available in 2000

PAPNPRES 54 2 IND1FMT HFF8 N Dr. did not prescribe or recommend it
 9,697 . Inapplicable
 38 -8 Don't know
 2 -7 Refused
 1,297 1 Indicated
 3,882 2 Not indicated

Notes: Applies only if RIC2, PAPSMEAR = 2
 First available in 2000

PAPNREC 56 2 IND1FMT HFF8 N Dr. recommended against getting it
 9,697 . Inapplicable
 38 -8 Don't know
 2 -7 Refused
 72 1 Indicated
 5,107 2 Not indicated

Notes: Applies only if RIC2, PAPSMEAR = 2
 First available in 2000

PAPNLIKE 58 2 IND1FMT HFF8 N Don't like Pap smears/pain/discomfort
 9,697 . Inapplicable
 38 -8 Don't know
 2 -7 Refused
 286 1 Indicated
 4,893 2 Not indicated

Notes: Applies only if RIC2, PAPSMEAR = 2
 First available in 2000

Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label

PAPNLOCA 60 2 IND1FMT HFF8 N Inconvenient/unable to get to location
 9,697 . Inapplicable
 38 -8 Don't know
 2 -7 Refused
 108 1 Indicated
 5,071 2 Not indicated

Notes: Applies only if RIC2, PAPSMEAR = 2
 First available in 2000

PAPNMISS 62 2 IND1FMT HFF8 N Forgot/missed it/procrastinated
 9,697 . Inapplicable
 38 -8 Don't know
 2 -7 Refused
 442 1 Indicated
 4,737 2 Not indicated

Notes: Applies only if RIC2, PAPSMEAR = 2
 First available in 2000

PAPNCOST 64 2 IND1FMT HFF8 N Cost of Pap smear/not covered by ins
 9,697 . Inapplicable
 38 -8 Don't know
 2 -7 Refused
 61 1 Indicated
 5,118 2 Not indicated

Notes: Applies only if RIC2, PAPSMEAR = 2
 First available in 2000

PAPNFEAR 66 2 IND1FMT HFF8 N Afraid of results/don't want to know
 9,697 . Inapplicable
 38 -8 Don't know
 2 -7 Refused
 44 1 Indicated
 5,135 2 Not indicated

Notes: Applies only if RIC2, PAPSMEAR = 2
 First available in 2000

PAPNAPPT 68 2 IND1FMT HFF8 N Appointment is scheduled/due soon
 9,697 . Inapplicable
 38 -8 Don't know
 2 -7 Refused
 286 1 Indicated
 4,893 2 Not indicated

Notes: Applies only if RIC2, PAPSMEAR = 2
 First available in 2000

Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label

PAPNHYST 70 2 IND1FMT HFF8 N Had hysterectomy; no uterus or ovaries
 9,697 . Inapplicable
 38 -8 Don't know
 2 -7 Refused
 916 1 Indicated
 4,263 2 Not indicated

Notes: Applies only if RIC2, PAPSMEAR = 2
 First available in 2000

PAPNHEAR 72 2 IND1FMT HFF8 N Never heard of Pap smear
 9,697 . Inapplicable
 38 -8 Don't know
 2 -7 Refused
 10 1 Indicated
 5,169 2 Not indicated

Notes: Applies only if RIC2, PAPSMEAR = 2
 First available in 2000

PAPNILL 74 2 IND1FMT HFF8 N SP was too ill, physically or mentally
 9,697 . Inapplicable
 38 -8 Don't know
 2 -7 Refused
 91 1 Indicated
 5,088 2 Not indicated

Notes: Applies only if RIC2, PAPSMEAR = 2
 First available in 2001

PAPNOTHR 76 2 IND1FMT HFF8 N Reason not had Pap smear - other
 9,697 . Inapplicable
 39 -8 Don't know
 2 -7 Refused
 104 1 Indicated
 5,074 2 Not indicated

Notes: Applies only if RIC2, PAPSMEAR = 2
 First available in 2000

PRONNEED 78 2 IND1FMT HFF14 N Wasn't needed/no need/nothing wrong
 12,703 . Inapplicable
 27 -8 Don't know
 914 1 Indicated
 1,272 2 Not indicated

Notes: Applies only if RIC2, BLOODTST = 2
 First available in 2000

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PRONANUL	80	2	IND1FMT		HFF14		N Not recommended annually/diff schedule
				12,703			. Inapplicable
				27			-8 Don't know
				227			1 Indicated
				1,959			2 Not indicated
				Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000			
PRONGET	82	2	IND1FMT		HFF14		N Could get cancer anyway/test useless
				12,703			. Inapplicable
				27			-8 Don't know
				44			1 Indicated
				2,142			2 Not indicated
				Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000			
PRONRISK	84	2	IND1FMT		HFF14		N Not at risk for cancer
				12,703			. Inapplicable
				27			-8 Don't know
				114			1 Indicated
				2,072			2 Not indicated
				Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000			
PRONPRES	86	2	IND1FMT		HFF14		N Dr. did not prescribe or recommend it
				12,703			. Inapplicable
				27			-8 Don't know
				696			1 Indicated
				1,490			2 Not indicated
				Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000			
PRONREC	88	2	IND1FMT		HFF14		N Dr. recommended against getting it
				12,703			. Inapplicable
				27			-8 Don't know
				27			1 Indicated
				2,159			2 Not indicated
				Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000			
PRONLIKE	90	2	IND1FMT		HFF14		N Don't like blood tests/pain/reactions to
				12,703			. Inapplicable
				27			-8 Don't know
				30			1 Indicated
				2,156			2 Not indicated
				Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PRONLOCA	92	2	IND1FMT			HFF14	N Inconvenient/unable to get to location
				12,703			. Inapplicable
				27			-8 Don't know
				24			1 Indicated
				2,162			2 Not indicated
Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONMISS	94	2	IND1FMT			HFF14	N Forgot/missed it/procrastinated
				12,703			. Inapplicable
				27			-8 Don't know
				127			1 Indicated
				2,059			2 Not indicated
Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONCOST	96	2	IND1FMT			HFF14	N Cost of blood test/not covered by ins
				12,703			. Inapplicable
				27			-8 Don't know
				34			1 Indicated
				2,152			2 Not indicated
Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONFEAR	98	2	IND1FMT			HFF14	N Afraid of results/don't want to know
				12,703			. Inapplicable
				27			-8 Don't know
				15			1 Indicated
				2,171			2 Not indicated
Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONHEAR	100	2	IND1FMT			HFF14	N Never heard of PSA
				12,703			. Inapplicable
				27			-8 Don't know
				34			1 Indicated
				2,152			2 Not indicated
Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONAPPT	102	2	IND1FMT			HFF14	N Appointment is scheduled/due soon
				12,703			. Inapplicable
				27			-8 Don't know
				98			1 Indicated
				2,088			2 Not indicated
Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PRONPROS	104	2	IND1FMT	HFF14			N Prostate removed
				12,703			. Inapplicable
				27			-8 Don't know
				50			1 Indicated
				2,136			2 Not indicated
Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONOTHR	106	2	IND1FMT	HFF14			N Reason not had prostate test - other
				12,703			. Inapplicable
				27			-8 Don't know
				32			1 Indicated
				2,154			2 Not indicated
Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000							
FLUNEED	108	2	IND1FMT	HFF17			N No flu shot b/c didn't know was needed
				10,057			. Inapplicable
				1			-9 Not ascertained
				35			-8 Don't know
				1,160			1 Indicated
				3,663			2 Not indicated
Notes: Applies only if RIC2, FLUSHOT = 2 First available in 1996							
FLUCAUSE	110	2	IND1FMT	HFF17			N No flu shot b/c could cause flu
				10,057			. Inapplicable
				1			-9 Not ascertained
				35			-8 Don't know
				831			1 Indicated
				3,992			2 Not indicated
Notes: Applies only if RIC2, FLUSHOT = 2 First available in 1996							
FLUSIDE	112	2	IND1FMT	HFF17			N No flu shot b/c could have side effects
				10,057			. Inapplicable
				1			-9 Not ascertained
				35			-8 Don't know
				667			1 Indicated
				4,156			2 Not indicated
Notes: Applies only if RIC2, FLUSHOT = 2 First available in 1996							
FLUPRVNT	114	2	IND1FMT	HFF17			N No flu shot b/c didn't think prevent flu
				10,057			. Inapplicable
				1			-9 Not ascertained
				35			-8 Don't know
				514			1 Indicated
				4,309			2 Not indicated
Notes: Applies only if RIC2, FLUSHOT = 2 First available in 1996							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
FLURISK	116	2	IND1FMT		HFF17		N No flu shot b/c risk of catching flu
				10,057			. Inapplicable
				1			-9 Not ascertained
				35			-8 Don't know
				397			1 Indicated
				4,426			2 Not indicated
Notes: Applies only if RIC2, FLUSHOT = 2 First available in 1996							
FLUDOCNO	118	2	IND1FMT		HFF17		N No flu shot b/c Dr didn't recommend it
				10,057			. Inapplicable
				1			-9 Not ascertained
				35			-8 Don't know
				367			1 Indicated
				4,456			2 Not indicated
Notes: Applies only if RIC2, FLUSHOT = 2 First available in 1996							
FLUAGNST	120	2	IND1FMT		HFF17		N No flu shot b/c Dr against/allergic to
				10,057			. Inapplicable
				1			-9 Not ascertained
				35			-8 Don't know
				267			1 Indicated
				4,556			2 Not indicated
Notes: Applies only if RIC2, FLUSHOT = 2 First available in 1996							
FLUREACT	122	2	IND1FMT		HFF17		N No flu shot b/c don't like shots/needles
				10,057			. Inapplicable
				1			-9 Not ascertained
				35			-8 Don't know
				392			1 Indicated
				4,431			2 Not indicated
Notes: Applies only if RIC2, FLUSHOT = 2 First available in 1996							
FLULOCAT	124	2	IND1FMT		HFF17		N No flu shot b/c unable get to location
				10,057			. Inapplicable
				1			-9 Not ascertained
				35			-8 Don't know
				151			1 Indicated
				4,672			2 Not indicated
Notes: Applies only if RIC2, FLUSHOT = 2 First available in 1996							

 Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label

FLUMISS 126 2 IND1FMT HFF17 N No flu shot b/c missed, forgot, etc.
 10,057 . Inapplicable
 1 -9 Not ascertained
 35 -8 Don't know
 623 1 Indicated
 4,200 2 Not indicated

Notes: Applies only if RIC2, FLUSHOT = 2
 First available in 1996

FLUCOST 128 2 IND1FMT HFF17 N No flu shot b/c shot not worth cost
 10,057 . Inapplicable
 1 -9 Not ascertained
 35 -8 Don't know
 40 1 Indicated
 4,783 2 Not indicated

Notes: Applies only if RIC2, FLUSHOT = 2
 First available in 1996

FLUBEFOR 130 2 IND1FMT HFF17 N No flu shot b/c had before/no need again
 10,057 . Inapplicable
 1 -9 Not ascertained
 35 -8 Don't know
 47 1 Indicated
 4,776 2 Not indicated

Notes: Applies only if RIC2, FLUSHOT = 2
 First available in 1996

FLUVAC 132 2 IND1FMT HFF17 N Vaccine unavailable/vaccine shortage
 10,057 . Inapplicable
 1 -9 Not ascertained
 35 -8 Don't know
 121 1 Indicated
 4,702 2 Not indicated

Notes: Applies only if RIC2, FLUSHOT = 2
 First available in 2001

FLUOTHER 134 2 IND1FMT HFF17 N No flu shot b/c other reason
 10,057 . Inapplicable
 1 -9 Not ascertained
 35 -8 Don't know
 73 1 Indicated
 4,750 2 Not indicated

Notes: Applies only if RIC2, FLUSHOT = 2
 First available in 1996

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
D_VACSUP	136	2	IND2FMT	HFF20,21			N Flu vaccine in short supply/unavailable
				231			. Missing
				1			-9 Not ascertained
				35			-8 Don't know
				695			1 Indicated
				13,954			2 Not indicated
				Note: First available in 2001			
PNUNEEED	138	2	IND1FMT	HFF23			N No pneu shot b/c didn't know was needed
				9,868			. Inapplicable
				78			-8 Don't know
				3,073			1 Indicated
				1,897			2 Not indicated
				Notes: Applies only if PNEUSHOT = 2 First available in 1996			
PNUCAUSE	140	2	IND1FMT	HFF23			N No pneu shot b/c could cause pneumonia
				9,868			. Inapplicable
				78			-8 Don't know
				216			1 Indicated
				4,754			2 Not indicated
				Notes: Applies only if PNEUSHOT = 2 First available in 1996			
PNUSIDE	142	2	IND1FMT	HFF23			N No pneu shot b/c could have side effects
				9,868			. Inapplicable
				78			-8 Don't know
				212			1 Indicated
				4,758			2 Not indicated
				Notes: Applies only if PNEUSHOT = 2 First available in 1996			
PNUPRVNT	144	2	IND1FMT	HFF23			N No pneu shot b/c no think prevent pneu.
				9,868			. Inapplicable
				78			-8 Don't know
				227			1 Indicated
				4,743			2 Not indicated
				Notes: Applies only if PNEUSHOT = 2 First available in 1996			
PNURISK	146	2	IND1FMT	HFF23			N No pneu shot b/c not at risk of catching
				9,868			. Inapplicable
				78			-8 Don't know
				231			1 Indicated
				4,739			2 Not indicated
				Notes: Applies only if PNEUSHOT = 2 First available in 1996			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PNUDOCNO	148	2	IND1FMT		HFF23		N No pneu shot b/c Dr didn't recommend it
				9,868			. Inapplicable
				78			-8 Don't know
				921			1 Indicated
				4,049			2 Not indicated
				Notes: Applies only if PNEUSHOT = 2			
				First available in 1996			
PNUAGNST	150	2	IND1FMT		HFF23		N No pneu shot b/c Dr against/allergic to
				9,868			. Inapplicable
				78			-8 Don't know
				63			1 Indicated
				4,907			2 Not indicated
				Notes: Applies only if PNEUSHOT = 2			
				First available in 1996			
PNUREACT	152	2	IND1FMT		HFF23		N No pneu shot b/c dont like shots/needles
				9,868			. Inapplicable
				78			-8 Don't know
				233			1 Indicated
				4,737			2 Not indicated
				Notes: Applies only if PNEUSHOT = 2			
				First available in 1996			
PNULOCAT	154	2	IND1FMT		HFF23		N No pneu shot b/c unable get to location
				9,868			. Inapplicable
				78			-8 Don't know
				38			1 Indicated
				4,932			2 Not indicated
				Notes: Applies only if PNEUSHOT = 2			
				First available in 1996			
PNUMISS	156	2	IND1FMT		HFF23		N No pneu shot b/c missed, forgot, etc.
				9,868			. Inapplicable
				78			-8 Don't know
				295			1 Indicated
				4,675			2 Not indicated
				Notes: Applies only if PNEUSHOT = 2			
				First available in 1996			
PNUCOST	158	2	IND1FMT		HFF23		N No pneu shot b/c shot not worth cost
				9,868			. Inapplicable
				78			-8 Don't know
				16			1 Indicated
				4,954			2 Not indicated
				Notes: Applies only if PNEUSHOT = 2			
				First available in 1996			

Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label

PNUOTHER 160 2 IND1FMT HFF23 N No pneu shot b/c other reason
 9,868 . Inapplicable
 78 -8 Don't know
 57 1 Indicated
 4,913 2 Not indicated

Notes: Applies only if PNEUSHOT = 2
 First available in 1996

DIDSMOKE 162 2 DIDSMOK HFG3 N How many years did you smoke?
 8,260 . Inapplicable
 1 -9 Not ascertained
 307 -8 Don't know
 10 -7 Refused
 529 96 Smoked less than 1 year
 5,809 Number of years SP smoked

Notes: Applies only if SMOKNOW = 2
 First available in 2001

LASTSMOK 164 2 LASTSMOK HFG4 N How long since you last smoked regularly
 8,260 . Inapplicable
 1 -9 Not ascertained
 49 -8 Don't know
 4 -7 Refused
 38 1 With the last month
 102 2 1 month to less than 6 months
 86 3 6 months to less than 1 year
 384 4 1 year to less than 5 years
 463 5 5 years to less than 10 years
 5,529 6 10 or more years ago

Notes: Applies only if SMOKNOW = 2
 First available in 2001

HAVSMOKE 166 2 DIDSMOK HFG5 N How many years have you smoked?
 12,757 . Inapplicable
 63 -8 Don't know
 3 -7 Refused
 12 96 Smoked less than 1 year
 2,081 Number of years SP smoked

Notes: Applies only if SMOKNOW = 1
 First available in 2001

QUITSMOK 168 2 YES1FMT HFG6 N Did you quit smoking in the last year?
 12,757 . Inapplicable
 6 -8 Don't know
 834 1 Yes
 1,319 2 No

Notes: Applies only if SMOKNOW = 1
 First available in 2001

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
DRINKDAY	170	2	DRNKDAY			HFG7	N Nbr of days in a month SP drinks alcohol
				2			-9 Not ascertained
				59			-8 Don't know
				29			-7 Refused
				10,151			0 None
				824			1 One day a month
				600			2 Two days a month
				294			3 Three days a month
				439			4 Four days a month
				179			5 Five days a month
				517			6-10 Six to ten days a month
				309			11-15 Eleven to fifteen days a month
				221			16-20 Sixteen to twenty days a month
				121			21-25 Twenty-one to twenty-five days a month
				1,171			26-31 Twenty-six days to every day

Note: First available in 2001

DRINKSPD	172	2	DRNKSPD			HFG8	N Nbr of alcoholic drinks SP has per day
				10,151			. Inapplicable
				2			-9 Not ascertained
				64			-8 Don't know
				33			-7 Refused
				0			0 No alcoholic drinks
				2,704			1 One drink per day
				1,260			2 Two drinks per day
				301			3 Three drinks per day
				127			4 Four drinks per day
				59			5 Five drinks per day
				119			6-10 Six to ten drinks per day
				17			11-15 Eleven to fifteen drinks per day
				8			16-95 Sixteen or more drinks per day
				71			96 Less than one alcohol drink per day

Notes: Applies only if DRINKDAY does not equal 0
 First available in 2001

FOURDRNK	174	2	DRNKDAY			HFG9	N Nbr of days in a month SP had 4+ drinks
				10,151			. Inapplicable
				2			-9 Not ascertained
				74			-8 Don't know
				35			-7 Refused
				3,910			0 None
				166			1 One day a month
				139			2 Two days a month
				55			3 Three days a month
				84			4 Four days a month
				45			5 Five days a month
				97			6-10 Six to ten days a month
				38			11-15 Eleven to fifteen days a month
				18			16-20 Sixteen to twenty days a month
				11			21-25 Twenty-one to twenty-five days a month
				91			26-31 Twenty-six days to every day

Notes: Applies only if DRINKDAY does not equal 0
 First available in 2001

06/01/05
ACCESS
2003

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: 2P
Page: 17
Version: 3

Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label

ACTVAGO 176 2 ACTIVE HFH7 N Is SP more/less/same active from last yr
2 -9 Not ascertained
29 -8 Don't know
14 -7 Refused
1,596 1 More Active
4,414 2 Less Active
8,861 3 About the same

Notes: First available in 2001
First available in 2001

ACTVAGO 176 2 ACTIVE HFH7 N Is SP more/less/same active from last yr
2 -9 Not ascertained
29 -8 Don't know
14 -7 Refused
1,596 1 More Active
4,414 2 Less Active
8,861 3 About the same

Notes: First available in 2001
First available in 2001

ACTVNOW 178 2 ACTIVE HFH6 N Is SP more/less/same active now?
2 -9 Not ascertained
299 -8 Don't know
15 -7 Refused
5,837 1 More Active
4,014 2 Less Active
4,749 3 About the same

Note: First available in 2001

ACTVWALK 180 2 ACTWALK HFH8 N How often does SP walk each week?
1 . Inapplicable
1 -9 Not ascertained
51 -8 Don't know
15 -7 Refused
5,095 1 Walk every day or more
1,470 2 Walk once every other day
1,880 3 Walk once every 3-4 days
1,330 4 Walk once every 5-6 days
5,073 5 Never Walk

Notes: Applies only if ACTVPART = 1
First available in 2001

ACTVPART 182 2 YES2FMT HFH9 N Does SP participate in weekly exercise?
2 -9 Not ascertained
6 -8 Don't know
14 -7 Refused
5,259 1 Yes
9,635 2 No

Note: First available in 2001

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
D_VIGTIM	184	2	NUMHRS			HFH10	N Time spent doing vigorous activities
				9,704			. Inapplicable
				2,664			0 None
				326			1 One hour per week
				455			2 Two hours per week
				312			3 Three hours per week
				337			4 Four hours per week
				187			5 Five hours per week
				93			6 Six hours per week
				252			7 Seven hours per week
				52			8 Eight hours per week
				12			9 Nine hours per week
				53			10 Ten hours per week
				12			11 Eleven hours per week
				21			12 Twelve hours per week
				2			13 Thirteen hours per week
				156			14 Fourteen hours per week
				19			15 Fifteen hours per week
				24			16-20 Sixteen to twenty hours per week
				89			21-25 Twenty-one to twenty-five hours per week
				76			26-30 Twenty-six to thirty hours per week
				27			31-35 Thirty-one to thirty-five hours per week
				43			Thirty-six or more hours per week

Notes: Applies only if ACTVPART = 1
 First available in 2001

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
D_MODTIM	186	2	NUMHRS			HFH11	N Time spent doing moderate phys. activity
				9,728			. Inapplicable
				696			0 None
				397			1 One hour per week
				688			2 Two hours per week
				419			3 Three hours per week
				624			4 Four hours per week
				353			5 Five hours per week
				144			6 Six hours per week
				590			7 Seven hours per week
				83			8 Eight hours per week
				30			9 Nine hours per week
				160			10 Ten hours per week
				26			11 Eleven hours per week
				57			12 Twelve hours per week
				3			13 Thirteen hours per week
				331			14 Fourteen hours per week
				51			15 Fifteen hours per week
				83			16-20 Sixteen to twenty hours per week
				154			21-25 Twenty-one to twenty-five hours per week
				147			26-30 Twenty-six to thirty hours per week
				47			31-35 Thirty-one to thirty-five hours per week
				105			Thirty-six or more hours per week

Notes: Applies only if ACTVPART = 1
 First available in 2001

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
D_MUSTIM	188	2	NUMHRS			HFH12	N Time spent increasing muscle strength
				9,683			. Inapplicable
				3,286			0 None
				530			1 One hour per week
				552			2 Two hours per week
				208			3 Three hours per week
				274			4 Four hours per week
				84			5 Five hours per week
				34			6 Six hours per week
				134			7 Seven hours per week
				10			8 Eight hours per week
				1			9 Nine hours per week
				16			10 Ten hours per week
				0			11 Eleven hours per week
				6			12 Twelve hours per week
				0			13 Thirteen hours per week
				43			14 Fourteen hours per week
				6			15 Fifteen hours per week
				6			16-20 Sixteen to twenty hours per week
				20			21-25 Twenty-one to twenty-five hours per week
				18			26-30 Twenty-six to thirty hours per week
				2			31-35 Thirty-one to thirty-five hours per week
				3			Thirty-six or more hours per week

Notes: Applies only if ACTVPART = 1
 First available in 2001

COLHEAR	190	2	YES1FMT			HFR1	N SP heard of colon cancer before today
				323			. Inapplicable
				3			-9 Not ascertained
				21			-8 Don't know
				10			-7 Refused
				12,796			1 Yes
				1,763			2 No

Notes: Applies only if RIC2, OCCCOLON is not equal to 1
 First available in 2000

COLHRISK	192	2	YES1FMT			HFR2	N SP told at high risk for colon cancer
				2,120			. Inapplicable
				55			-8 Don't know
				858			1 Yes
				11,883			2 No

Notes: Applies only if COLHEAR = 1.
 First available in 2000

COLHTEST	194	2	YES1FMT			HFR3	N SP given home test for fecal blood
				323			. Inapplicable
				3			-9 Not ascertained
				143			-8 Don't know
				11			-7 Refused
				6,741			1 Yes
				7,695			2 No

Notes: Applies only if RIC2, OCCCOLON is not equal to 1
 First available in 2000

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
COLHKIT	196	2	YES1FMT			HFR4	N Heard of home test kit for fecal blood
				7,064			. Inapplicable
				7			-9 Not ascertained
				48			-8 Don't know
				10			-7 Refused
				3,823			1 Yes
				3,964			2 No
Notes: Applies only if COLHTEST equals 2, -7, or -8 First available in 2000							
COLCARD	198	2	YES1FMT			HFR5	N Sent card in for most recent test
				8,175			. Inapplicable
				21			-8 Don't know
				6,377			1 Yes
				343			2 No
Notes: Applies only if COLHTEST = 1 First available in 2000							
COLKCOST	200	2	IND1FMT			HFR6	N Cost of test/insurance doesn't pay
				14,573			. Inapplicable
				3			-8 Don't know
				1			1 Indicated
				339			2 Not indicated
Notes: Applies only if COLCARD = 2 First available in 2000							
COLKDISG	202	2	IND1FMT			HFR6	N Test was repulsive/disgusting
				14,573			. Inapplicable
				3			-8 Don't know
				35			1 Indicated
				305			2 Not indicated
Notes: Applies only if COLCARD = 2 First available in 2000							
COLKFEAR	204	2	IND1FMT			HFR6	N Afraid of results/don't want to know
				14,573			. Inapplicable
				3			-8 Don't know
				7			1 Indicated
				333			2 Not indicated
Notes: Applies only if COLCARD = 2 First available in 2000							
COLKFORG	206	2	IND1FMT			HFR6	N Forgot it/procrastinated
				14,573			. Inapplicable
				3			-8 Don't know
				76			1 Indicated
				264			2 Not indicated
Notes: Applies only if COLCARD = 2 First available in 2000							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
COLKGET	208	2	IND1FMT			HFR6	N Could get cancer anyway/test useless
				14,573			. Inapplicable
				3			-8 Don't know
				7			1 Indicated
				333			2 Not indicated
				Notes: Applies only if COLCARD = 2 First available in 2000			
COLKINCO	210	2	IND1FMT			HFR6	N Inconvenient
				14,573			. Inapplicable
				3			-8 Don't know
				43			1 Indicated
				297			2 Not indicated
				Notes: Applies only if COLCARD = 2 First available in 2000			
COLKNEED	212	2	IND1FMT			HFR6	N Didn't think it was needed/nothing wrong
				14,573			. Inapplicable
				3			-8 Don't know
				93			1 Indicated
				247			2 Not indicated
				Notes: Applies only if COLCARD = 2 First available in 2000			
COLKOTHR	214	2	IND1FMT			HFR6	N Didn't complete home kit - other
				14,573			. Inapplicable
				3			-8 Don't know
				64			1 Indicated
				276			2 Not indicated
				Notes: Applies only if COLCARD = 2 First available in 2000			
COLKPERF	216	2	IND1FMT			HFR6	N Could not perform test correctly
				14,573			. Inapplicable
				3			-8 Don't know
				26			1 Indicated
				314			2 Not indicated
				Notes: Applies only if COLCARD = 2 First available in 2000			
COLKRISK	218	2	IND1FMT			HFR6	N Not at risk for cancer
				14,573			. Inapplicable
				3			-8 Don't know
				9			1 Indicated
				331			2 Not indicated
				Notes: Applies only if COLCARD = 2 First available in 2000			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
COLKSTOL	220	2	IND1FMT		HFR6		N Did not want to handle stool
				14,573			. Inapplicable
				3			-8 Don't know
				31			1 Indicated
				309			2 Not indicated
Notes: Applies only if COLCARD = 2 First available in 2000							
COLKTRST	222	2	IND1FMT		HFR6		N Don't trust lab, test. results
				14,573			. Inapplicable
				3			-8 Don't know
				6			1 Indicated
				334			2 Not indicated
Notes: Applies only if COLCARD = 2 First available in 2000							
COLRECNT	224	2	RECFMT		HFR7		N When most recent blood stool test done
				8,518			. Inapplicable
				1			-9 Not Ascertained
				80			-8 Don't Know
				2,074			1 Less than 1 year ago
				1,584			2 Between 1-2 years ago
				887			3 Between 2-3 years ago
				612			4 Between 3-5 years ago
				1,160			5 5 or more years ago
Notes: Applies only if COLCARD = 1, -7, or -8 First available in 2000							
COLSCOPY	226	2	YES1FMT		HFR8		N Ever had a colonoscopy or sigmoidoscopy
				323			. Inapplicable
				4			-9 Not ascertained
				143			-8 Don't know
				12			-7 Refused
				7,159			1 Yes
				7,275			2 No
Notes: Applies only if RIC2, OCCCOLON is not equal to 1 First available in 2000							
WHENSCOP	228	2	RECFMT		HFR9		N When most recent colonoscopy done
				7,757			. Inapplicable
				1			-9 Not Ascertained
				69			-8 Don't Know
				1,548			1 Less than 1 year ago
				1,704			2 Between 1-2 years ago
				1,228			3 Between 2-3 years ago
				1,015			4 Between 3-5 years ago
				1,594			5 5 or more years ago
Notes: Applies only if COLSCOPY = 1 First available in 2000							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
HEARSCOP	230	2	YES1FMT	HFR10			N Heard of colonoscopy before today
				7,482			. Inapplicable
				6			-9 Not ascertained
				36			-8 Don't know
				11			-7 Refused
				5,045			1 Yes
				2,336			2 No
Notes: Applies only if COLSCOPY is not equal to . or 1 First available in 2000							
COLDRREC	232	2	YES1FMT	HFR11			N Dr. ever recommend colonoscopy
				9,871			. Inapplicable
				80			-8 Don't know
				557			1 Yes
				4,408			2 No
Notes: Applies only if HEARSCOP = 1 First available in 2000							
COLNAPP	234	2	IND1FMT	HFR12			N Difficulty getting appointment
				14,359			. Inapplicable
				2			-8 Don't know
				13			1 Indicated
				542			2 Not indicated
Notes: Applies only if COLDDREC = 1 First available in 2000							
COLNAPPT	236	2	IND1FMT	HFR12			N Appointment is scheduled/due soon
				14,359			. Inapplicable
				2			-8 Don't know
				97			1 Indicated
				458			2 Not indicated
Notes: Applies only if COLDDREC = 1 First available in 2000							
COLNILL	238	2	IND1FMT	HFR12			N No sigmoid/colonoscopy -- to ill
				14,443			. Inapplicable
				2			-8 Don't know
				13			1 Indicated
				458			2 Not indicated
Notes: Applies if COLDDREC = 1 First available in 2003							
COLNCOST	240	2	IND1FMT	HFR12			N Cost of test/insurance doesn't pay
				14,359			. Inapplicable
				2			-8 Don't know
				13			1 Indicated
				542			2 Not indicated
Notes: Applies only if COLDDREC = 1 First available in 2000							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
COLNFEAR	242	2	IND1FMT		HFR12		N Afraid of results/don't want to know
				14,359			. Inapplicable
				2			-8 Don't know
				25			1 Indicated
				530			2 Not indicated
				Notes: Applies only if COLDDREC = 1 First available in 2000			
COLNGET	244	2	IND1FMT		HFR12		N Could get cancer anyway/test is useless
				14,359			. Inapplicable
				2			-8 Don't know
				25			1 Indicated
				530			2 Not indicated
				Notes: Applies only if COLDDREC = 1 First available in 2000			
COLNLIKE	246	2	IND1FMT		HFR12		N Don't like test/pain/discomfort
				14,359			. Inapplicable
				2			-8 Don't know
				149			1 Indicated
				406			2 Not indicated
				Notes: Applies only if COLDDREC = 1 First available in 2000			
COLNLOCA	248	2	IND1FMT		HFR12		N Inconvenient/hard to get to location
				14,359			. Inapplicable
				2			-8 Don't know
				18			1 Indicated
				537			2 Not indicated
				Notes: Applies only if COLDDREC = 1 First available in 2000			
COLNMISS	250	2	IND1FMT		HFR12		N Haven't scheduled/missed/forgot it
				14,359			. Inapplicable
				2			-8 Don't know
				85			1 Indicated
				470			2 Not indicated
				Notes: Applies only if COLDDREC = 1 First available in 2000			
COLNNEED	252	2	IND1FMT		HFR12		N Wasn't needed/no need/nothing wrong
				14,359			. Inapplicable
				2			-8 Don't know
				124			1 Indicated
				431			2 Not indicated
				Notes: Applies only if COLDDREC = 1 First available in 2000			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
COLNOTHR	254	2	IND1FMT			HFR12	N Did not have colonoscopy - other reason
				14,359			. Inapplicable
				2			-8 Don't know
				35			1 Indicated
				520			2 Not indicated
Notes: Applies only if COLDDREC = 1 First available in 2000							
COLNRISK	256	2	IND1FMT			HFR12	N Not at risk for cancer
				14,359			. Inapplicable
				2			-8 Don't know
				27			1 Indicated
				528			2 Not indicated
Notes: Applies only if COLDDREC = 1 First available in 2000							
COLSCRNS	258	2	YES1FMT			HFR13	N Know Medicare helps pay screening test
				1,917			. Inapplicable
				1			-9 Not ascertained
				117			-8 Don't know
				5,179			1 Yes
				7,702			2 No
Notes: Applies only if COLSCOPY = 1, HEARSCOP = 1, COLHTEST = 1 or COLHKIT = 1 First available in 2000							
OSTEVERT	260	2	YES1FMT			HFS1	N Ever talk to Dr. about osteoporosis
				2,369			. Inapplicable
				2			-9 Not ascertained
				73			-8 Don't know
				6			-7 Refused
				2,875			1 Yes
				9,591			2 No
Notes: Applies only if RIC2, OCOSTEOP is not equal to 1 First available in 2000							
OSTHRISK	262	2	YES1FMT			HFS2	N SP told at high risk for osteoporosis
				11,828			. Inapplicable
				19			-8 Don't know
				522			1 Yes
				2,547			2 No
Notes: Applies only if OSTEVERT = 1 First available in 2000							
OSTTEST	264	2	YES2FMT			HFS3	N Ever had bone mass/measurement test
				2			-9 Not ascertained
				235			-8 Don't know
				9			-7 Refused
				4,625			1 Yes
				10,045			2 No
Note: First available in 2000							

Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label

OSTHEAR 266 2 YES1FMT HFS4 N Heard of bone mass test before today
 4,111 . Inapplicable
 3 -9 Not ascertained
 36 -8 Don't know
 10 -7 Refused
 7,096 1 Yes
 3,660 2 No

Notes: Applies only if OSTTEST is not equal to 1
 First available in 2000

OSTRECNT 268 2 RECFMT HFS5 N Most recent time had bone mass test
 10,163 . Inapplicable
 60 -8 Don't Know
 1 -7 Refused
 1,402 1 Less than 1 year ago
 1,530 2 Between 1-2 years ago
 862 3 Between 2-3 years ago
 486 4 Between 3-5 years ago
 412 5 5 or more years ago

Notes: Applies only if OSTTEST = 1
 First available in 2000

OSTMASS 270 2 YES1FMT HFS6 N Know Medicare pays for bone mass test
 3,306 . Inapplicable
 87 -8 Don't know
 4,989 1 Yes
 6,534 2 No

Notes: Applies only if OSTTEST = 1 or OSTHEAR = 1
 First available in 2000

HYPEAGE 272 3 AGE2FMT HFT2 N Age when 1st told of high blood pressure
 7,836 . Inapplicable
 7,080 Age in years

Notes: Applies if HYPETOLD ^= 3
 First available in 2003

HYPEMEAS 275 2 YES1FMT HFT3 N At last reg Dr. visit, was BP checked?
 7,836 . Inapplicable
 20 -8 Don't know
 7,006 1 Yes
 54 2 No

Notes: Applies if HYPETOLD ^= 3
 First available in 2003

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
HYPEDIAS	277	3	NUM4FMT			HFT4	N Most recent diastolic reading
				7,910			. Inapplicable
				3,235			-8 Don't know
				1			-7 Refused
				3,770			Number
				Notes: Applies if HYPETOLD ^= 3 First available in 2003			
HYPESYST	280	3	NUM4FMT			HFT4	N Most recent systolic reading
				7,910			. Inapplicable
				3,081			-8 Don't know
				2			-7 Refused
				3,923			Number
				Notes: Applies if HYPETOLD ^= 3 First available in 2003			
HYPECONT	283	2	YES1FMT			HFT5	N Is high blood pressure now under control
				7,836			. Inapplicable
				111			-8 Don't know
				6,531			1 Yes
				438			2 No
				Notes: Applies if HYPETOLD ^= 3 First available in 2003			
HYPESALT	285	2	YES1FMT			HFT6	N Due to high BP, reducing salt intake?
				7,836			. Inapplicable
				11			-8 Don't know
				5,491			1 Yes
				1,578			2 No
				Notes: Applies if HYPETOLD ^= 3 First available in 2003			
HYPELOSE	287	2	YES1FMT			HFT6	N Due to high BP, losing weight?
				7,836			. Inapplicable
				20			-8 Don't know
				4,490			1 Yes
				2,570			2 No
				Notes: Applies if HYPETOLD ^= 3 First available in 2003			
HYPEEXER	289	2	YES1FMT			HFT6	N Due to high BP, exercising more?
				7,836			. Inapplicable
				16			-8 Don't know
				2,523			1 Yes
				4,541			2 No
				Notes: Applies if HYPETOLD ^= 3 First available in 2003			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
HYPEHOME	291	2	YES1FMT			HFT6	N Does SP measure BP at home?
				7,836			. Inapplicable
				7			-8 Don't know
				2,862			1 Yes
				4,211			2 No
Notes: Applies if HYPETOLD ^= 3 First available in 2003							
HYPESMOK	293	2	YES1FMT			HFT6	N Due to high BP, reducing smoking?
				7,836			. Inapplicable
				36			-8 Don't know
				3,255			1 Yes
				3,789			2 No
Notes: Applies if HYPETOLD ^= 3 First available in 2003							
HYPEBOOZ	295	2	YES1FMT			HFT6	N Due to high BP, reducing alcohol intake?
				7,836			. Inapplicable
				43			-8 Don't know
				1			-7 Refused
				3,031			1 Yes
				4,005			2 No
Notes: Applies if HYPETOLD ^= 3 First available in 2003							
HYPEMEDS	297	2	YES1FMT			HFT6	N Does SP take meds for high BP?
				7,836			. Inapplicable
				16			-8 Don't know
				6,565			1 Yes
				499			2 No
Notes: Applies if HYPETOLD ^= 3 First available in 2003							
HYPELONG	299	3	BPLNGFMT			HFT7	N How long has SP taken meds for high BP?
				8,351			. Inapplicable
				1			-9 Not ascertained
				569			-8 Don't know
				2			-7 Refused
				209			996 Less than one year
				5,784			Number of years
Notes: Applies if HYPETOLD ^= 3 First available in 2003							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
HYPEMANY	302	2	NUM4FMT	HFT8			N How many meds does SP take for high BP?
				12,767			. Inapplicable
				1			-9 Not ascertained
				42			-8 Don't know
				1			-7 Refused
				2,105			Number
				Notes: Applies if HYPETOLD ^= 3			
				First available in 2003			
HYPETAKE	304	2	YES1FMT	HFT9			N Does SP take high BP meds daily?
				12,767			. Inapplicable
				1			-9 Not ascertained
				1			-8 Don't know
				2,092			1 Yes
				55			2 No
				Notes: Applies if HYPETOLD ^= 3			
				First available in 2003			
HYPEFINE	306	2	YES1FMT	HFT10			N SP takes BP med even when feeling fine?
				8,351			. Inapplicable
				1			-9 Not ascertained
				8			-8 Don't know
				6,394			1 Yes
				162			2 No
				Notes: Applies if HYPETOLD ^= 3			
				First available in 2003			
HYPESIDE	308	2	YES1FMT	HFT11			N Do high BP meds have side effects?
				8,351			. Inapplicable
				1			-9 Not ascertained
				68			-8 Don't know
				1			-7 Refused
				669			1 Yes
				5,826			2 No
				Notes: Applies if HYPETOLD ^= 3			
				First available in 2003			
HYPEDENT	310	2	YES1FMT	HFT12			N Can SP take actions to control high BP?
				7,836			. Inapplicable
				1			-9 Not ascertained
				53			-8 Don't know
				6,676			1 Yes
				350			2 No
				Notes: Applies if HYPETOLD ^= 3			
				First available in 2003			

06/01/05
ACCESS
2003

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Prevention

RIC: 2P
Page: 30
Version: 3

Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label

HYPEPAY 312 2 YES1FMT HFT13 N SP has difficulty paying for BP meds?
8,351 . Inapplicable
1 -9 Not ascertained
7 -8 Don't know
1 -7 Refused
970 1 Yes
5,586 2 No

Notes: Applies if HYPETOLD ^= 3
First available in 2003

HYPESKIP 314 2 YES1FMT HFT14 N SP skips/shares BP meds due to high cost
8,351 . Inapplicable
1 -9 Not ascertained
3 -8 Don't know
1 -7 Refused
437 1 Yes
6,123 2 No

Notes: Applies if HYPETOLD ^= 3
First available in 2003