

References Cited

1. Blake AJ, Morgan K, Bendall MJ, et al. Falls by elderly people at home: Prevalence and associated factors. *Age Ageing*. 1988;17:365-372. Rec #: 2759
2. O'Loughlin JL, Robitaille Y, Boivin JF, et al. Incidence of and risk factors for falls and injurious falls among the community-dwelling elderly. *Am J Epidemiol*. 1993;137(3):342-54. Rec #: 669
3. Tinetti ME, Speechley M, Ginter SP. Risk factors for falls among elderly persons living in the community. *N Engl J Med*. 1988;319:1701-1707. Rec #: 2064
4. Alexander BH, Rivara FP, Wolf ME. The cost and frequency of hospitalization for fall-related injuries in older adults. *Am J Public Health*. 1992;82(7):1020-3. Rec #: 9085
5. Sattin RW, Lambert Huber DA, DeVito CA, et al. The incidence of fall injury events among the elderly in a defined population. *Am J Epidemiol*. 1990;131(6):1028-37. Rec #: 9086
6. Nevitt MC, Cummings SR, Hudes ES. Risk factors for injurious falls: A prospective study. *J Gerontol*. 1991;46:164-170. Rec #: 2033
7. Tinetti ME, Doucette J, Claus E, et al. Risk factors for serious injury during falls by older persons in the community. *J Am Geriatr Soc*. 1995;43(11):1214-21. Rec #: 2573
8. Dunn JE, Furner SE, Miles TP. Do falls predict institutionalization in older persons? An analysis of data from the Longitudinal Study of Aging. *J Aging Health*. 1993;5(2):194-207. Rec #: 9087
9. Englander F, Hodson TJ, Terregrossa RA. Economic dimensions of slip and fall injuries. *J Forensic Sci*. 1996;41(5):733-46. Rec #: 632
10. Incidence and costs to Medicare of fractures among Medicare beneficiaries aged > or = 65 years. United States, July 1991-1992. *MMWR Morb Mortal Wkly Rep*. 1996;45(41):877-83. Rec #: 9088
11. Schneider EL, Guralnik JM. The aging of America. Impact on health care costs. *JAMA*. 1990;263(17):2335-40. Rec #: 9089
12. Gillespie LD, Gillespie WJ, Cumming R, Lamb SE, Rowe BH. Interventions for preventing falls in the elderly. In: *The Cochrane Library, Issue 3*. 2002. Rec #: 709
13. Paffenbarger RS, Hyde RT. Exercise in the prevention of coronary heart disease. *Prev Med*. 1984;13:3-22. Rec #: 3191
14. Stata Corporation. Stata Statistical Software: Release 6.0. College Station TX: Stata Corporation; 1999. Rec #: 5095
15. Province MA, Hadley EC, Hornbrook MC, et al. The effects of exercise on falls in elderly patients. A preplanned meta-analysis of the FICSIT Trials. Frailty and Injuries: Cooperative Studies of Intervention Techniques. *JAMA*. 1995;273(17):1341-7. Rec #: 473
16. Tinetti ME, Baker DI, McAvay G, et al. A multifactorial intervention to reduce the risk of falling among elderly people living in the community. *N Engl J Med*. 1994;331(13):821-7. Rec #: 494
17. Buchner DM, Cress ME, de Lateur BJ, et al. The effect of strength and endurance training on gait, balance, fall risk, and health services use in community-living older adults. *J Gerontol A Biol Sci Med Sci*. 1997;52(4):M218-24. Rec #: 617
18. Tideiksaar R, Kay AD. What causes falls? A logical diagnostic procedure. *Geriatrics*. 1986;41:32-50. Rec #: 2058
19. Woolf SH. AHCPR Interim Manual for Clinical Practice Guideline Development. Rockville, MD: Department of Health and Human Services; 1991. Rec #: 5032
20. Rubenstein LZ, Powers CM, MacLean CH. Quality indicators for the management and prevention of falls and mobility problems in vulnerable elders. *Ann Intern Med*. 2001;135(8 Part 2):641-758. Rec #: 3402

Accepted Articles

21. American Geriatrics Society, British Geriatrics Society, American Academy of Orthopaedic Surgeons Panel on Falls Prevention. Guideline for the prevention of falls in older persons. *J Am Geriatr Soc*. 2001;49(5):664-72. Rec #: 5005
22. Jadad AR, Moore RA, Carroll D, et al. Assessing the quality of reports of randomized clinical trials: is blinding necessary? *Control Clin Trials*. 1996;17(1):1-12. Rec #: 5100
23. DerSimonian R, Laird N. Meta-analysis in clinical trials. *Control Clin Trials*. 1986;7:177-183. Rec #: 2734
24. Hedges LV, Olkin I. *Statistical Methods for Meta-Analysis*. San Deigo, CA: Academic Press Inc. 1985. Rec #: 5099
25. Berkey CS, Hoaglin DC, Mosteller F, et al. A random-effects regression model for meta-analysis. *Stat Med*. 1995;14(4):395-411. Rec #: 5096
26. Sharp SJ. Meta-analysis regression. *STATA Technical Bulletin*. 1998;42:16-22. Rec #: 5097
27. Rothman KJ, Greenland S. *Modern Epidemiology*. Philadelphia: Lippincott-Raven Publishers. 1998. Rec #: 3401
28. Begg CB, Mazumdar M. Operating characteristics of a rank correlation test for publication bias. *Biometrics*. 1994;50(4):1088-1101. Rec #: 3398
29. Egger M, Davey Smith G, Schneider M, et al. Bias in meta-analysis detected by a simple graphical test. *BMJ*. 1997;315(7109):629-34. Rec #: 3399
30. Reinsch S, MacRae P, Lachenbruch PA, et al. Attempts to prevent falls and injury: A prospective community study. *Gerontologist*. 1992;32(4):450-6. Rec #: 491
31. Coleman EA, Grothaus LC, Sandhu N, et al. Chronic care clinics: a randomized controlled trial of a new model of primary care for frail older adults. *J Am Geriatr Soc*. 1999;47(7):775-783. Rec #: 1510
32. McRae PG, Feltner ME, Reinsch SA. A one-year exercise program for older women: Effects on falls, injuries, and physical performance. *J Aging Phys Activity*. 1994;2:127-142. Rec #: 2027
33. Millar AM. A trial of falls prevention. *Age and Ageing*. 1999;28(Suppl 1):15. Rec #: 3617
34. Jensen J, Lundin-Olsson L, Nyberg L, et al. Fall and Injury Prevention in older people living in residential care facilities. *Ann Intern Med*. 2002;136:733-741. Rec #: 3654
35. Hornbrook MC, Stevens VJ, Wingfield DJ, et al. Preventing falls among community-dwelling older persons: Results from a randomized trial. *Gerontologist*. 1994;34(1):16-23. Rec #: 445
36. El Faizy M, Reinsch S. Home safety intervention for the prevention of falls. *Phys Occup Ther Geriatr*. 1994;12(3):33-49. Rec #: 583
37. Steinberg M, Cartwright C, Peel N, et al. A sustainable programme to prevent falls and near falls in community dwelling older people: results of a randomised trial. *J Epidemiol Community Health*. 2000;54(3):227-32. Rec #: 2523
38. Fiatarone MA, O'Neill EF, Doyle N, et al. The Boston FICSIT study: the effects of resistance training and nutritional supplementation on physical frailty in the oldest old. *J Am Geriatr Soc*. 1993;41(3):333-7. Rec #: 528
39. Wolfson L, Whipple R, Judge J, et al. Training balance and strength in the elderly to improve function. *J Am Geriatr Soc*. 1993;41(3):341-3. Rec #: 479
40. Armstrong AL, Osborne J, Coupland CA, et al. Effects of hormone replacement therapy on muscle performance and balance in post-menopausal women. *Clin Sci (Colch)*. 1996b;91(6):685-90. Rec #: 442
41. Bowling A, Formby J, Grant K. Accidents in elderly care: A randomised controlled trial (Part 2). *Nurs Stand*. 1992;6(30):28-31. Rec #: 513
42. Hu MH, Woollacott MH. Multisensory training of standing balance in older adults: I. Postural stability and one-leg stance balance. *J Gerontol*. 1994a;49(2):M52-61. Rec #: 541

Accepted Articles

43. Gray-Donald K, Payette H, Boutier V. Randomized clinical trial of nutritional supplementation shows little effect on functional status among free-living frail elderly. *J Nutr.* 1995;125(12):2965-71. Rec #: 3603
44. Caplan GA, Ward JA, Brennan NJ, et al. Hospital in the home: a randomised controlled trial. *Med J Aust.* 1999;170(4):156-60. Rec #: 3608
45. Hopman-Rock M, Staats PG, Tak EC, et al. The effects of a psychomotor activation programme for use in groups of cognitively impaired people in homes for the elderly. *Int J Geriatr Psychiatry.* 1999;14(8):633-42. Rec #: 3611
46. Donald IP, Pitt K, Armstrong E, et al. Preventing falls on an elderly care rehabilitation ward. *Clin Rehabil.* 2000;14(2):178-85. Rec #: 3621
47. Sauvage Jr LR, Myklebust BM, Crow Pan J, et al. A clinical trial of strengthening and aerobic exercise to improve gait and balance in elderly male nursing home residents. *Am J Phys Med Rehabil.* 1992;71(6):333-42. Rec #: 453
48. Sherrington C, Lord SR. Home exercise to improve strength and walking velocity after hip fracture: A randomized controlled trial. *Arch Phys Med Rehabil.* 1997;78(2):208-12. Rec #: 457
49. Topp R, Mikesky A, Wigglesworth J, et al. The effect of a 12-week dynamic resistance strength training program on gait velocity and balance of older adults. *Gerontologist.* 1993;33(4):501-6. Rec #: 467
50. Wolfson L, Whipple R, Derby C, et al. Balance and strength training in older adults: Intervention gains and Tai Chi maintenance. *J Am Geriatr Soc.* 1996;44(5):498-506. Rec #: 477
51. Judge JO, Whipple RH, Wolfson LI. Effects of resistive and balance exercises on isokinetic strength in older persons. *J Am Geriatr Soc.* 1994;42(9):937-46. Rec #: 478
52. Crilly RG, Willems DA, Trenholm KJ, et al. Effect of exercise on postural sway in the elderly. *Gerontology.* 1989;35(2-3):137-43. Rec #: 522
53. Hu MH, Woollacott MH. Multisensory training of standing balance in older adults: II. Kinematic and electromyographic postural responses. *J Gerontol.* 1994b;49(2):M62-71. Rec #: 540
54. Judge JO, Lindsey C, Underwood M, et al. Balance improvements in older women: Effects of exercise training. *Phys Ther.* 1993;73(4):254-62; discussion 263-5. Rec #: 543
55. Lichtenstein MJ, Shields SL, Shiavi RG, et al. Exercise and balance in aged women: A pilot controlled clinical trial. *Arch Phys Med Rehabil.* 1989;70(2):138-43. Rec #: 553
56. Lord SR, Lloyd DG, Nirui M, et al. The effect of exercise on gait patterns in older women: A randomized controlled trial. *J Gerontol A Biol Sci Med Sci.* 1996a;51(2):M64-70. Rec #: 555
57. Lord SR, Ward JA, Williams P. Exercise effect on dynamic stability in older women: A randomized controlled trial. *Arch Phys Med Rehabil.* 1996b;77(3):232-6. Rec #: 556
58. Mills EM. The effect of low-intensity aerobic exercise on muscle strength, flexibility, and balance among sedentary elderly persons. *Nurs Res.* 1994;43(4):207-11. Rec #: 562
59. Ploeg J, Black ME, Hutchison BG, et al. Personal, home and community safety promotion with community-dwelling elderly persons: Response to a public health nurse intervention. *Can J Public Health.* 1994;85(3):188-91. Rec #: 572
60. Buchner DM, Cress ME, de Lateur BJ, et al. A comparison of the effects of three types of endurance training on balance and other fall risk factors in older adults. *Aging (Milano).* 1997;9(1-2):112-9. Rec #: 616
61. Wolf SL, Barnhart HX, Ellison GL, et al. The effect of Tai Chi Quan and computerized balance training on postural stability in older subjects. Atlanta FICSIT Group. Frailty and Injuries: Cooperative Studies on Intervention Techniques. *Phys Ther.* 1997;77(4):371-81; discussion 382-4. Rec #: 701
62. Coogler CE, Wolf SL. Geriatrics. Balance training in elderly fallers and nonfallers. *Rehabil Rd Prog Rep.* 1994;30-31:96-7. Rec #: 1355
63. Taaffe DR, Duret C, Wheeler S, et al. Once-weekly resistance exercise improves muscle strength and

Accepted Articles

- neuromuscular performance in older adults. *J Am Geriatr Soc.* 1999;47(10):1208-1214. Rec #: 1506
64. Verfaillie DF, Nichols JF, Turkel E, et al. Effects of resistance, balance, and gait training on reduction of risk factors leading to falls in elders. *J Aging Phys Activity.* 1997;5(3):213-228. Rec #: 1551
 65. Rooks DS, Ransil BJ, Hayes WC. Self-paced exercise and neuromotor performance in community-dwelling older adults. *J Aging Phys Activity.* 1997;5(2):135-149. Rec #: 1558
 66. Chandler JM, Duncan PW, Kochersberger G, et al. Is lower extremity strength gain associated with improvement in physical performance and disability in frail, community-dwelling elders? *Arch Phys Med Rehabil.* 1998;79(1):24-30. Rec #: 1622
 67. Jones CJ, Robichaux J, Williams P, et al. The effects of a 16-week exercise program on the dynamic balance of older adults. *J Clin Exp Gerontol.* 1992;14(2):165-182. Rec #: 1878
 68. Nichols JF, Hitzelberger LM, Sherman JG, et al. Effects of resistance training on muscular strength and functional abilities of community-dwelling older adults. *J Aging Phys Activity.* 1995;3:238-250. Rec #: 2495
 69. Roberts BL, Fitzpatrick JJ. Improving balance. Therapy of movement. *J Gerontol Nurs.* 1983;9(3):151-6. Rec #: 2509
 70. Cameron ID, Stafford B, Cumming RG, et al. Hip protectors improve falls self-efficacy. *Age Ageing.* 2000;29(1):57-62. Rec #: 2518
 71. Lindmark B, Lagerstrom C, Naessen T, et al. Performance in functional balance tests during menopausal hormone replacement: a double-blind placebo-controlled study. *Physiother Res Int.* 1999;4(1):43-54. Rec #: 1283
 72. Cutson TM, Gray SL, Hughes MA, et al. Effect of a single dose of diazepam on balance measures in older people. *J Am Geriatr Soc.* 1997;45(4). Rec #: 1557
 73. Pomeroy VM, Warren CM, Honeycombe C, et al. Mobility and dementia: is physiotherapy treatment during respite care effective? *Int J Geriatr Psychiatry.* 1999;14(5):389-97. Rec #: 1595
 74. Lips P, Graafmans WC, Ooms ME, et al. Vitamin D supplementation and fracture incidence in elderly persons. A randomized, placebo-controlled clinical trial. *Ann Intern Med.* 1996;124(4):400-6. Rec #: 1677
 75. Chapuy MC, Arlot ME, Duboeuf F, et al. Vitamin D3 and calcium to prevent hip fractures in elderly women. *N Engl J Med.* 1992;327(23):1637-42. Rec #: 1686
 76. Wallace JI, Buchner DM, Grothaus L, et al. Implementation and effectiveness of a community based health promotion program for older adults. *Journals of Gerontology - Series A Biological Sciences and Medical Sciences.* 1998;53(4):M301-M306. Rec #: 1767
 77. Dawson-Hughes B, Harris SS, Krall EA, et al. Effect of calcium and vitamin D supplementation on bone density in men and women 65 years of age or older. *N Engl J Med.* 1997;337(10):670-6. Rec #: 3602
 78. Rizzo JA, Baker DI, McAvay G, et al. The cost-effectiveness of a multifactorial targeted prevention program for falls among community elderly persons. *Med Care.* 1996;34(9):954-69. Rec #: 418
 79. Tinetti ME, McAvay G, Claus E. Does multiple risk factor reduction explain the reduction in fall rate in the Yale FICSIT Trial? Frailty and Injuries Cooperative Studies of Intervention Techniques. *Am J Epidemiol.* 1996;144(4):389-99. Rec #: 497
 80. Capezuti E, Strumpf NE, Evans LK, et al. The relationship between physical restraint removal and falls and injuries among nursing home residents. *J Gerontol A Biol Sci Med Sci.* 1998;53(1):M47-52. Rec #: 621
 81. Gardner M. Home-based exercises to prevent falls in elderly women. *NZ J Physiother.* 1998;26(3):6. Rec #: 1297
 82. Robertson MC, Devlin N, Scuffham P, et al. Economic evaluation of a community based exercise programme to prevent falls. *J Epidemiol Community Health.* 2001;55(8):600-6. Rec #: 3601

Accepted Articles

83. Pereira MA. Ten year follow-up of a randomized exercise trial in post-menopausal women [PhD Thesis]. 1996. Rec #: 3618
84. Peel N, Steinberg M, Williams G. Home safety assessment in the prevention of falls among older people. *Aust N Z J Public Health*. 2000;24(5):536-9. Rec #: 3607
85. Capezuti EA. The Relationship Between Physical Restraint Removal and Fall-Related Incidents and Injuries Among Nursing Home Residents. University of Pennsylvania; 1995. [Dissertation]. Rec #: 1316
86. Campbell AJ, Robertson MC, Gardner MM, et al. Falls prevention over 2 years: a randomized controlled trial in women 80 years and older. *Age Ageing*. 1999a;28(6):513-518. Rec #: 1504
87. Campbell AJ, Robertson MC, Gardner MM, et al. Randomised controlled trial of a general practice programme of home based exercise to prevent falls in elderly women. *BMJ*. 1997;315(7115):1065-9. Rec #: 483
88. Pereira MA, Kriska AM, Day RD, et al. A randomized walking trial in postmenopausal women: effects of physical activity and health 10 years later. *Arch Intern Med*. 1998;158(15):1695-1701. Rec #: 1533
89. Peel N, Cartwright C, Steinberg M. Monitoring slips, trips and falls in the older community: Preliminary results. *Health Promot J Australia*. 1998;8(2):148-150. Rec #: 3259
90. Tennstedt S, Howland J, Lachman M, et al. A randomized, controlled trial of a group intervention to reduce fear of falling and associated activity restriction in older adults. *J Gerontol B Psychol Sci Soc Sci*. 1998;53(6):P384-92. Rec #: 1195
91. Kannus P, Parkkari J, Niemi S, et al. Prevention of hip fracture in elderly people with use of a hip protector. *N Engl J Med*. 2000;343(21):1506-13. Rec #: 3089
92. Tideiksaar R, Feiner CF, Maby J. Falls prevention: The efficacy of a bed alarm system in an acute-care setting. *Mt Sinai J Med*. 1993;60(6):522-7. Rec #: 493
93. Widen Holmqvist L, von Koch L, Kostulas V, et al. A randomized controlled trial of rehabilitation at home after stroke in southwest Stockholm. *Stroke*. 1998;29(3):591-7. Rec #: 3610
94. Vellas B, Albarede JL. [A randomized clinical trial on the value of raubasine-dihydroergocristine (Iskedyl (TM)) in the prevention of post fall syndrome]. *Psychologie Medicale*. 1991;23(7):831-839. Rec #: 3619
95. Kenny RA, Richardson DA. Carotid sinus syndrome and falls in older adults. *Am J Geriatr Cardiol*. 2001;10(2):97-9. Rec #: 3622
96. Ray WA, Taylor JA, Meador KG, et al. A randomized trial of a consultation service to reduce falls in nursing homes. *JAMA*. 1997;278(7):557-62. Rec #: 1198
97. Armstrong AL. Hormone Replacement Therapy - Effects on Strength, Balance, and Bone Density. Nottingham, UK: University of Nottingham; 1996a. [Dissertation]. Rec #: 576
98. McMurdo ME, Mole PA, Paterson CR. Controlled trial of weight bearing exercise in older women in relation to bone density and falls. *BMJ*. 1997;314(7080):569. Rec #: 449
99. Mulrow CD, Gerety MB, Kanten D, et al. A randomized trial of physical rehabilitation for very frail nursing home residents. *JAMA*. 1994;271(7):519-24. Rec #: 451
100. Rubenstein LZ, Josephson KR, Trueblood PR, et al. Effects of group exercise program on strength, mobility and falls among fall-prone elderly men. *J Gerontol*. 2000;6:M1-M5. Rec #: 1988
101. Ryan JW, Spellbring AM. Implementing strategies to decrease risk of falls in older women. *J Gerontol Nurs*. 1996;22(12):25-31. Rec #: 681
102. Vetter NJ, Lewis PA, Ford D. Can health visitors prevent fractures in elderly people? *BMJ*. 1992;304(6831):888-90. Rec #: 501
103. Jitapunkul S. A randomised controlled trial of regular surveillance in Thai elderly using a simple questionnaire administered by non-professional personnel. *J Med Assoc Thai*. 1998;81(5):352-6. Rec #: 3604

Accepted Articles

104. Carpenter GI, Demopoulos GR. Screening the elderly in the community: Controlled trial of dependency surveillance using a questionnaire administered by volunteers. *BMJ*. 1990;300(6734):1253-6. Rec #: 443
105. Fabacher D, Josephson K, Pietruszka F, et al. An in-home preventive assessment program for independent older adults: A randomized controlled trial. *J Am Geriatr Soc*. 1994;42(6):630-8. Rec #: 444
106. Rubenstein LZ, Robbins AS, Josephson KR, et al. The value of assessing falls in an elderly population. A randomized clinical trial. *Ann Intern Med*. 1990;113(4):308-16. Rec #: 492
107. Wagner EH, LaCroix AZ, Grothaus L, et al. Preventing disability and falls in older adults: A population-based randomized trial. *Am J Public Health*. 1994;84(11):1800-6. Rec #: 502
108. Gallagher EM, Brunt H. Head over heels: Impact of a health promotion program to reduce falls in the elderly. *Can J Aging*. 1996;15:84-96. Rec #: 578
109. Close J, Ellis M, Hooper R, et al. Prevention of falls in the elderly trial (PROFET): a randomised controlled trial. *Lancet*. 1999;353(9147):93-97. Rec #: 1524
110. McMurdo ME, Millar AM, Daly F. A randomized controlled trial of fall prevention strategies in old peoples' homes. *Gerontology*. 2000;46(2):83-87. Rec #: 1984
111. van Haastregt J, Diederiks J, Crebolder H. Effects of a programme of multifactorial home visits on falls and mobility impairments in elderly people at risk: randomised controlled trial. *BMJ*. 2000;321(7267):994. Rec #: 3091
112. Crome P, Hill S, Mossman J, et al. A randomised controlled trial of a nurse led falls prevention clinic [abstract]. *Journal of the American Geriatrics Society*. 2000;48(8):S78. Rec #: 3633
113. Lauritzen JB, Petersen MM, Lund B. Effect of external hip protectors on hip fractures. *Lancet*. 1993;341(8836):11-3. Rec #: 549
114. Zacker C, Shea D. An economic evaluation of energy-absorbing flooring to prevent hip fractures. *Int J Technol Assess Health Care*. 1998;14(3):446-57. Rec #: 3095
115. Robertson MC, Devlin N, Gardner MM, et al. Effectiveness and economic evaluation of a nurse delivered home exercise programme to prevent falls. 1: Randomized controlled trial. *BMJ*. 2001a;322:697-701. Rec #: 3260
116. Robertson MC, Gardner MM, Devlin N, et al. Effectiveness and economic evaluation of a nurse delivered home exercise programme to prevent falls. 2: Controlled trial in multiple centres. *BMJ*. 2001b;322:701-704. Rec #: 3261
117. Salkeld G, Cumming RG, O'Neill E, et al. The cost effectiveness of a home hazard reduction program to reduce falls among older persons. *Aust NZ J Public Health*. 2000;24(3):265-71. Rec #: 3094
118. Smith RD, Widiatmoko D. The cost-effectiveness of home assessment and modification to reduce falls in the elderly. *Aust NZ J Public Health*. 1998;22(4):436-40. Rec #: 1616
119. Mayo NE, Gloutney L, Levy AR. A randomized trial of identification bracelets to prevent falls among patients in a rehabilitation hospital. *Arch Phys Med Rehabil*. 1994;75(12):1302-8. Rec #: 448
120. Rice DP, MacKenzie EJ, et al. San Francisco: Institute for Health and Aging, Injury Prevention Center; 1989. Rec #: 3400
121. Sattin RW. Falls among older persons: A public health perspective. *Annu Rev Public Health*. 1992;13:489-508. Rec #: 2045
122. Campbell AJ, Borrie MJ, Spears GF. Risk factors for falls in a community-based prospective study of people 70 years and older. *J Gerontol*. 1989;44:M112-M117. Rec #: 2725
123. Chandler JM, Hadley EC. Exercise to improve physiologic and functional performance in old age. *Clin Geriatr Med*. 1996;12(4):761-84. Rec #: 517
124. Snow CM. Exercise effects on falls in frail elderly: Focus on strength. *J Appl Biomech*. 1999;15(1):84-91. Rec #: 1571

Accepted Articles

125. Brown AP. Reducing falls in elderly people: A review of exercise interventions. *Physiother Theory Pract.* 1999;15(2):59-68. Rec #: 1579
126. Gardner MM, Robertson MC, Campbell AJ. Exercise in preventing falls and fall related injuries in older people: a review of randomised controlled trials. *Br J Sports Med.* 2000;34(1):7-17. Rec #: 2520
127. Gillespie LD, Gillespie WJ, Cumming R, et al. Preventing falls and subsequent injury in older people. *Effect Health Care Bull.* 1996;2:1-16. Rec #: 3113

Accepted Articles - Falls Evidence Report

- Armstrong AL. Hormone replacement therapy - Effects on strength, balance, and bone density. 96Y. Nottingham, UK, University of Nottingham.
Rec#: 576
- Armstrong AL, Osborne J, Coupland CA, Macpherson MB, Bassey EJ, Wallace WA. Effects of hormone replacement therapy on muscle performance and balance in post-menopausal women. Clin Sci (Colch). 1996b;91:685-90.
Rec#: 442
- Bowling A, Formby J, Grant K. Accidents in elderly care: A randomised controlled trial (Part 2). Nurs Stand. 1992;6:28-31.
Rec#: 513
- Buchner DM, Cress ME, de Lateur BJ, et al. A comparison of the effects of three types of endurance training on balance and other fall risk factors in older adults. Aging (Milano). 1997;9:112-9.
Rec#: 616
- Buchner DM, Cress ME, de Lateur BJ, et al. The effect of strength and endurance training on gait, balance, fall risk, and health services use in community-living older adults. J Gerontol A Biol Sci Med Sci. 1997;52:M218-24.
Rec#: 617
- Cameron ID, Stafford B, Cumming RG, et al. Hip protectors improve falls self-efficacy. Age Ageing. 2000;29:57-62.
Rec#: 2518
- Campbell AJ, Robertson MC, Gardner MM, Norton RN, Buchner DM. Falls prevention over 2 years: a randomized controlled trial in women 80 years and older. Age Ageing. 1999a;28:513-8.
Rec#: 1504
- Campbell AJ, Robertson MC, Gardner MM, Norton RN, Buchner DM. Psychotropic medication withdrawal and a home-based exercise program to prevent falls: a randomized, controlled trial. J Am Geriatr Soc. 1999b;47:850-3.
Rec#: 1593
- Campbell AJ, Robertson MC, Gardner MM, Norton RN, Tilyard MW, Buchner DM. Randomised controlled trial of a general practice programme of home based exercise to prevent falls in elderly women. BMJ. 1997;315:1065-9.
Rec#: 483
- Capezuti E, Strumpf NE, Evans LK, Grisso JA, Maislin G. The relationship between physical restraint removal and falls and injuries among nursing home residents. J Gerontol A Biol Sci Med Sci. 1998;53:M47-52.
Rec#: 621
- Capezuti EA. The relationship between physical restraint removal and fall-related incidents and injuries among nursing home residents. 95. University of Pennsylvania.
Rec#: 1316
- Caplan GA, Ward JA, Brennan NJ, Coconis J, Board N, Brown A. Hospital in the home: a randomised controlled trial. Med J Aust. 1999;170:156-60.
Rec#: 3608
- Carpenter GI, Demopoulos GR. Screening the elderly in the community: Controlled trial of dependency surveillance using a questionnaire administered by volunteers. BMJ. 1990;300:1253-6.
Rec#: 443
- Cerny K, Blanks R, Mohamed O, et al. The effect of a multidimensional exercise program on strength, range of motion, balance, and gait in the well elderly. Gait & Posture. 1998;7:185-6.
Rec#: 717
- Chandler JM, Duncan PW, Kochersberger G, Studenski S. Is lower extremity strength gain associated with improvement in physical performance and disability in frail, community-dwelling elders? Arch Phys Med Rehabil. 1998;79:24-30.
Rec#: 1622
- Chapuy MC, Arlot ME, Duboeuf F, et al. Vitamin D3 and calcium to prevent hip fractures in elderly women. N Engl J Med. 1992;327:1637-42.
Rec#: 1686

Accepted Articles

- Close J, Ellis M, Hooper R, et al. Prevention of falls in the elderly trial (PROFET): a randomised controlled trial. *Lancet*. 1999;353:93-7.
Rec#: 1524
- Coleman EA, Grothaus LC, Sandhu N, Wagner EH. Chronic care clinics: a randomized controlled trial of a new model of primary care for frail older adults. *J Am Geriatr Soc*. 1999;47:775-83.
Rec#: 1510
- Coogler CE, Wolf SL. Geriatrics. Balance training in elderly fallers and nonfallers. *Rehabil Rd Prog Rep*. 1994;30-31:96-7.
Rec#: 1355
- Crilly RG, Willems DA, Trenholm KJ, Hayes KC, Delaquerriere Richardson LF. Effect of exercise on postural sway in the elderly. *Gerontology*. 1989;35:137-43.
Rec#: 522
- Crome P, Hill S, Mossman J, Stockdale P. A randomised controlled trial of a nurse led falls prevention clinic [abstract]. *Journal of the American Geriatrics Society*. 2000;48:S78
Rec#: 3633
- Cumming RG, Thomas M, Szonyi G, et al. Home visits by an occupational therapist for assessment and modification of environmental hazards: a randomized trial of falls prevention. *J Am Geriatr Soc*. 1999;47:1397-402.
Rec#: 1699
- Cutson TM, Gray SL, Hughes MA, Carson SW, Hanlon JT. Effect of a single dose of diazepam on balance measures in older people. *J Am Geriatr Soc*. 1997;45:
Rec#: 1557
- Dawson-Hughes B, Harris SS, Krall EA, Dallal GE. Effect of calcium and vitamin D supplementation on bone density in men and women 65 years of age or older. *N Engl J Med*. 1997;337:670-6.
Rec#: 3602
- Donald IP, Pitt K, Armstrong E, Shuttleworth H. Preventing falls on an elderly care rehabilitation ward. *Clin Rehabil*. 2000;14:178-85.
Rec#: 3621
- Ebrahim S, Thompson PW, Baskaran V, Evans K. Randomized placebo-controlled trial of brisk walking in the prevention of postmenopausal osteoporosis. *Age Ageing*. 1997;26:253-60.
Rec#: 1204
- El Faizy M, Reinsch S. Home safety intervention for the prevention of falls. *Phys Occup Ther Geriatr*. 1994;12:33-49.
Rec#: 583
- Fabacher D, Josephson K, Pietruszka F, Linderborn K, Morley JE, Rubenstein LZ. An in-home preventive assessment program for independent older adults: A randomized controlled trial. *J Am Geriatr Soc*. 1994;42:630-8.
Rec#: 444
- Gallagher EM, Brunt H. Head over heels: Impact of a health promotion program to reduce falls in the elderly. *Can J Aging*. 1996;15:84-96.
Rec#: 578
- Gardner M. Home-based exercises to prevent falls in elderly women. *NZ J Physiother*. 1998;26:6
Rec#: 1297
- Gray-Donald K, Payette H, Boutier V. Randomized clinical trial of nutritional supplementation shows little effect on functional status among free-living frail elderly. *J Nutr*. 1995;125:2965-71.
Rec#: 3603
- Hopman-Rock M, Staats PG, Tak EC, Droes RM. The effects of a psychomotor activation programme for use in groups of cognitively impaired people in homes for the elderly. *Int J Geriatr Psychiatry*. 1999;14:633-42.
Rec#: 3611
- Hornbrook MC, Stevens VJ, Wingfield DJ, Hollis JF, Greenlick MR, Ory MG. Preventing falls among community-dwelling older persons: Results from a randomized trial. *Gerontologist*. 1994;34:16-23.
Rec#: 445
- Hu MH, Woollacott MH. Multisensory training of standing balance in older adults: I. Postural stability and one-leg stance balance. *J Gerontol*. 1994a;49:M52-61.
Rec#: 541
- Hu MH, Woollacott MH. Multisensory training of standing balance in older adults: II. Kinematic and electromyographic postural responses. *J Gerontol*. 1994b;49:M62-71.
Rec#: 540

Accepted Articles

- Jensen J, Lundin-Olsson L, Nyberg L, Gustafson Y. Fall and Injury Prevention in older people living in residential care facilities. *Ann Intern Med.* 2002;136:733-41.
Rec#: 3654
- Jitapunkul S. A randomised controlled trial of regular surveillance in Thai elderly using a simple questionnaire administered by non-professional personnel. *J Med Assoc Thai.* 1998;81:352-6.
Rec#: 3604
- Jones CJ, Robichaux J, Williams P, Rikli R. The effects of a 16-week exercise program on the dynamic balance of older adults. *J Clin Exp Gerontol.* 1992;14:165-82.
Rec#: 1878
- Judge JO, Lindsey C, Underwood M, Winsemius D. Balance improvements in older women: Effects of exercise training. *Phys Ther.* 1993;73:254-62; discussion 263-5.
Rec#: 543
- Judge JO, Whipple RH, Wolfson LI. Effects of resistive and balance exercises on isokinetic strength in older persons. *J Am Geriatr Soc.* 1994;42:937-46.
Rec#: 478
- Kannus P, Parkkari J, Niemi S, Pasanen M, et al. Prevention of hip fracture in elderly people with use of a hip protector. *N Engl J Med.* 2000;343:1506-13.
Rec#: 3089
- Kenny RA, Richardson DA. Carotid sinus syndrome and falls in older adults. *Am J Geriatr Cardiol.* 2001;10:97-9.
Rec#: 3622
- Lichtenstein MJ, Shields SL, Shiavi RG, Burger C. Exercise and balance in aged women: A pilot controlled clinical trial. *Arch Phys Med Rehabil.* 1989;70:138-43.
Rec#: 553
- Lindmark B, Lagerstrom C, Naessen T, Larsen H, Persson I. Performance in functional balance tests during menopausal hormone replacement: a double-blind placebo-controlled study. *Physiother Res Int.* 1999;4:43-54.
Rec#: 1283
- Lips P, Graafmans WC, Ooms ME, Bezemer PD, Bouter LM. Vitamin D supplementation and fracture incidence in elderly persons. A randomized, placebo-controlled clinical trial. *Ann Intern Med.* 1996;124:400-6.
Rec#: 1677
- Lord SR, Lloyd DG, Nirui M, Raymond J, Williams P, Stewart RA. The effect of exercise on gait patterns in older women: A randomized controlled trial. *J Gerontol A Biol Sci Med Sci.* 1996a;51:M64-70.
Rec#: 555
- Lord SR, Ward JA, Williams P. Exercise effect on dynamic stability in older women: A randomized controlled trial. *Arch Phys Med Rehabil.* 1996b;77:232-6.
Rec#: 556
- Lord SR, Ward JA, Williams P, Strudwick M. The effect of a 12-month exercise trial on balance, strength, and falls in older women: a randomized controlled trial. *J Am Geriatr Soc.* 1995;43:1198-206.
Rec#: 446
- Mayo NE, Gloutney L, Levy AR. A randomized trial of identification bracelets to prevent falls among patients in a rehabilitation hospital. *Arch Phys Med Rehabil.* 1994;75:1302-8.
Rec#: 448
- McMurdo ME, Millar AM, Daly F. A randomized controlled trial of fall prevention strategies in old peoples' homes. *Gerontology.* 2000;46:83-7.
Rec#: 1984
- McMurdo ME, Mole PA, Paterson CR. Controlled trial of weight bearing exercise in older women in relation to bone density and falls. *BMJ.* 1997;314:569
Rec#: 449
- McRae PG, Feltner ME, Reinsch SA. A one-year exercise program for older women: Effects on falls, injuries, and physical performance. *J Aging Phys Activity.* 1994;2:127-42.
Rec#: 2027
- Means KM, Rodell DE, O'Sullivan PS, Cranford LA. Rehabilitation of elderly fallers: Pilot study of a low to moderate intensity exercise program. *Arch Phys Med Rehabil.* 1996;77:1030-6.
Rec#: 450
- Millar AM. A trial of falls prevention. *Age and Ageing.* 1999;28:15
Rec#: 3617

Accepted Articles

- Mills EM. The effect of low-intensity aerobic exercise on muscle strength, flexibility, and balance among sedentary elderly persons. *Nurs Res.* 1994;43:207-11.
Rec#: 562
- Mulrow CD, Gerety MB, Kanten D, et al. A randomized trial of physical rehabilitation for very frail nursing home residents. *JAMA.* 1994;271:519-24.
Rec#: 451
- Nichols JF, Hitzelberger LM, Sherman JG, Patterson P. Effects of resistance training on muscular strength and functional abilities of community-dwelling older adults. *J Aging Phys Activity.* 1995;3:238-50.
Rec#: 2495
- Peel N, Cartwright C, Steinberg M. Monitoring slips, trips and falls in the older community: Preliminary results. *Health Promot J Australia.* 1998;8:148-50.
Rec#: 3259
- Pereira MA. Ten year follow-up of a randomized exercise trial in post-menopausal women [PhD Thesis].
Rec#: 3618
- Pereira MA, Kriska AM, Day RD, Cauley JA, Laporte RE, Kuller LH. A randomized walking trial in postmenopausal women: effects of physical activity and health 10 years later. *Arch Intern Med.* 1998;158:1695-701.
Rec#: 1533
- Pfeifer M, Begerow B, Minne HW, Abrams C, Nachtigall D, Hansen C. Effects of a short-term vitamin D and calcium supplementation on body sway and secondary hyperparathyroidism in elderly women. *J Bone Miner Res.* 2000;15:1113-8.
Rec#: 3605
- Ploeg J, Black ME, Hutchison BG, Walter SD, Scott EA, Chambers LW. Personal, home and community safety promotion with community-dwelling elderly persons: Response to a public health nurse intervention. *Can J Public Health.* 1994;85:188-91.
Rec#: 572
- Pomeroy VM, Warren CM, Honeycombe C, et al. Mobility and dementia: is physiotherapy treatment during respite care effective? *Int J Geriatr Psychiatry.* 1999;14:389-97.
Rec#: 1595
- Ray WA, Taylor JA, Meador KG, et al. A randomized trial of a consultation service to reduce falls in nursing homes. *JAMA.* 1997;278:557-62.
Rec#: 1198
- Reinsch S, MacRae P, Lachenbruch PA, Tobis JS. Attempts to prevent falls and injury: A prospective community study. *Gerontologist.* 1992;32:450-6.
Rec#: 491
- Rizzo JA, Baker DI, McAvay G, Tinetti ME. The cost-effectiveness of a multifactorial targeted prevention program for falls among community elderly persons. *Med Care.* 1996;34:954-69.
Rec#: 418
- Roberts BL, Fitzpatrick JJ. Improving balance. Therapy of movement. *J Gerontol Nurs.* 1983;9:151-6.
Rec#: 2509
- Robertson MC, Devlin N, Scuffham P, Gardner MM, Buchner DM, Campbell AJ. Economic evaluation of a community based exercise programme to prevent falls. *J Epidemiol Community Health.* 2001;55:600-6.
Rec#: 3601
- Robertson MC, Devlin N, Gardner MM, Campbell AJ. Effectiveness and economic evaluation of a nurse delivered home exercise programme to prevent falls. 1: Randomized controlled trial. *BMJ.* 2001a;322:697-701.
Rec#: 3260
- Rooks DS, Ransil BJ, Hayes WC. Self-paced exercise and neuromotor performance in community-dwelling older adults. *J Aging Phys Activity.* 1997;5:135-49.
Rec#: 1558
- Rubenstein LZ, Josephson KR, Trueblood PR, et al. Effects of group exercise program on strength, mobility and falls among fall-prone elderly men. *J Gerontol.* 2000;6:M1-M5
Rec#: 1988
- Rubenstein LZ, Robbins AS, Josephson KR, Schulman BL, Osterweil D. The value of assessing falls in an elderly population. A randomized clinical trial. *Ann Intern Med.* 1990;113:308-16.
Rec#: 492
- Ryan JW, Spellbring AM. Implementing strategies to decrease risk of falls in older women. *J Gerontol Nurs.* 1996;22:25-31.
Rec#: 681

Accepted Articles

- Salkeld G, Cumming RG, O'Neill E, Thomas M, Szonyi G, Westbury C. The cost effectiveness of a home hazard reduction program to reduce falls among older persons. *Aust NZ J Public Health*. 2000;24:265-71.
Rec#: 3094
- Sauvage Jr LR, Myklebust BM, Crow Pan J, et al. A clinical trial of strengthening and aerobic exercise to improve gait and balance in elderly male nursing home residents. *Am J Phys Med Rehabil*. 1992;71:333-42.
Rec#: 453
- Schoenfelder DP. A fall prevention program for elderly individuals. Exercise in long-term care settings. *J Gerontol Nurs*. 2000;26:43-51.
Rec#: 3624
- Sherrington C, Lord SR. Home exercise to improve strength and walking velocity after hip fracture: A randomized controlled trial. *Arch Phys Med Rehabil*. 1997;78:208-12.
Rec#: 457
- Steinberg M, Cartwright C, Peel N, Williams G. A sustainable programme to prevent falls and near falls in community dwelling older people: results of a randomised trial. *J Epidemiol Community Health*. 2000;54:227-32.
Rec#: 2523
- Taaffe DR, Duret C, Wheeler S, Marcus R. Once-weekly resistance exercise improves muscle strength and neuromuscular performance in older adults. *J Am Geriatr Soc*. 1999;47:1208-14.
Rec#: 1506
- Tennstedt S, Howland J, Lachman M, Peterson E, Kasten L, Jette A. A randomized, controlled trial of a group intervention to reduce fear of falling and associated activity restriction in older adults. *J Gerontol B Psychol Sci Soc Sci*. 1998;53:P384-92.
Rec#: 1195
- Tideiksaar R, Feiner CF, Maby J. Falls prevention: The efficacy of a bed alarm system in an acute-care setting. *Mt Sinai J Med*. 1993;60:522-7.
Rec#: 493
- Tinetti ME, Baker DI, McAvay G, et al. A multifactorial intervention to reduce the risk of falling among elderly people living in the community. *N Engl J Med*. 1994;331:821-7.
Rec#: 494
- Tinetti ME, McAvay G, Claus E. Does multiple risk factor reduction explain the reduction in fall rate in the Yale FICSIT Trial? Frailty and Injuries Cooperative Studies of Intervention Techniques. *Am J Epidemiol*. 1996;144:389-99.
Rec#: 497
- Topp R, Mikesky A, Wigglesworth J, Holt Jr W, Edwards JE. The effect of a 12-week dynamic resistance strength training program on gait velocity and balance of older adults. *Gerontologist*. 1993;33:501-6.
Rec#: 467
- van Haastregt J, Diederiks J, Crebolder H. Effects of a programme of multifactorial home visits on falls and mobility impairments in elderly people at risk: randomised controlled trial. *BMJ*. 2000;321:994
Rec#: 3091
- Vellas B, Albaredo JL. [A randomized clinical trial on the value of raubasine-dihydroergocristine (Iskedyl (TM)) in the prevention of post fall syndrome]. *Psychologie Medicale*. 1991;23:831-9.
Rec#: 3619
- Verfaillie DF, Nichols JF, Turkel E, Hovell MF. Effects of resistance, balance, and gait training on reduction of risk factors leading to falls in elders. *J Aging Phys Activity*. 1997;5:213-28.
Rec#: 1551
- Vetter NJ, Lewis PA, Ford D. Can health visitors prevent fractures in elderly people? *BMJ*. 1992;304:888-90.
Rec#: 501
- Wagner EH, LaCroix AZ, Grothaus L, et al. Preventing disability and falls in older adults: A population-based randomized trial. *Am J Public Health*. 1994;84:1800-6.
Rec#: 502
- Wallace JI, Buchner DM, Grothaus L, et al. Implementation and effectiveness of a community based health promotion program for older adults. *Journals of Gerontology - Series A Biological Sciences and Medical Sciences*. 1998;53:M301-M306
Rec#: 1767

Accepted Articles

Widen Holmqvist L, von Koch L, Kostulas V, et al. A randomized controlled trial of rehabilitation at home after stroke in southwest Stockholm. *Stroke*. 1998;29:591-7.
Rec#: 3610

Wolf SL, Barnhart HX, Ellison GL, Coolger CE. The effect of Tai Chi Quan and computerized balance training on postural stability in older subjects. Atlanta FICSIT Group. *Frailty and Injuries: Cooperative Studies of Intervention Techniques*. *Phys Ther*. 1997;77:371-81; discussion 382-4.
Rec#: 701

Wolf SL, Barnhart HX, Kutner NG, McNeely E, Coogler C, Xu T. Reducing frailty and falls in older persons: an investigation of Tai Chi and computerized balance training. Atlanta FICSIT Group. *Frailty and Injuries: Cooperative Studies of Intervention Techniques*. *J Am Geriatr Soc*. 1996;44:489-97.
Rec#: 503

Wolfson L, Whipple R, Derby C, et al. Balance and strength training in older adults: Intervention gains and Tai Chi maintenance. *J Am Geriatr Soc*. 1996;44:498-506.
Rec#: 477

