

Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label

This file examines in greater detail the behaviors of the Medicare population with respect to various preventative healthcare screeners. In addition to mammograms and Pap smears this file contains data on procedures associated with the prostate and colon cancer, osteoporosis, and diabetes. There is one record for every community interview.

RIC	1	2			C Record Identification Code
FILEYR	3	2			C Year of Survey Data (YY)
BASEID	5	8	\$BSIDFMT		C Unique SP Identification Number
			15,339		LOW-HIGH BASEID Count
MAMSITE	13	2	SITE2FMT	HS11a	N Where was last mammogram performed
			11,090		. Inapplicable
			1		-9 Not ascertained
			9		-8 Don't know
			750		1 Doctor's office or group practice
			281		2 Doctor's clinic
			248		3 Managed care plan center or HMO
			861		4 Radiology office
			48		5 Neighborhood or family health center
			5		6 Freestanding surgical clinic
			11		7 Rural health clinic
			6		8 Company clinic
			80		9 Other clinic
			7		10 Walk-in urgent center
			7		11 Hospital emergency room
			1,874		12 Hospital outpatient department or clinic
			6		13 Veterans Administration facility
			4		14 Health fair
			51		91 Other

NOTES: Applies only if RIC 2, MAMMOGRM = 1
 First available in 2000

MAMANUL	15	2	IND1FMT	HS11b	N Dr recommends/prescribes annually
			11,090		. Inapplicable
			1		-9 Not ascertained
			1		-8 Don't know
			3,568		1 Indicated
			679		2 Not Indicated

NOTES: Applies only if RIC 2, MAMMOGRM = 1
 First available in 2000

MAMFMLY	17	2	IND1FMT	HS11b	N Family/friend recommends it
			11,090		. Inapplicable
			1		-9 Not ascertained
			1		-8 Don't know
			51		1 Indicated
			4,196		2 Not Indicated

NOTES: Applies only if RIC 2, MAMMOGRM = 1
 First available in 2000

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
MAMPROB	19	2	IND1FMT	11,090			N SP has lump/possible problem
				1			. Inapplicable
				1			-9 Not ascertained
				1			-8 Don't know
				164			1 Indicated
				4,083			2 Not Indicated
NOTES: Applies only if RIC 2, MAMMOGRM = 1 First available in 2000							
MAMSCRN	21	2	IND1FMT	11,090			N To screen for or prevent breast cancer
				1			. Inapplicable
				1			-9 Not ascertained
				1			-8 Don't know
				218			1 Indicated
				4,029			2 Not Indicated
NOTES: Applies only if RIC 2, MAMMOGRM = 1 First available in 2000							
MAMRISK	23	2	IND1FMT	11,090			N At risk for cancer/other problems
				1			. Inapplicable
				1			-9 Not ascertained
				1			-8 Don't know
				197			1 Indicated
				4,050			2 Not Indicated
NOTES: Applies only if RIC 2, MAMMOGRM = 1 First available in 2000							
MAMPRES	25	2	IND1FMT	11,090			N Dr. prescribed it
				1			. Inapplicable
				1			-9 Not ascertained
				1			-8 Don't know
				266			1 Indicated
				3,981			2 Not Indicated
NOTES: Applies only if RIC 2, MAMMOGRM = 1 First available in 2000							
MAMREC	27	2	IND1FMT	11,090			N Dr. recommended it
				1			. Inapplicable
				1			-9 Not ascertained
				1			-8 Don't know
				277			1 Indicated
				3,970			2 Not Indicated
NOTES: Applies only if RIC 2, MAMMOGRM = 1 First available in 2000							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
MAMFREE	29	2	IND1FMT	HS11b			N Free/reasonable cost of mammogram
				11,090			. Inapplicable
				1			-9 Not ascertained
				1			-8 Don't know
				15			1 Indicated
				4,232			2 Not Indicated
NOTES: Applies only if RIC 2, MAMMOGRM = 1 First available in 2000							
MAMOTHR	31	2	IND1FMT	HS11b			N Reason for mammogram - other
				11,090			. Inapplicable
				1			-9 Not ascertained
				1			-8 Don't know
				19			1 Indicated
				4,228			2 Not Indicated
NOTES: Applies only if RIC 2, MAMMOGRM = 1 First available in 2000							
MAMNNEED	33	2	IND1FMT	HS11c			N Wasn't needed/no need/nothing wrong
				11,131			. Inapplicable
				25			-8 Don't know
				1,276			1 Indicated
				2,907			2 Not Indicated
NOTES: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000							
MAMNANUL	35	2	IND1FMT	HS11c			N Not recommended annually/diff schedule
				11,131			. Inapplicable
				25			-8 Don't know
				552			1 Indicated
				3,631			2 Not Indicated
NOTES: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000							
MAMNGET	37	2	IND1FMT	HS11c			N Could get cancer anyway/test useless
				11,131			. Inapplicable
				25			-8 Don't know
				156			1 Indicated
				4,027			2 Not Indicated
NOTES: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000							
MAMNRISK	39	2	IND1FMT	HS11c			N Not at risk for breast cancer
				11,131			. Inapplicable
				25			-8 Don't know
				117			1 Indicated
				4,066			2 Not Indicated
NOTES: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
MAMNPRES	41	2	IND1FMT		HS11c		N Dr. did not prescribe or recommend it
				11,131			. Inapplicable
				25			-8 Don't know
				798			1 Indicated
				3,385			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000			
MAMNREC	43	2	IND1FMT		HS11c		N Dr. recommended against getting it
				11,131			. Inapplicable
				25			-8 Don't know
				41			1 Indicated
				4,142			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000			
MAMNLIKE	45	2	IND1FMT		HS11c		N Don't like mammograms/pain/reactions to
				11,131			. Inapplicable
				25			-8 Don't know
				353			1 Indicated
				3,830			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000			
MAMNLOCA	47	2	IND1FMT		HS11c		N Inconvenient/unable to get to location
				11,131			. Inapplicable
				25			-8 Don't know
				166			1 Indicated
				4,017			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000			
MAMNMISS	49	2	IND1FMT		HS11c		N Forgot/missed it/procrastinated
				11,131			. Inapplicable
				25			-8 Don't know
				657			1 Indicated
				3,526			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000			
MAMNCOST	51	2	IND1FMT		HS11c		N Cost of mammogram/not covered by ins
				11,131			. Inapplicable
				25			-8 Don't know
				77			1 Indicated
				4,106			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
MAMNFEAR	53	2	IND1FMT		HS11c		N Afraid of results/don't want to know
				11,131			. Inapplicable
				25			-8 Don't know
				57			1 Indicated
				4,126			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000			
MAMNRADI	55	2	IND1FMT		HS11c		N Mammogram radiation could cause cancer
				11,131			. Inapplicable
				25			-8 Don't know
				14			1 Indicated
				4,169			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000			
MAMNHEAR	57	2	IND1FMT		HS11c		N Never heard of mammogram
				11,131			. Inapplicable
				25			-8 Don't know
				19			1 Indicated
				4,164			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000			
MAMNAPPT	59	2	IND1FMT		HS11c		N Appointment is scheduled/due soon
				11,132			. Inapplicable
				1			-8 Don't know
				149			1 Indicated
				4,057			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000			
MAMNMASC	61	2	IND1FMT		HS11c		N SP had a mastectomy
				11,132			. Inapplicable
				1			-8 Don't know
				55			1 Indicated
				4,151			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000			
MAMNOTHR	63	2	IND1FMT		HS11c		N Reason not had mammogram - other
				11,131			. Inapplicable
				25			-8 Don't know
				153			1 Indicated
				4,030			2 Not Indicated
				NOTES: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PAPANUL	65	2	IND1FMT			HS12a	N Dr. recommends/prescribes annually
				12,380			. Inapplicable
				1			-9 Not ascertained
				2,519			1 Indicated
				439			2 Not Indicated
NOTES: Applies only if RIC2, PAPSMEAR = 1 First available in 2000							
PAPFMLY	67	2	IND1FMT			HS12a	N Family/friend recommends it
				12,380			. Inapplicable
				1			-9 Not ascertained
				14			1 Indicated
				2,944			2 Not Indicated
NOTES: Applies only if RIC2, PAPSMEAR = 1 First available in 2000							
PAPPROB	69	2	IND1FMT			HS12a	N Result of exam/possible problem
				12,380			. Inapplicable
				1			-9 Not ascertained
				48			1 Indicated
				2,910			2 Not Indicated
NOTES: Applies only if RIC2, PAPSMEAR = 1 First available in 2000							
PAPSCRN	71	2	IND1FMT			HS12a	N To screen for or prevent cancer
				12,380			. Inapplicable
				1			-9 Not ascertained
				133			1 Indicated
				2,825			2 Not Indicated
NOTES: Applies only if RIC2, PAPSMEAR = 1 First available in 2000							
PAPRISK	73	2	IND1FMT			HS12a	N At risk for cancer or health problem
				12,380			. Inapplicable
				1			-9 Not ascertained
				44			1 Indicated
				2,914			2 Not Indicated
NOTES: Applies only if RIC2, PAPSMEAR = 1 First available in 2000							
PAPPRES	75	2	IND1FMT			HS12a	N Dr. prescribed it
				12,380			. Inapplicable
				1			-9 Not ascertained
				163			1 Indicated
				2,795			2 Not Indicated
NOTES: Applies only if RIC2, PAPSMEAR = 1 First available in 2000							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PAPREC	77	2	IND1FMT			HS12a	N Dr. recommended it
				12,380			. Inapplicable
				1			-9 Not ascertained
				188			1 Indicated
				2,770			2 Not Indicated
NOTES: Applies only if RIC2, PAPSMEAR = 1 First available in 2000							
PAFPREE	79	2	IND1FMT			HS12a	N Free/reasonable cost of Pap smear
				12,380			. Inapplicable
				1			-9 Not ascertained
				8			1 Indicated
				2,950			2 Not Indicated
NOTES: Applies only if RIC2, PAPSMEAR = 1 First available in 2000							
PAPOTHR	81	2	IND1FMT			HS12a	N Reason for Pap smear - other
				12,380			. Inapplicable
				1			-9 Not ascertained
				33			1 Indicated
				2,925			2 Not Indicated
NOTES: Applies only if RIC2, PAPSMEAR = 1 First available in 2000							
PAPANNEED	83	2	IND1FMT			HS12b	N Wasn't needed/no need/nothing wrong
				9,896			. Inapplicable
				30			-8 Don't know
				1			-7 Refused
				1,848			1 Indicated
				3,564			2 Not Indicated
NOTES: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							
PAPANANUL	85	2	IND1FMT			HS12b	N Not recommended annually/diff schedule
				9,896			. Inapplicable
				30			-8 Don't know
				1			-7 Refused
				883			1 Indicated
				4,529			2 Not Indicated
NOTES: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							
PAPANGET	87	2	IND1FMT			HS12b	N Could get cancer anyway/test useless
				9,896			. Inapplicable
				30			-8 Don't know
				1			-7 Refused
				98			1 Indicated
				5,314			2 Not Indicated
NOTES: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PAPNRISK	89	2	IND1FMT			HS12b	N Not at risk for cancer
				9,896			. Inapplicable
				30			-8 Don't know
				1			-7 Refused
				146			1 Indicated
				5,266			2 Not Indicated
NOTES: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							
PAPNPRES	91	2	IND1FMT			HS12b	N Dr. did not prescribe or recommend it
				9,896			. Inapplicable
				30			-8 Don't know
				1			-7 Refused
				1,327			1 Indicated
				4,085			2 Not Indicated
NOTES: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							
PAPNREC	93	2	IND1FMT			HS12b	N Dr. recommended against getting it
				9,896			. Inapplicable
				30			-8 Don't know
				1			-7 Refused
				85			1 Indicated
				5,327			2 Not Indicated
NOTES: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							
PAPNLIKE	95	2	IND1FMT			HS12b	N Don't like Pap smears/pain/discomfort
				9,896			. Inapplicable
				30			-8 Don't know
				1			-7 Refused
				311			1 Indicated
				5,101			2 Not Indicated
NOTES: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							
PAPNLOCA	97	2	IND1FMT			HS12b	N Inconvenient/unable to get to location
				9,896			. Inapplicable
				30			-8 Don't know
				1			-7 Refused
				148			1 Indicated
				5,264			2 Not Indicated
NOTES: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PAPNMISS	99	2	IND1FMT			HS12b	N Forgot/missed it/procrastinated
				9,896			. Inapplicable
				30			-8 Don't know
				1			-7 Refused
				626			1 Indicated
				4,786			2 Not Indicated
NOTES: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							
PAPNCOST	101	2	IND1FMT			HS12b	N Cost of Pap smear/not covered by ins
				9,896			. Inapplicable
				30			-8 Don't know
				1			-7 Refused
				67			1 Indicated
				5,345			2 Not Indicated
NOTES: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							
PAPNFEAR	103	2	IND1FMT			HS12b	N Afraid of results/don't want to know
				9,896			. Inapplicable
				30			-8 Don't know
				1			-7 Refused
				45			1 Indicated
				5,367			2 Not Indicated
NOTES: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							
PAPNAPPT	105	2	IND1FMT			HS12b	N Appointment is scheduled/due soon
				9,897			. Inapplicable
				89			1 Indicated
				5,353			2 Not Indicated
NOTES: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							
PAPNHYST	107	2	IND1FMT			HS12b	N Had hysterectomy/no uterus, ovaries
				9,897			. Inapplicable
				98			1 Indicated
				5,344			2 Not Indicated
NOTES: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							
PAPNHEAR	109	2	IND1FMT			HS12b	N Never heard of Pap smear
				9,896			. Inapplicable
				30			-8 Don't know
				1			-7 Refused
				17			1 Indicated
				5,395			2 Not Indicated
NOTES: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PAPNOTHR	111	2	IND1FMT		HS12b		N Reason not had Pap smear - other
				9,896			. Inapplicable
				30			-8 Don't know
				1			-7 Refused
				125			1 Indicated
				5,287			2 Not Indicated
NOTES: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							
PROANUL	113	2	IND1FMT		HS13bb		N Dr. recommends/prescribes annually
				11,530			. Inapplicable
				6			-8 Don't know
				2,831			1 Indicated
				972			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 1 First available in 2000							
PROFMLY	115	2	IND1FMT		HS13bb		N Family/friend recommends it
				11,530			. Inapplicable
				6			-8 Don't know
				38			1 Indicated
				3,765			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 1 First available in 2000							
PROPROB	117	2	IND1FMT		HS13bb		N SP has possible problem
				11,530			. Inapplicable
				6			-8 Don't know
				261			1 Indicated
				3,542			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 1 First available in 2000							
PROSCRN	119	2	IND1FMT		HS13bb		N To screen for or prevent cancer
				11,530			. Inapplicable
				6			-8 Don't know
				327			1 Indicated
				3,476			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 1 First available in 2000							
PRORISK	121	2	IND1FMT		HS13bb		N At risk for cancer
				11,530			. Inapplicable
				6			-8 Don't know
				218			1 Indicated
				3,585			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 1 First available in 2000							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PROPRES	123	2	IND1FMT	HS13bb			N Dr. prescribed it
				11,530			. Inapplicable
				6			-8 Don't know
				376			1 Indicated
				3,427			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 1 First available in 2000							
PROREC	125	2	IND1FMT	HS13bb			N Dr. recommended it
				11,530			. Inapplicable
				6			-8 Don't know
				323			1 Indicated
				3,480			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 1 First available in 2000							
PROFREE	127	2	IND1FMT	HS13bb			N Free/reasonable cost of PSA
				11,530			. Inapplicable
				6			-8 Don't know
				21			1 Indicated
				3,782			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 1 First available in 2000							
PROCANCR	129	2	IND1FMT	HS13bb			N Has/had prostate cancer
				11,530			. Inapplicable
				1			-8 Don't know
				36			1 Indicated
				3,772			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 1 First available in 2000							
PROOTHR	131	2	IND1FMT	HS13bb			N Reason for prostate test - other
				11,530			. Inapplicable
				6			-8 Don't know
				29			1 Indicated
				3,774			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 1 First available in 2000							
PRONNEED	133	2	IND1FMT	HS13cc			N Wasn't needed/no need/nothing wrong
				12,689			. Inapplicable
				27			-8 Don't know
				1			-7 Refused
				1,209			1 Indicated
				1,413			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PRONANUL	135	2	IND1FMT			HS13cc	N Not recommended annually/diff schedule
				12,689			. Inapplicable
				27			-8 Don't know
				1			-7 Refused
				318			1 Indicated
				2,304			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONGET	137	2	IND1FMT			HS13cc	N Could get cancer anyway/test useless
				12,689			. Inapplicable
				27			-8 Don't know
				1			-7 Refused
				34			1 Indicated
				2,588			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONRISK	139	2	IND1FMT			HS13cc	N Not at risk for cancer
				12,689			. Inapplicable
				27			-8 Don't know
				1			-7 Refused
				64			1 Indicated
				2,558			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONPRES	141	2	IND1FMT			HS13cc	N Dr. did not prescribe or recommend it
				12,689			. Inapplicable
				27			-8 Don't know
				1			-7 Refused
				709			1 Indicated
				1,913			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONREC	143	2	IND1FMT			HS13cc	N Dr. recommended against getting it
				12,689			. Inapplicable
				27			-8 Don't know
				1			-7 Refused
				30			1 Indicated
				2,592			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PRONLIKE	145	2	IND1FMT	HS13cc			N Don't like blood tests/pain/reactions to
				12,689			. Inapplicable
				27			-8 Don't know
				1			-7 Refused
				42			1 Indicated
				2,580			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONLOCA	147	2	IND1FMT	HS13cc			N Inconvenient/unable to get to location
				12,689			. Inapplicable
				27			-8 Don't know
				1			-7 Refused
				33			1 Indicated
				2,589			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONMISS	149	2	IND1FMT	HS13cc			N Forgot/missed it/procrastinated
				12,689			. Inapplicable
				27			-8 Don't know
				1			-7 Refused
				234			1 Indicated
				2,388			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONCOST	151	2	IND1FMT	HS13cc			N Cost of blood test/not covered by ins
				12,689			. Inapplicable
				27			-8 Don't know
				1			-7 Refused
				52			1 Indicated
				2,570			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONFEAR	153	2	IND1FMT	HS13cc			N Afraid of results/don't want to know
				12,689			. Inapplicable
				27			-8 Don't know
				1			-7 Refused
				27			1 Indicated
				2,595			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PRONHEAR	155	2	IND1FMT	HS13cc			N Never heard of PSA
				12,689			. Inapplicable
				27			-8 Don't know
				1			-7 Refused
				51			1 Indicated
				2,571			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONAPPT	157	2	IND1FMT	HS13cc			N Appointment is scheduled/due soon
				12,689			. Inapplicable
				49			1 Indicated
				2,601			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONPROS	159	2	IND1FMT	HS13cc			N SP had prostate removed
				12,689			. Inapplicable
				35			1 Indicated
				2,615			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONOTHR	161	2	IND1FMT	HS13cc			N Reason not had prostate test - other
				12,689			. Inapplicable
				27			-8 Don't know
				1			-7 Refused
				60			1 Indicated
				2,562			2 Not Indicated
NOTES: Applies only if RIC2, BLOODTST = 2 First available in 2000							
DIAAGE	163	3	AGEFMT	HSP1			N SP's age when told had diabetes
				12,627			. Inapplicable
				1			-9 Not ascertained
				117			-8 Don't know
				1			-7 Refused
				2,375			1-100 SP's age
				27			996 Less than 1 year old
				191			997 No diabetes, response was in error
NOTES: Applies only if RIC2, OCDIABTS = 1 First available in 2000							
DIAPRGNT	166	2	YES1FMT	HSP2			N SP have diabetes only during pregnancy
				15,033			. Inapplicable
				4			-8 Don't know
				10			1 Yes
				292			2 No
NOTES: Applies only if ROSTSEX = 2 and DIAAGE = 12 to 45, -7, or -8 First available in 2000							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
DIATYPES	168	2	DITYPFMT		HSP3		N Type of diabetes SP has
				12,832			. Inapplicable
				3			-9 Not ascertained
				92			-8 Don't know
				3			-7 Refused
				418			1 Type 1: insulin dependent, juv-onset
				1,972			2 Type 2: non-insulin depend, adult-onset
				1			3 Gestational (pregnancy-related)
				18			91 Other type of diabetes

NOTES: Applies only if DIAAGE is not equal to . or 997 and DIAPRGNT = . or 2
 First available in 2000

DIAINSUL	170	2	YES1FMT		HSP4a		N SP takes insulin
				12,833			. Inapplicable
				1			-9 Not ascertained
				1			-8 Don't know
				1			-7 Refused
				660			1 Yes
				1,843			2 No

NOTES: Applies only if DIATYPES is not equal to . or 3
 First available in 2000

DIAMEDS	172	2	YES1FMT		HSP4b		N SP takes prescribed diabetes pill/med
				12,833			. Inapplicable
				1			-9 Not ascertained
				5			-8 Don't know
				1			-7 Refused
				1,676			1 Yes
				823			2 No

NOTES: Applies only if DIATYPES is not equal to . or 3
 First available in 2000

DIATEST	174	2	YES1FMT		HSP4c		N SP tests own blood for sugar/glucose
				12,833			. Inapplicable
				1			-9 Not ascertained
				2			-8 Don't know
				1			-7 Refused
				1,909			1 Yes
				593			2 No

NOTES: Applies only if DIATYPES is not equal to . or 3
 First available in 2000

DIADIET	176	2	YES1FMT		HSP4d		N SP uses diet to control diabetes
				12,833			. Inapplicable
				1			-9 Not ascertained
				5			-8 Don't know
				1			-7 Refused
				1,907			1 Yes
				592			2 No

NOTES: Applies only if DIATYPES is not equal to . or 3
 First available in 2000

Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label

DIAEXER 178 2 YES1FMT HSP4e N SP does regular exercise for diabetes
 12,833 . Inapplicable
 1 -9 Not ascertained
 2 -8 Don't know
 1 -7 Refused
 1,255 1 Yes
 1,247 2 No

NOTES: Applies only if DIATYPES is not equal to . or 3
 First available in 2000

DIASORES 180 2 YES1FMT HSP4f N SP checks for sores on feet
 12,833 . Inapplicable
 1 -9 Not ascertained
 9 -8 Don't know
 1 -7 Refused
 1,918 1 Yes
 577 2 No

NOTES: Applies only if DIATYPES is not equal to . or 3
 First available in 2000

DIAASPRN 182 2 YES1FMT HSP4g N SP takes aspirin regularly for diabetes
 12,833 . Inapplicable
 1 -9 Not ascertained
 13 -8 Don't know
 1 -7 Refused
 831 1 Yes
 1,660 2 No

NOTES: Applies only if DIATYPES is not equal to . or 3
 First available in 2000

INSUTAKE 184 2 TAKEFMT HSP5 N How often SP takes insulin-- UNITS
 14,679 . Inapplicable
 1 -8 Don't know
 641 1 Every day
 15 2 Every week
 3 3 Use insulin pump

NOTES: Applies only if DIAINSUL = 1
 First available in 2000

INSUDAY 186 3 T25FMT HSP5 N Insulin - times per day
 14,698 . Inapplicable
 641 1-25 Number of times

NOTES: Applies only if INSUTAKE = 1
 First available in 2000

INSUWEEK 189 4 T25FMT HSP5 N Insulin - times per week
 15,324 . Inapplicable
 15 1-25 Number of times

NOTES: Applies only if INSUTAKE = 2
 First available in 2000

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
MEDSTAKE	193	2	OFTENFMT		HSP6		N How often takes meds/pill for diabetes
				13,663			. Inapplicable
				15			-8 Don't know
				1,627			1 Every day
				26			2 Every week
				8			3 Every month
				0			4 Every year
				NOTES: Applies only if DIAMEDS = 1 First available in 2000			
MEDDAY	195	3	T25FMT		HSP6		N Diabetes medicine - per day
				13,712			. Inapplicable
				1,627			1-25 Number of times
				NOTES: Applies only if MEDSTAKE = 1 First available in 2000			
MEDWEEK	198	4	T25FMT		HSP6		N Diabetes medicine - per week
				15,313			. Inapplicable
				26			1-25 Number of times
				NOTES: Applies only if MEDSTAKE = 2 First available in 2000			
MEDMONTH	202	4	T25FMT		HSP6		N Diabetes medicine - per month
				15,331			. Inapplicable
				8			1-25 Number of times
				NOTES: Applies only if MEDSTAKE = 3 First available in 2000			
TESTTAKE	206	2	OFTENFMT		HSP7		N How often tests own blood (units)
				13,430			. Inapplicable
				19			-8 Don't know
				1,131			1 Every day
				537			2 Every week
				139			3 Every month
				83			4 Every year
				NOTES: Applies only if DIATEST = 1 First available in 2000			
TESTDAY	208	3	T25FMT		HSP7		N Blood test - times per day
				14,208			. Inapplicable
				1,131			1-25 Number of times
				NOTES: Applies only if TESTTAKE = 1 First available in 2000			
TESTWEEK	211	4	T25FMT		HSP7		N Blood test - times per week
				14,802			. Inapplicable
				537			1-25 Number of times
				NOTES: Applies only if TESTTAKE = 2 First available in 2000			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
TESTMNTNTH	215	4	T25FMT		HSP7		N Blood test - times per month
				15,200			. Inapplicable
				139			1-25 Number of times
NOTES: Applies only if TESTTAKE = 3 First available in 2000							
TESTYEAR	219	5	T25FMT		HSP7		N Blood test - per year
				15,256			. Inapplicable
				83			1-25 Number of times
NOTES: Applies only if TESTTAKE = 4 First available in 2000							
SORECHEK	224	2	OFTENFMT		HSP8		N How ofen checks feet for sores {units}
				13,421			. Inapplicable
				33			-8 Don't know
				1			-7 Refused
				1,313			1 Every day
				401			2 Every week
				132			3 Every month
				38			4 Every year
NOTES: Applies only if DIASORES = 1 First available in 2000							
SOREDAY	226	3	T25FMT		HSP8		N Check sores - times per day
				14,026			. Inapplicable
				1,313			1-25 Number of times
NOTES: Applies only if SORECHEK = 1 First available in 2000							
SOREWEEK	229	4	T25FMT		HSP8		N Check sores - times per week
				14,938			. Inapplicable
				401			1-25 Number of times
NOTES: Applies only if SORECHEK = 2 First available in 2000							
SOREMNTNTH	233	4	T25FMT		HSP8		N Check sores - times per month
				15,207			. Inapplicable
				132			1-25 Number of times
NOTES: Applies only if SORECHEK = 3 First available in 2000							
SOREYEAR	237	5	T25FMT		HSP8		N Check sores - times per year
				15,301			. Inapplicable
				38			1-25 Number of times
NOTES: Applies only if SORECHEK = 4 First available in 2000							

 Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label

DIADRSAW 242 3 T200FMT HSP9 N # of times saw Dr. last yr. for diabetes
 12,833 . Inapplicable
 1 -9 Not ascertained
 120 -8 Don't know
 1 -7 Refused
 158 0 None
 2,226 1-200 Number of times

NOTES: Applies only if DIATYPES is not equal to . or 3
 First available in 2000

DIAATREAT 245 2 YES1FMT HSP10 N Dr. talked about treatment for diabetes?
 12,833 . Inapplicable
 1 -9 Not ascertained
 22 -8 Don't know
 1 -7 Refused
 1,654 1 Yes
 828 2 No

NOTES: Applies only if DIATYPES is not equal to . or 3
 First available in 2000

DIAHEMOC 247 3 T200FMT HSP11 N # times checked {hemoglobin a} last year
 12,833 . Inapplicable
 1 -9 Not ascertained
 598 -8 Don't know
 1 -7 Refused
 247 0 None
 1,659 1-200 Number of times

NOTES: Applies only if DIATYPES is not equal to . or 3
 First available in 2000

DIAPROBS 250 2 YES1FMT HSP12 N Probs. w/ eyes/feet because of diabetes
 12,833 . Inapplicable
 1 -9 Not ascertained
 62 -8 Don't know
 1 -7 Refused
 837 1 Yes
 1,605 2 No

NOTES: Applies only if DIATYPES is not equal to . or 3
 First available in 2000

DIAMNGE 252 2 YES1FMT HSP13 N Had diabetes self management course
 12,833 . Inapplicable
 1 -9 Not ascertained
 11 -8 Don't know
 1 -7 Refused
 708 1 Yes
 1,785 2 No

NOTES: Applies only if DIATYPES is not equal to . or 3
 First available in 2000

 Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label

DIATRAN 254 2 RECFMT HSP14 N Last time SP had diabetes mgmnt training
 14,631 . Inapplicable
 4 -8 Don't know
 183 1 Less than 1 year ago
 148 2 Between 1-2 years ago
 87 3 Between 2-3 years ago
 91 4 Between 3-5 years ago
 195 5 5 or more years ago

NOTES: Applies only if DIAMNGE = 1
 First available in 2000

DIAKNOW 256 2 KNOWFMT HSP15 N How much knows about managing diabetes
 13,121 . Inapplicable
 1 -9 Not ascertained
 12 -8 Don't know
 1 -7 Refused
 510 1 Just about everything necessary
 925 2 Most of what is necessary
 498 3 Some of what is necessary
 191 4 A little of what is necessary
 80 5 Almost none of what is necessary

NOTES: Applies only if DIATYPES is not equal to . or 3 and SP is respondent
 First available in 2000

DIASUPPS 258 2 YES1FMT HSP16 N Know Medicare helps pay for supplies
 13,121 . Inapplicable
 1 -9 Not ascertained
 11 -8 Don't know
 1 -7 Refused
 1,354 1 Yes
 851 2 No

NOTES: Applies only if DIATYPES is not equal to . or 3 and SP is respondent
 First available in 2000

DIAEVERT 260 2 YNDIAFMT HSP17 N Ever had blood test for diabetes
 2,503 . Inapplicable
 18 -9 Not ascertained
 1,118 -8 Don't know
 8 -7 Refused
 8,457 1 Yes
 3,232 2 No
 3 3 SP has diabetes

NOTES: Applies only if OCDIABTS = 1, DIAAGE = 997, DIAPRGNT = 2 or DIATYPES=3
 First available in 2000

Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label

DIARECNT 262 2 RECFMT HSP18 N Most recent time tested for diabetes

6,882	. Inapplicable
255	-8 Don't know
4,944	1 Less than 1 year ago
1,833	2 Between 1-2 years ago
495	3 Between 2-3 years ago
308	4 Between 3-5 years ago
622	5 5 or more years ago

NOTES: Applies only if DIAEVERT = 1
 First available in 2000

DIAAWARE 264 2 YES1FMT HSP19 N SP aware of diabetes test before today

11,509	. Inapplicable
17	-9 Not ascertained
53	-8 Don't know
6	-7 Refused
2,058	1 Yes
1,696	2 No

NOTES: Applies only if DIAEVERT = 2, -7, or -8 and SP is respondent
 First available in 2000

DIARISK 266 2 YES1FMT HSP20 N Ever told at high risk for diabetes

2,506	. Inapplicable
17	-9 Not ascertained
71	-8 Don't know
8	-7 Refused
770	1 Yes
11,967	2 No

NOTES: Applies only if DIAEVERT is not equal to . or 3
 First available in 2000

DIASIGNS 268 2 YES1FMT HSP21 N Received info about signs of diabetes

2,506	. Inapplicable
17	-9 Not ascertained
122	-8 Don't know
8	-7 Refused
2,688	1 Yes
9,998	2 No

NOTES: Applies only if DIAEVERT is not equal to . or 3
 First available in 2000

COLHEAR 270 2 YES1FMT HSP22 N SP heard of colon cancer before today

397	. Inapplicable
1	-9 Not ascertained
35	-8 Don't know
12	-7 Refused
12,921	1 Yes
1,973	2 No

NOTES: Applies only if RIC2, OCCCOLON is not equal to 1
 First available in 2000

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
COLHRISK	272	2	YES1FMT		HSP23		N SP told at high risk for colon cancer
				2,418			. Inapplicable
				50			-8 Don't know
				848			1 Yes
				12,023			2 No
NOTES: Applies only if COLHEAR = 1. First available in 2000							
COLHTEST	274	2	YES1FMT		HSP24		N SP given home test for fecal blood
				397			. Inapplicable
				1			-9 Not ascertained
				130			-8 Don't know
				12			-7 Refused
				6,607			1 Yes
				8,192			2 No
NOTES: Applies only if RIC2, OCCCOLON is not equal to 1 First available in 2000							
COLHKIT	276	2	YES1FMT		HSP25		N Heard of home test kit for fecal blood
				7,005			. Inapplicable
				7			-9 Not ascertained
				50			-8 Don't know
				12			-7 Refused
				3,623			1 Yes
				4,642			2 No
NOTES: Applies only if COLHTEST equals 2, -7, or -8 First available in 2000							
COLCARD	278	2	YES1FMT		HSP26		N Sent card in for most recent test
				8,732			. Inapplicable
				16			-8 Don't know
				6,214			1 Yes
				377			2 No
NOTES: Applies only if COLHTEST = 1 First available in 2000							
COLKNEED	280	2	IND1FMT		HSP27		N Didn't think it was needed/nothing wrong
				14,962			. Inapplicable
				2			-8 Don't know
				83			1 Indicated
				292			2 Not Indicated
NOTES: Applies only if COLCARD = 2 First available in 2000							
COLKGET	282	2	IND1FMT		HSP27		N Could get cancer anyway/test useless
				14,962			. Inapplicable
				2			-8 Don't know
				16			1 Indicated
				359			2 Not Indicated
NOTES: Applies only if COLCARD = 2 First available in 2000							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
COLKRISK	284	2	IND1FMT		HSP27		N Not at risk for cancer
				14,962			. Inapplicable
				2			-8 Don't know
				24			1 Indicated
				351			2 Not Indicated
				NOTES: Applies only if COLCARD = 2 First available in 2000			
COLKPERF	286	2	IND1FMT		HSP27		N Could not perform test correctly
				14,962			. Inapplicable
				2			-8 Don't know
				30			1 Indicated
				345			2 Not Indicated
				NOTES: Applies only if COLCARD = 2 First available in 2000			
COLKSTOL	288	2	IND1FMT		HSP27		N Did not want to handle stool
				14,962			. Inapplicable
				2			-8 Don't know
				25			1 Indicated
				350			2 Not Indicated
				NOTES: Applies only if COLCARD = 2 First available in 2000			
COLKDISG	290	2	IND1FMT		HSP27		N Test was repulsive/disgusting
				14,962			. Inapplicable
				2			-8 Don't know
				45			1 Indicated
				330			2 Not Indicated
				NOTES: Applies only if COLCARD = 2 First available in 2000			
COLKINCO	292	2	IND1FMT		HSP27		N Inconvenient
				14,962			. Inapplicable
				2			-8 Don't know
				37			1 Indicated
				338			2 Not Indicated
				NOTES: Applies only if COLCARD = 2 First available in 2000			
COLKFORG	294	2	IND1FMT		HSP27		N Forgot it/procrastinated
				14,962			. Inapplicable
				2			-8 Don't know
				106			1 Indicated
				269			2 Not Indicated
				NOTES: Applies only if COLCARD = 2 First available in 2000			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
COLKCOST	296	2	IND1FMT		HSP27		N Cost of test/insurance doesn't pay
				14,962			. Inapplicable
				2			-8 Don't know
				1			1 Indicated
				374			2 Not Indicated
NOTES: Applies only if COLCARD = 2 First available in 2000							
COLKFEAR	298	2	IND1FMT		HSP27		N Afraid of results/don't want to know
				14,962			. Inapplicable
				2			-8 Don't know
				8			1 Indicated
				367			2 Not Indicated
NOTES: Applies only if COLCARD = 2 First available in 2000							
COLKTRST	300	2	IND1FMT		HSP27		N Don't trust lab, test, results
				14,962			. Inapplicable
				2			-8 Don't know
				6			1 Indicated
				369			2 Not Indicated
NOTES: Applies only if COLCARD = 2 First available in 2000							
COLKOTHR	302	2	IND1FMT		HSP27		N Didn't complete home kit - other
				14,962			. Inapplicable
				2			-8 Don't know
				63			1 Indicated
				312			2 Not Indicated
NOTES: Applies only if COLCARD = 2 First available in 2000							
COLRECNT	304	2	RECFMT		HSP28		N When most recent blood stool test done
				9,108			. Inapplicable
				1			-9 Not ascertained
				68			-8 Don't know
				2,378			1 Less than 1 year ago
				1,654			2 Between 1-2 years ago
				727			3 Between 2-3 years ago
				514			4 Between 3-5 years ago
				889			5 5 or more years ago
NOTES: Applies only if COLCARD = 1, -7, or -8 First available in 2000							

 Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label

COLSCOPY	306	2	YES1FMT	HSP29	N	Ever had colonoscopy or sigmoidoscopy
				397		. Inapplicable
				1		-9 Not ascertained
				157		-8 Don't know
				13		-7 Refused
				6,455		1 Yes
				8,316		2 No

NOTES: Applies only if RIC2, OCCCOLON is not equal to 1
 First available in 2000

WHENSCOP	308	2	RECFMT	HSP30	N	When most recent colonoscopy done
				8,884		. Inapplicable
				1		-9 Not ascertained
				75		-8 Don't know
				1,569		1 Less than 1 year ago
				1,476		2 Between 1-2 years ago
				989		3 Between 2-3 years ago
				831		4 Between 3-5 years ago
				1,514		5 5 or more years ago

NOTES: Applies only if COLSCOPY = 1
 First available in 2000

HEARSCOP	310	2	YES1FMT	HSP31	N	Heard of colonoscopy before today
				6,852		. Inapplicable
				2		-9 Not ascertained
				40		-8 Don't know
				13		-7 Refused
				5,055		1 Yes
				3,377		2 No

NOTES: Applies only if COLSCOPY is not equal to . or 1
 First available in 2000

COLDRREC	312	2	YES1FMT	HSP32	N	Dr. ever recommend colonoscopy
				10,284		. Inapplicable
				65		-8 Don't know
				394		1 Yes
				4,596		2 No

NOTES: Applies only if HEARSCOP = 1
 First available in 2000

COLNNEED	314	2	IND1FMT	HSP33	N	Wasn't needed/no needed/nothing wrong
				14,945		. Inapplicable
				4		-8 Don't know
				72		1 Indicated
				318		2 Not Indicated

NOTES: Applies only if COLDDREC = 1
 First available in 2000

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
COLNAPP	316	2	IND1FMT		HSP33		N Difficulty getting appointment
				14,945			. Inapplicable
				4			-8 Don't know
				9			1 Indicated
				381			2 Not Indicated
				NOTES: Applies only if COLDDREC = 1 First available in 2000			
COLNGET	318	2	IND1FMT		HSP33		N Could get cancer anyway/test is useless
				14,945			. Inapplicable
				4			-8 Don't know
				19			1 Indicated
				371			2 Not Indicated
				NOTES: Applies only if COLDDREC = 1 First available in 2000			
COLNRISK	320	2	IND1FMT		HSP33		N Not at risk for cancer
				14,945			. Inapplicable
				4			-8 Don't know
				11			1 Indicated
				379			2 Not Indicated
				NOTES: Applies only if COLDDREC = 1 First available in 2000			
COLNLIKE	322	2	IND1FMT		HSP33		N Don't like tests/pain/discomfort
				14,945			. Inapplicable
				4			-8 Don't know
				112			1 Indicated
				278			2 Not Indicated
				NOTES: Applies only if COLDDREC = 1 First available in 2000			
COLNLOCA	324	2	IND1FMT		HSP33		N Inconvenient/hard to get to location
				14,945			. Inapplicable
				4			-8 Don't know
				20			1 Indicated
				370			2 Not Indicated
				NOTES: Applies only if COLDDREC = 1 First available in 2000			
COLNMISS	326	2	IND1FMT		HSP33		N Haven't scheduled/missed/forgot it
				14,945			. Inapplicable
				4			-8 Don't know
				84			1 Indicated
				306			2 Not Indicated
				NOTES: Applies only if COLDDREC = 1 First available in 2000			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
COLNCOST	328	2	IND1FMT		HSP33		N Cost of test/insurance doesn't pay
				14,945			. Inapplicable
				4			-8 Don't know
				11			1 Indicated
				379			2 Not Indicated
				NOTES: Applies only if COLDDREC = 1 First available in 2000			
COLNFEAR	330	2	IND1FMT		HSP33		N Afraid of results/don't want to know
				14,945			. Inapplicable
				4			-8 Don't know
				17			1 Indicated
				373			2 Not Indicated
				NOTES: Applies only if COLDDREC = 1 First available in 2000			
COLNAPPT	332	2	IND1FMT		HSP33		N Appointment is scheduled/due soon
				14,945			. Inapplicable
				1			-8 Don't know
				31			1 Indicated
				362			2 Not Indicated
				NOTES: Applies only if COLDDREC = 1 First available in 2000			
COLNOTHR	334	2	IND1FMT		HSP33		N Did not have colonoscopy - other reason
				14,945			. Inapplicable
				4			-8 Don't know
				47			1 Indicated
				343			2 Not Indicated
				NOTES: Applies only if COLDDREC = 1 First available in 2000			
COLSCRNS	336	2	YES1FMT		HSP34		N Know Medicare helps pay screening tests
				2,701			. Inapplicable
				88			-8 Don't know
				1			-7 Refused
				4,357			1 Yes
				8,192			2 No
				NOTES: Applies only if COLSCOPY = 1, HEARSCOP = 1, COLHTEST = 1 or COLHKIT = 1 First available in 2000			
OSTEVERT	338	2	YES1FMT		HSP35		N Ever talked to Dr. about osteoporosis
				2,213			. Inapplicable
				1			-9 Not ascertained
				87			-8 Don't know
				12			-7 Refused
				2,433			1 Yes
				10,593			2 No
				NOTES: Applies only if RIC2, OCOSTEOP is not equal to 1 First available in 2000			

 Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label

OSTHRISK 340 2 YES1FMT HSP36 N SP told at high risk for osteoporosis
 12,906 . Inapplicable
 16 -8 Don't know
 400 1 Yes
 2,017 2 No

NOTES: Applies only if OSTEVERT = 1
 First available in 2000

OSTTEST 342 2 YES2FMT HSP37 N Ever had bone mass/measurement test
 1 -9 Missing
 237 -8 Don't know
 13 -7 Refused
 3,015 1 Yes
 12,073 2 No

NOTE: First available in 2000

OSTHEAR 344 2 YES1FMT HSP38 N Heard of bone mass test before today
 3,015 . Inapplicable
 1 -9 Not ascertained
 54 -8 Don't know
 12 -7 Refused
 6,644 1 Yes
 5,613 2 No

NOTES: Applies only if OSTTEST is not equal to 1
 First available in 2000

OSTRECNT 346 2 RECFMT HSP39 N Most recent time had bone mass test
 12,324 . Inapplicable
 37 -8 Don't know
 1 -7 Refused
 1,265 1 Less than 1 year ago
 924 2 Between 1-2 years ago
 379 3 Between 2-3 years ago
 199 4 Between 3-5 years ago
 210 5 5 or more years ago

NOTES: Applies only if OSTTEST = 1
 First available in 2000

OSTMASS 348 2 YES1FMT HSP40 N Know Medicare pays for bone mass test
 5,680 . Inapplicable
 75 -8 Don't know
 3,347 1 Yes
 6,237 2 No

NOTES: Applies only if OSTTEST = 1 or OSTHEAR = 1
 First available in 2000