

Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label

The Survey Health Status and Functioning file includes data about the sample person's health including height and weight, self-assessments of vision and hearing, history of medical conditions, functioning, among others.

This file started in 1997 when the facility instrument was converted to a Computer-Assisted Personal Interviewing format. It contains one record for each person who completed a facility interview. From 1991 through 1996, similar data may be found in RIC 2.

RIC	1	2			C Record Identification Code
VERSION	3	1			C Verson Number
BASEID	4	8	\$BSIDFMT		C Unique SP Identification Number
				1,215	LOW-HIGH BASEID Count
SPHEALTH	12	2	GENHFMT	HA43J	N Description of SP's general health
				1	. Missing
				5	-8 Don't know
				9	-1 Inapplicable
				52	1 Excellent
				136	2 Very good
				365	3 Good
				441	4 Fair
				206	5 Poor

NOTES: Inapplicable if COMATOSE = 1.
 First available in 1997

HLTHCOMP	14	2	COMPFMT	HA43K	N SP's health compared to 1 year ago?
				1	. Missing
				73	-8 Don't know
				1	-7 Refused
				9	-1 Inapplicable
				13	1 Much better
				102	2 Somewhat better
				614	3 About the same
				347	4 Somewhat worse
				55	5 Much worse

NOTES: Inapplicable if COMATOSE = 1.
 First available in 1999

LIMACTIV	16	2	TIMEFMT	HA43L	N Hlth limited soc activities in past mo?
				1	. Missing
				7	-8 Don't know
				9	-1 Inapplicable
				646	1 None of the time
				252	2 Some of the time
				143	3 Most of the time
				157	4 All of the time

NOTES: Inapplicable if COMATOSE = 1.
 First available in 1999

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
VISAPPL	18	2	YES1FMT			HA20A	N Does SP use a visual appliance?
				9			. Inapplicable
				5			-8 Don't know
				676			1 Yes
				525			2 No
				NOTES: Inapplicable if COMATOSE = 1 First available in 1997			
VISION	20	2	VISION			HA20	N Ability of SP to see?
				9			. Inapplicable
				4			-8 Don't know
				735			1 Adequate
				256			2 Impaired
				104			3 Moderately impaired
				76			4 Highly impaired
				31			5 Severely impaired
				NOTES: Inapplicable if COMATOSE = 1 First available in 1997			
CATAROP	22	2	YES2FMT			HA33E	N SP ever have operation for cataracts?
				177			-8 Don't know
				83			1 Yes
				955			2 No
				NOTE: First available in 1997			
HCHEAID	24	2	YES1FMT			HA17	N SP use hearing aid?
				9			. Inapplicable
				3			-8 Don't know
				104			1 Yes
				1,099			2 No
				NOTES: Inapplicable if COMATOSE = 1 First available in 1997			
HCHECOND	26	2	HEARING			HA16	N Description of hearing
				9			. Inapplicable
				3			-8 Don't know
				845			1 Hears adequately
				240			2 Hears with minimal difficulty
				83			3 Hears in special situations only
				35			4 Hearing is highly impaired
				NOTES: Inapplicable if COMATOSE = 1 First available in 1997			
HCUNCOND	28	2	UNDSTND			HA18	N Ability of SP to make him/her understood
				9			. Inapplicable
				580			1 Understood
				303			2 Usually understood
				188			3 Sometimes understood
				135			4 Rarely or never understood
				NOTES: Inapplicable if COMATOSE = 1 First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
HCUNDOTH	30	2	UNDSTND			HA19	N Ability of SP to understand others
				9			. Inapplicable
				528			1 Understood
				346			2 Usually understood
				225			3 Sometimes understood
				107			4 Rarely or never understood
				NOTES: Inapplicable if COMATOSE = 1			
				First available in 1997			
HEIGHT	32	2	N2ZERO			HA38	N Height of SP in inches
				69			-8 Don't know
				1,146			0-99 Number
				NOTE: First available in 1997			
WEIGHTF	34	3	N3ZERO			HA39	N Weight of SP
				34			-8 Don't know
				1,181			0-999 Numbers
				NOTES: For facility data prior to 1997, see WEIGHT in RIC 2.			
				First available in 1997			
MAMMOGR	37	2	YES1FMT			HA43A	N SP had a mammogram in the last year?
				393			. Inapplicable
				1			-9 Not ascertained
				108			-8 Don't know
				89			1 Yes
				624			2 No
				NOTES: Inapplicable if SP is male			
				First available in 1997			
PAPSM	39	2	YES1FMT			HA43B	N SP had a Pap smear since a year ago?
				393			. Inapplicable
				1			-9 Not ascertained
				110			-8 Don't know
				76			1 Yes
				635			2 No
				NOTES: Inapplicable if SP is male. Also see PAPSMEAR in RIC 2.			
				First available in 1997			
HYSTLAST	41	2	YES1FMT			HA43C	N SP had a hysterectomy in the last year?
				533			. Inapplicable
				1			-9 Not ascertained
				21			-8 Don't know
				11			1 Yes
				649			2 No
				NOTES: Applies to female SPs in continuing sample. Also see HYSTEREC in RIC 2.			
				First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
NOWSMOKE	55	2	YES1FMT			HA43F	N Does SP smoke now?
				176			. Inapplicable
				2			-8 Don't know
				86			1 Yes
				951			2 No
NOTES: Applies only if EVRSMOKE = 1 First available in 1997							
IADSTOOP	57	2	DIFICULT			HA43G	N Was stooping/kneeling difficult?
				9			. Inapplicable
				1			-8 Don't know
				165			1 No difficulty at all
				94			2 A little difficulty
				136			3 Some difficulty
				171			4 A lot of difficulty
				639			5 Unable to do it
NOTES: Inapplicable if COMATOSE = 1. First available in 1997							
IADLIFT	59	2	DIFICULT			HA43G	N Was lifting heavy items difficult?
				9			. Inapplicable
				10			-8 Don't know
				199			1 No difficulty at all
				85			2 A little difficulty
				100			3 Some difficulty
				111			4 A lot of difficulty
				701			5 Unable to do it
NOTES: Inapplicable if COMATOSE = 1. First available in 1997							
IADREACH	61	2	DIFICULT			HA43G	N Was reaching/extending arms difficult?
				9			. Inapplicable
				5			-8 Don't know
				465			1 No difficulty at all
				185			2 A little difficulty
				204			3 Some difficulty
				132			4 A lot of difficulty
				215			5 Unable to do it
NOTES: Inapplicable if COMATOSE = 1. First available in 1997							
IADGRASP	63	2	DIFICULT			HA43G	N Was writing/grasping difficult?
				9			. Inapplicable
				7			-8 Don't know
				472			1 No difficulty at all
				193			2 A little difficulty
				216			3 Some difficulty
				130			4 A lot of difficulty
				188			5 Unable to do it
NOTES: Inapplicable if COMATOSE = 1. First available in 1997							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
IADWALK	65	2	DIFICULT			HA43G	N Was walking difficult?
				9			. Inapplicable
				3			-8 Don't know
				221			1 No difficulty at all
				43			2 A little difficulty
				68			3 Some difficulty
				89			4 A lot of difficulty
				782			5 Unable to do it
				NOTES: Inapplicable if COMATOSE = 1. First available in 1997			
ASHD	67	2	SEL2FMT			HA28	N SP has arteriosclerotic heart disease
				100			1 Selected
				1,115			2 Not Selected
				NOTE: First available in 1997			
HYPETENS	69	2	SEL2FMT			HA28	N SP has hypertension
				457			1 Selected
				758			2 Not Selected
				NOTE: First available in 1997			
HYPETHYR	71	2	SEL2FMT			HA28	N SP has hyperthyroidism
				62			1 Selected
				1,153			2 Not Selected
				NOTE: First available in 1997			
MYOCARD	73	2	YES2FMT			HA33D	N Did SP have myocardial infarction?
				88			-8 Don't know
				81			1 Yes
				1,046			2 No
				NOTE: First available in 1997			
CARDIOV	75	2	SEL2FMT			HA28	N SP has cardiovascular disease
				104			1 Selected
				1,111			2 Not Selected
				NOTE: First available in 1997			
CRDVTYPE	77	2	YES2FMT			HA33C	N SP have angina/coronary heart disease?
				3			-9 Not ascertained
				11			-8 Don't know
				54			1 Yes
				1,147			2 No
				NOTE: First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
HRTFAIL	79	2	SEL2FMT			HA28	N SP has congestive heart failure
				170			1 Selected
				1,045			2 Not Selected
				NOTE: First available in 1997			
STROKE	81	2	SEL2FMT			HA28	N SP has a stroke
				169			1 Selected
				1,046			2 Not Selected
				NOTE: First available in 1997			
CNRSKIN	83	2	SEL2FMT			HA33B	N Did SP have skin cancer?
				1			-9 Not ascertained
				4			-8 Don't know
				7			1 Selected
				1,203			2 Not Selected
				NOTE: First available in 1997			
CANCER	85	2	SEL2FMT			HA28	N SP has cancer
				53			1 Selected
				1,162			2 Not Selected
				NOTE: First available in 1997			
CNRLUNG	87	2	SEL2FMT			HA33B	N Did SP have lung cancer?
				1			-9 Not ascertained
				4			-8 Don't know
				2			1 Selected
				1,208			2 Not Selected
				NOTE: First available in 1997			
CNRBOWEL	89	2	SEL2FMT			HA33B	N Did SP have colon/rectum/bowel cancer?
				1			-9 Not ascertained
				4			-8 Don't know
				7			1 Selected
				1,203			2 Not Selected
				NOTE: First available in 1997			
CNRBREAS	91	2	SEL2FMT			HA33B	N Did SP have breast cancer?
				1			-9 Not ascertained
				4			-8 Don't know
				15			1 Selected
				1,195			2 Not Selected
				NOTE: First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
CNRUTERU	93	2	SEL2FMT			HA33B	N Did SP have uterus cancer?
				1			-9 Not ascertained
				4			-8 Don't know
				1			1 Selected
				1,209			2 Not Selected
				NOTE: First available in 1997			
CNRPROST	95	2	SEL2FMT			HA33B	N Did SP have prostate cancer?
				1			-9 Not ascertained
				4			-8 Don't know
				9			1 Selected
				1,201			2 Not Selected
				NOTE: First available in 1997			
CNRBLADD	97	2	SEL2FMT			HA33B	N Did SP have bladder cancer?
				1			-9 Not ascertained
				4			-8 Don't know
				3			1 Selected
				1,207			2 Not Selected
				NOTE: First available in 1997			
CNROVARY	99	2	SEL2FMT			HA33B	N Did SP have ovarian cancer?
				1			-9 Not ascertained
				4			-8 Don't know
				0			1 Selected
				1,210			2 Not Selected
				NOTE: First available in 1997			
CNRCERVI	101	2	SEL2FMT			HA33B	N Did SP have cervix cancer?
				1			-9 Not ascertained
				4			-8 Don't know
				1			1 Selected
				1,209			2 Not Selected
				NOTE: First available in 1997			
CNRSTOMA	103	2	SEL2FMT			HA33B	N Did SP have stomach cancer?
				1			-9 Not ascertained
				4			-8 Don't know
				0			1 Selected
				1,210			2 Not Selected
				NOTE: First available in 1997			
CNROTHER	105	2	SEL2FMT			HA33B	N Did SP have other cancer?
				1			-9 Not ascertained
				4			-8 Don't know
				5			1 Selected
				1,205			2 Not Selected
				NOTE: First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
DIABMEL	107	2	SEL2FMT			HA28	N SP has diabetes mellitus
				202			1 Selected
				1,013			2 Not Selected
				NOTE: First available in 1997			
ARTHRIT	109	2	SEL2FMT			HA28	N SP has arthritis
				234			1 Selected
				981			2 Not Selected
				NOTE: First available in 1997			
ARTHARMS	111	2	SEL2FMT			HA33A	N Were arms affected by arthritis?
				14			-8 Don't know
				46			1 Selected
				1,155			2 Not Selected
				NOTE: First available in 1997			
ARTHLEGS	113	2	SEL2FMT			HA33A	N Were legs affected by arthritis?
				14			-8 Don't know
				82			1 Selected
				1,119			2 Not Selected
				NOTE: First available in 1997			
ARTHBACK	115	2	SEL2FMT			HA33A	N Was back affected by arthritis?
				14			-8 Don't know
				28			1 Selected
				1,173			2 Not Selected
				NOTE: First available in 1997			
ARTHNECK	117	2	SEL2FMT			HA33A	N Was neck affected by arthritis?
				14			-8 Don't know
				6			1 Selected
				1,195			2 Not Selected
				NOTE: First available in 1997			
ARTHJOIN	119	2	SEL2FMT			HA33A	N Were joints affected by arthritis?
				14			-8 Don't know
				116			1 Selected
				1,085			2 Not Selected
				NOTE: First available in 1997			
ARTHOTHR	121	2	SEL2FMT			HA33A	N Were other parts affected by arthritis?
				14			-8 Don't know
				1			1 Selected
				1,200			2 Not Selected
				NOTE: First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
MENTAL	123	2	YES2FMT			HA9	N Did SP have any mental illnesses?
				4			. Missing
				2			-8 Don't know
				305			1 Yes
				904			2 No
				NOTE: First available in 1997			
ALZHMR	125	2	SEL2FMT			HA28	N SP has Alzheimer's disease
				204			1 Selected
				1,011			2 Not Selected
				NOTE: First available in 1997			
OSTEOP	127	2	SEL2FMT			HA28	N SP has osteoporosis
				147			1 Selected
				1,068			2 Not Selected
				NOTE: First available in 1997			
HIPFRACT	129	2	SEL2FMT			HA28	N SP has a hip fracture
				40			1 Selected
				1,175			2 Not Selected
				NOTE: First available in 1997			
PARKNSON	131	2	SEL2FMT			HA28	N SP has Parkinson's disease
				59			1 Selected
				1,156			2 Not Selected
				NOTE: First available in 1997			
EMPCOPD	133	2	SEL2FMT			HA28	N SP has emphysema/COPD
				101			1 Selected
				1,114			2 Not Selected
				NOTE: First available in 1997			
MISSLIMB	135	2	SEL2FMT			HA28	N SP has a missing limb
				14			1 Selected
				1,201			2 Not Selected
				NOTE: First available in 1997			
DIFUSEPH	137	2	ADL1FMT			HA43H	N Was using the phone difficult?
				9			. Inapplicable
				9			-8 Don't know
				329			1 Yes
				438			2 No
				430			3 Doesn't do

NOTES: Inapplicable if COMATOSE = 1.
 First available in 1997

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
DIFSHOP	139	2	ADL1FMT			HA43H	N Was shopping difficult?
				9			. Inapplicable
				381			1 Yes
				190			2 No
				635			3 Doesn't do
				NOTES: Inapplicable if COMATOSE = 1. First available in 1997			
DIFMONEY	141	2	ADL1FMT			HA43H	N Was managing money difficult?
				9			. Inapplicable
				4			-8 Don't know
				341			1 Yes
				137			2 No
				724			3 Doesn't do
				NOTES: Inapplicable if COMATOSE = 1. First available in 1997			
REASNOPH	143	2	YES1FMT			HA43I	N Not use phone due to health/phys problem
				783			. Inapplicable
				1			-8 Don't know
				411			1 Yes
				20			2 No
				NOTES: Inapplicable if DIFUSEPH is not equal to 3 First available in 1997			
REASNOSH	145	2	YES1FMT			HA43I	N Not shop due to health/phys problem
				577			. Inapplicable
				618			1 Yes
				20			2 No
				NOTES: Inapplicable if DIFSHOP is not equal to 3 First available in 1997			
REASNOMM	147	2	YES1FMT			HA43I	N SP doesn't manage \$ due to health prob
				488			. Inapplicable
				699			1 Yes
				28			2 No
				NOTES: Inapplicable if DIFMONEY is not equal to 3 First available in 1997			
PFTRNSFR	149	2	PERFLEV			HA22	N Level of self perform: transfer
				9			. Inapplicable
				536			1 Independent
				75			2 Supervision
				146			3 Limited assistance
				192			4 Extensive assistance
				252			5 Total dependence
				5			6 Activity did not occur
				NOTES: Inapplicable if COMATOSE = 1 First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PFLOCOMO	151	2	PERFLEV			HA22	N Level of self perform: locomot. on unit
				9			. Inapplicable
				582			1 Independent
				116			2 Supervision
				119			3 Limited assistance
				98			4 Extensive assistance
				272			5 Total dependence
				19			6 Activity did not occur
NOTES: Inapplicable if COMATOSE = 1 First available in 1997							
PFDRESSNG	153	2	PERFLEV			HA22	N Level of self perform: dressing
				9			. Inapplicable
				337			1 Independent
				114			2 Supervision
				204			3 Limited assistance
				232			4 Extensive assistance
				314			5 Total dependence
				5			6 Activity did not occur
NOTES: Inapplicable if COMATOSE = 1 First available in 1997							
PFEATING	155	2	PERFLEV			HA22	N Level of self perform: eating
				9			. Inapplicable
				641			1 Independent
				202			2 Supervision
				115			3 Limited assistance
				74			4 Extensive assistance
				172			5 Total dependence
				2			6 Activity did not occur
NOTES: Inapplicable if COMATOSE = 1 First available in 1997							
PFTOILET	157	2	PERFLEV			HA22	N Level of self perform: toilet use
				9			. Inapplicable
				422			1 Independent
				81			2 Supervision
				165			3 Limited assistance
				174			4 Extensive assistance
				353			5 Total dependence
				11			6 Activity did not occur
NOTES: Inapplicable if COMATOSE = 1 First available in 1997							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PFBATHNG	159	2	BATHLEV			HA23	N Level of self perform: bathing
				9			. Inapplicable
				2			-8 Don't know
				158			1 Independent
				180			2 Supervision
				81			3 Physical help limited to transfer only
				339			4 Physical help in part of bathing actvty
				445			5 Total dependence
				1			6 Activity did not occur
				NOTES: Inapplicable if COMATOSE = 1			
				First available in 1997			
MLCANE	161	2	YES1FMT			HA24	N Did SP use cane/walker?
				9			. Inapplicable
				4			-8 Don't know
				299			1 Yes
				903			2 No
				NOTES: Inapplicable if COMATOSE = 1			
				First available in 1997			
MLWLPRIM	163	2	YES1FMT			HA24	N Did SP use wheelchair prim means?
				9			. Inapplicable
				4			-8 Don't know
				388			1 Yes
				814			2 No
				NOTES: Inapplicable if COMATOSE = 1			
				First available in 2001			
MLWHLSLF	165	2	YES1FMT			HA24	N Did SP wheel her/himself?
				9			. Inapplicable
				4			-8 Don't know
				288			1 Yes
				914			2 No
				NOTES: Inapplicable if COMATOSE = 1			
				First available in 1997			
MLWHLOTH	167	2	YES1FMT			HA24	N Did someone wheel SP?
				9			. Inapplicable
				4			-8 Don't know
				451			1 Yes
				751			2 No
				NOTES: Inapplicable if COMATOSE = 1			
				First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
CTBADD	169	2	CONTLEV			HA26	N Level of bladder control
				9			. Inapplicable
				490			1 Continent
				110			2 Usually continent
				93			3 Occasionally incontinent
				135			4 Frequently incontinent
				378			5 Incontinent
NOTES: Inapplicable if COMATOSE = 1 First available in 1997							
ADLIVWIL	171	2	YES2FMT			HA10	N Did SP have living will?
				19			-8 Don't know
				232			1 Yes
				964			2 No
NOTE: First available in 1997							
ADDNRES	173	2	YES2FMT			HA10	N Did SP have 'Do not resuscitate' order?
				19			-8 Don't know
				508			1 Yes
				688			2 No
NOTE: First available in 1997							
ADDNHOSP	175	2	YES2FMT			HA10	N Did SP have 'Do not hospitalize' order?
				19			-8 Don't know
				43			1 Yes
				1,153			2 No
NOTE: First available in 1997							
ADOTREST	177	2	YES2FMT			HA10	N Feeding/Medication/Other restrictions?
				19			-8 Don't know
				85			1 Yes
				1,111			2 No
NOTE: First available in 1997							
COMATOSE	179	2	YES2FMT			HA11	N Was SP comatose?
				9			1 Yes
				1,206			2 No
NOTE: First available in 1997							
CSMEMST	181	2	YES1FMT			HA12	N Was SP's short term memory OK?
				9			. Inapplicable
				2			-8 Don't know
				800			1 Yes
				404			2 No
NOTES: Inapplicable if COMATOSE = 1 First available in 1997							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
CSMEMLT	183	2	YES1FMT			HA13	N Was SP's long term memory OK?
				9			. Inapplicable
				4			-8 Don't know
				685			1 Yes
				517			2 No
				NOTES: Inapplicable if COMATOSE = 1 First available in 1997			
CSCURSEA	185	2	YES1FMT			HA14	N Was SP able to recall current season?
				9			. Inapplicable
				2			-8 Don't know
				601			1 Yes
				603			2 No
				NOTES: Inapplicable if COMATOSE = 1 First available in 1997			
CSLOCROM	187	2	YES1FMT			HA14	N Was able to recall location of room?
				9			. Inapplicable
				2			-8 Don't know
				777			1 Yes
				427			2 No
				NOTES: Inapplicable if COMATOSE = 1 First available in 1997			
CSNAMFAC	189	2	YES1FMT			HA14	N Was able to recall names and faces?
				9			. Inapplicable
				2			-8 Don't know
				803			1 Yes
				401			2 No
				NOTES: Inapplicable if COMATOSE = 1 First available in 1997			
CSINNH	191	2	YES1FMT			HA14	N SP could recall he/she was in nurs. home
				9			. Inapplicable
				2			-8 Don't know
				713			1 Yes
				491			2 No
				NOTES: Inapplicable if COMATOSE = 1 First available in 1997			
CSDECIS	193	2	CSDECIS			HA15	N How skilled was SP in making decisions?
				9			. Inapplicable
				252			1 Independent
				274			2 Modified independence
				377			3 Moderately impaired
				303			4 Severely impaired
				NOTES: Inapplicable if COMATOSE = 1 First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
BSWANDER	195	2	FREQUENT			HA21	N How often did wandering occur?
				9			. Inapplicable
				1,062			1 Not at all
				77			2 Less than daily
				67			3 Daily or more frequently
				NOTES: Inapplicable if COMATOSE = 1			
				First available in 1997			
BSVERBAB	197	2	FREQUENT			HA21	N Occurrence of verbally abusive behavior?
				9			. Inapplicable
				1,031			1 Not at all
				137			2 Less than daily
				38			3 Daily or more frequently
				NOTES: Inapplicable if COMATOSE = 1			
				First available in 1997			
BSPHYSAB	199	2	FREQUENT			HA21	N Occurrence of phys abusive behavior?
				9			. Inapplicable
				1,084			1 Not at all
				108			2 Less than daily
				14			3 Daily or more frequently
				NOTES: Inapplicable if COMATOSE = 1			
				First available in 1997			
BSDISRPT	201	2	FREQUENT			HA21	N How often did disruptive behavior occur?
				9			. Inapplicable
				977			1 Not at all
				164			2 Less than daily
				65			3 Daily or more frequently
				NOTES: Inapplicable if COMATOSE = 1			
				First available in 1997			
BSRESIST	203	2	FREQUENT			HA21	N How often did SP resist care?
				9			. Inapplicable
				939			1 Not at all
				185			2 Less than daily
				82			3 Daily or more frequently
				NOTES: Inapplicable if COMATOSE = 1			
				First available in 1997			
CTBOWEC	205	2	CONTLEV			HA25	N Level of bowel control?
				9			. Inapplicable
				603			1 Continent
				97			2 Usually continent
				68			3 Occasionally incontinent
				96			4 Frequently incontinent
				342			5 Incontinent
				NOTES: Inapplicable if COMATOSE = 1			
				First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PWINTOTH	207	2	YES1FMT			HA27	N At ease interacting with others?
				9			. Inapplicable
				853			1 Yes
				353			2 No
				NOTES: Inapplicable if COMATOSE = 1 First available in 1997			
PWSTRACT	209	2	YES1FMT			HA27	N At ease doing planned activities?
				9			. Inapplicable
				598			1 Yes
				608			2 No
				NOTES: Inapplicable if COMATOSE = 1 First available in 1997			
PWSLFACT	211	2	YES1FMT			HA27	N At ease doing self-initiated activities?
				9			. Inapplicable
				498			1 Yes
				708			2 No
				NOTES: Inapplicable if COMATOSE = 1 First available in 1997			
PWGOALS	213	2	YES1FMT			HA27	N At ease establishing goals?
				9			. Inapplicable
				290			1 Yes
				916			2 No
				NOTES: Inapplicable if COMATOSE = 1 First available in 1997			
PWFACLIF	215	2	YES1FMT			HA27	N Involved with life at facility?
				9			. Inapplicable
				371			1 Yes
				835			2 No
				NOTES: Inapplicable if COMATOSE = 1 First available in 1997			
PWGRPACT	217	2	YES1FMT			HA27	N Accepts invitations to group activities?
				9			. Inapplicable
				495			1 Yes
				711			2 No
				NOTES: Inapplicable if COMATOSE = 1 First available in 1997			
PWNOFC	219	2	YES1FMT			HA27	N Absence of contact with family/friends?
				9			. Inapplicable
				90			1 Yes
				1,116			2 No
				NOTES: Inapplicable if COMATOSE = 1 First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
ALLERGY	221	2	SEL2FMT			HA28	N SP has allergies
				151			1 Selected
				1,064			2 Not Selected
				NOTE: First available in 1997			
ANEMIA	223	2	SEL2FMT			HA28	N SP has anemia
				163			1 Selected
				1,052			2 Not Selected
				NOTE: First available in 1997			
ANXIETY	225	2	SEL2FMT			HA28	N SP has anxiety disorder
				99			1 Selected
				1,116			2 Not Selected
				NOTE: First available in 1997			
APHASIA	227	2	SEL2FMT			HA28	N SP has aphasia
				44			1 Selected
				1,171			2 Not Selected
				NOTE: First available in 1997			
ASTHMA	229	2	SEL2FMT			HA28	N SP has asthma
				16			1 Selected
				1,199			2 Not Selected
				NOTE: First available in 1997			
CARDDYSR	231	2	SEL2FMT			HA28	N SP has dysrhythmia
				79			1 Selected
				1,136			2 Not Selected
				NOTE: First available in 1997			
CATARCT	233	2	SEL2FMT			HA28	N SP has cataracts
				86			1 Selected
				1,129			2 Not Selected
				NOTE: First available in 1997			
CERPALSY	235	2	SEL2FMT			HA28	N SP has cerebral palsy
				29			1 Selected
				1,186			2 Not Selected
				NOTE: First available in 1997			
VEINTHR	237	2	SEL2FMT			HA28	N SP has deep vein thrombosis
				14			1 Selected
				1,201			2 Not Selected
				NOTE: First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
DEMENT	239	2	SEL2FMT			HA28	N SP has dementia
				325			1 Selected
				890			2 Not Selected
				NOTE: First available in 1997			
DEPRESS	241	2	SEL2FMT			HA28	N SP has depression
				338			1 Selected
				877			2 Not Selected
				NOTE: First available in 1997			
DIABRET	243	2	SEL2FMT			HA28	N SP has diabetic retinopathy
				9			1 Selected
				1,206			2 Not Selected
				NOTE: First available in 1997			
GLAUCOMA	245	2	SEL2FMT			HA28	N SP has glaucoma
				68			1 Selected
				1,147			2 Not Selected
				NOTE: First available in 1997			
HEMIPLPA	247	2	SEL2FMT			HA28	N SP has hemiplegia/hemiparesis
				63			1 Selected
				1,152			2 Not Selected
				NOTE: First available in 1997			
HYPOTENS	249	2	SEL2FMT			HA28	N SP has hypotension
				14			1 Selected
				1,201			2 Not Selected
				NOTE: First available in 1997			
HYPOTHYR	251	2	SEL2FMT			HA28	N SP has hypothyroidism
				93			1 Selected
				1,122			2 Not Selected
				NOTE: First available in 1997			
MACDEGEN	253	2	SEL2FMT			HA28	N SP has macular degeneration
				37			1 Selected
				1,178			2 Not Selected
				NOTE: First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
MANICDEP	255	2	SEL2FMT			HA28	N SP has manic depression
				20			1 Selected
				1,195			2 Not Selected
				NOTE: First available in 1997			
SCLEROS	257	2	SEL2FMT			HA28	N SP has multiple sclerosis
				9			1 Selected
				1,206			2 Not Selected
				NOTE: First available in 1997			
PARAPLEG	259	2	SEL2FMT			HA28	N SP has paraplegia
				8			1 Selected
				1,207			2 Not Selected
				NOTE: First available in 1997			
BONEFRAC	261	2	SEL2FMT			HA28	N SP has pathological bone fracture
				3			1 Selected
				1,212			2 Not Selected
				NOTE: First available in 1997			
VASCULAR	263	2	SEL2FMT			HA28	N SP has peripheral vascular disease
				70			1 Selected
				1,145			2 Not Selected
				NOTE: First available in 1997			
QUADPLEG	265	2	SEL2FMT			HA28	N SP has quadriplegia
				12			1 Selected
				1,203			2 Not Selected
				NOTE: First available in 1997			
RENTFAIL	267	2	SEL2FMT			HA28	N SP has renal failure
				22			1 Selected
				1,193			2 Not Selected
				NOTE: First available in 1997			
SCHIZOPH	269	2	SEL2FMT			HA28	N SP has schizophrenia
				85			1 Selected
				1,130			2 Not Selected
				NOTE: First available in 1997			
SEIZURE	271	2	SEL2FMT			HA28	N SP has a seizure disorder
				113			1 Selected
				1,102			2 Not Selected
				NOTE: First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
TIA	273	2	SEL2FMT			HA28	N SP has Transient Ischemic Attack (TIA)
				40			1 Selected
				1,175			2 Not Selected
				NOTE: First available in 1997			
BRAININJ	275	2	SEL2FMT			HA28	N SP has traumatic brain injury
				15			1 Selected
				1,200			2 Not Selected
				NOTE: First available in 1997			
INFMRSA	277	2	SEL2FMT			HA29	N SP have antibiotic resistant infection
				8			1 Selected
				1,207			2 Not Selected
				NOTE: First available in 1997			
INFCDIFF	279	2	SEL2FMT			HA29	N SP has clostridium difficile
				2			1 Selected
				1,213			2 Not Selected
				NOTE: First available in 1997			
INFCONJ	281	2	SEL2FMT			HA29	N SP has conjunctivitis
				7			1 Selected
				1,208			2 Not Selected
				NOTE: First available in 1997			
INFHIV	283	2	SEL2FMT			HA29	N SP has HIV
				4			1 Selected
				1,211			2 Not Selected
				NOTE: First available in 1997			
INFPNEU	285	2	SEL2FMT			HA29	N SP has pneumonia
				33			1 Selected
				1,182			2 Not Selected
				NOTE: First available in 1997			
INFRESP	287	2	SEL2FMT			HA29	N SP has respiratory infection
				21			1 Selected
				1,194			2 Not Selected
				NOTE: First available in 1997			
INFSEPT	289	2	SEL2FMT			HA29	N SP has septicemia
				2			1 Selected
				1,213			2 Not Selected
				NOTE: First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
INFSEXTR	291	2	SEL2FMT			HA29	N SP has sexually transmitted disease
				0			1 Selected
				1,215			2 Not Selected
				NOTE: First available in 1997			
INFNBRC	293	2	SEL2FMT			HA29	N SP has tuberculosis
				3			1 Selected
				1,212			2 Not Selected
				NOTE: First available in 1997			
INFURNRY	295	2	SEL2FMT			HA29	N SP has urinary tract infection
				72			1 Selected
				1,143			2 Not Selected
				NOTE: First available in 1997			
INFHPPTS	297	2	SEL2FMT			HA29	N SP has viral hepatitis
				1			1 Selected
				1,214			2 Not Selected
				NOTE: First available in 1997			
INFWOUND	299	2	SEL2FMT			HA29	N SP has wound infection
				16			1 Selected
				1,199			2 Not Selected
				NOTE: First available in 1997			
ALCOH	301	2	SEL2FMT			HA31, 33	N Was SP alcohol dependent
				13			1 Selected
				1,202			2 Not Selected
				NOTES: Answers sought from MDS and medical records. First available in 1997			
BREAST	303	2	SEL2FMT			HA31, 33	N SP has breast disorders
				3			1 Selected
				1,212			2 Not Selected
				NOTES: Answers sought from MDS and medical records. First available in 1997			
CERDEG	305	2	SEL2FMT			HA31, 33	N SP has cerebral degeneration
				5			1 Selected
				1,210			2 Not Selected
				NOTES: Answers sought from MDS and medical records. First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
CONST	307	2	SEL2FMT			HA31, 33	N SP has constipation
				33			1 Selected
				1,182			2 Not Selected
				NOTES: Answers sought from MDS and medical records. First available in 1997			
DEGJNT	309	2	SEL2FMT			HA31, 33	N Did SP have degenerative joint disease?
				1			. Missing
				20			1 Selected
				1,194			2 Not Selected
				NOTES: Answers sought from MDS and medical records. First available in 2000			
HERNIA	311	2	SEL2FMT			HA31, 33	N SP has diaphragmatic (hiatal) hernia
				11			1 Selected
				1,204			2 Not Selected
				NOTES: Answers sought from MDS and medical records. First available in 1997			
DIVCOL	313	2	SEL2FMT			HA31, 33	N SP has diverticula of colon
				11			1 Selected
				1,204			2 Not Selected
				NOTES: Answers sought from MDS and medical records. First available in 1997			
DYSPHA	315	2	SEL2FMT			HA31, 33	N Did SP have dysphagia?
				31			1 Selected
				1,184			2 Not Selected
				NOTES: Answers sought from MDS and medical records. First available in 2000			
EDEMA	317	2	SEL2FMT			HA31, 33	N Did SP have edema?
				13			1 Selected
				1,202			2 Not Selected
				NOTES: Answers sought from MDS and medical records. First available in 2000			
EPILEP	319	2	SEL2FMT			HA31, 33	N SP has epilepsy
				8			1 Selected
				1,207			2 Not Selected
				NOTES: Answers sought from MDS and medical records. First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
GASTR	321	2	SEL2FMT			HA31, 33	N SP has gastritis
				16			1 Selected
				1,199			2 Not Selected
NOTES: Answers sought from MDS and medical records. First available in 1997							
GASTRO	323	2	SEL2FMT			HA31, 33	N SP has gastroenteritis
				6			1 Selected
				1,209			2 Not Selected
NOTES: Answers sought from MDS and medical records. First available in 1997							
GHEMOR	325	2	SEL2FMT			HA31, 33	N SP has gastrointestinal hemorrhage
				5			1 Selected
				1,210			2 Not Selected
NOTES: Answers sought from MDS and medical records. First available in 1997							
HYPER	327	2	SEL2FMT			HA31, 33	N SP has hyperplasia of prostate
				5			1 Selected
				1,210			2 Not Selected
NOTES: Answers sought from MDS and medical records. First available in 1997							
HYPOP	329	2	SEL2FMT			HA31, 33	N SP has hypopotassemia/hypokalemia
				1			1 Selected
				1,214			2 Not Selected
NOTES: Answers sought from MDS and medical records. First available in 1997							
BRAINS	331	2	SEL2FMT			HA31, 33	N SP has nonpsychotic brain syndrome
				0			1 Selected
				1,215			2 Not Selected
NOTES: Answers sought from MDS and medical records. First available in 1997							
OSARTH	333	2	SEL2FMT			HA31, 33	N Did SP have osteoarthritis?
				25			1 Selected
				1,190			2 Not Selected
NOTES: Answers sought from MDS and medical records. First available in 2000							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PEPULC	335	2	SEL2FMT			HA31, 33	N SP has peptic ulcer
				19			1 Selected
				1,196			2 Not Selected
NOTES: Answers sought from MDS and medical records. First available in 1997							
RENTUR	337	2	SEL2FMT			HA31, 33	N SP has renal ureteral disorder
				2			1 Selected
				1,213			2 Not Selected
NOTES: Answers sought from MDS and medical records. First available in 1997							
SCOLIO	339	2	SEL2FMT			HA31, 33	N SP has scoliosis
				16			1 Selected
				1,199			2 Not Selected
NOTES: Answers sought from MDS and medical records. First available in 1997							
LEGULC	341	2	SEL2FMT			HA31, 33	N SP has ulcer of leg, chronic
				4			1 Selected
				1,211			2 Not Selected
NOTES: Answers sought from MDS and medical records. First available in 1997							
DEHYD	343	2	YES1FMT			HA34	N Did SP experience dehydration?
				9			. Inapplicable
				21			1 Yes
				1,185			2 No
NOTES: Inapplicable if COMATOSE = 1. First available in 1997							
DELUS	345	2	YES1FMT			HA35	N Did SP experience delusions?
				9			. Inapplicable
				1			-8 Don't know
				61			1 Yes
				1,144			2 No
NOTES: Inapplicable if COMATOSE = 1. First available in 1997							
HALLUC	347	2	YES1FMT			HA36	N Did SP experience hallucinations?
				9			. Inapplicable
				2			-8 Don't know
				55			1 Yes
				1,149			2 No
NOTES: Inapplicable if COMATOSE = 1. First available in 1997							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
ONCHEW	349	2	YES1FMT			HA37	N Did SP experience chewing problems?
				9			. Inapplicable
				9			-8 Don't know
				187			1 Yes
				1,010			2 No
				NOTES: Inapplicable if COMATOSE = 1. First available in 1997			
ONSWALL	351	2	YES1FMT			HA37	N Did SP experience swallowing problems?
				9			. Inapplicable
				9			-8 Don't know
				149			1 Yes
				1,048			2 No
				NOTES: Inapplicable if COMATOSE = 1. First available in 1997			
ONMOUTH	353	2	YES1FMT			HA37	N Did SP experience any mouth pain?
				9			. Inapplicable
				9			-8 Don't know
				15			1 Yes
				1,182			2 No
				NOTES: Inapplicable if COMATOSE = 1. First available in 1997			
DHDEBRIS	355	2	YES2FMT			HA40	N Did SP have debris in mouth?
				25			-8 Don't know
				11			1 Yes
				1,179			2 No
				NOTE: First available in 1997			
DHBRIDGE	357	2	YES2FMT			HA40	N Did SP have removable bridges?
				25			-8 Don't know
				463			1 Yes
				727			2 No
				NOTE: First available in 1997			
DHTELOS	359	2	YES2FMT			HA40	N Did SP have any natural teeth lost?
				25			-8 Don't know
				386			1 Yes
				804			2 No
				NOTE: First available in 1997			
DHBROKEN	361	2	YES2FMT			HA40	N Did SP have any broken/loose teeth?
				25			-8 Don't know
				51			1 Yes
				1,139			2 No
				NOTE: First available in 1997			

10/25/02
ACCESS
2001

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Facility

RIC: 2F
Page: 27

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
DHINFGUM	363	2	YES2FMT			HA40	N Did SP have any gum infection?
				25			-8 Don't know
				17			1 Yes
				1,173			2 No

NOTE: First available in 1997