

Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label

The Survey Health Status and Functioning file includes data about the sample person's health including height and weight, self-assessments of vision and hearing, history of medical conditions, functioning, among others.

This file started in 1997 when the facility instrument was converted to a Computer-Assisted Personal Interviewing format. It contains one record for each person who completed a facility interview. From 1991 through 1996, similar data may be found in RIC 2.

RIC	1	2			C Record Identification Code
VERSION	3	1			C Verson Number
BASEID	4	8	\$BSIDFMT		C Unique SP Identification Number
				1,173	LOW-HIGH BASEID Count
SPHEALTH	12	2	GENHFMT		HA43J N Description of SP's general health
				1	. Missing
				8	-8 Don't know
				15	-1 Inapplicable
				40	1 Excellent
				132	2 Very good
				332	3 Good
				443	4 Fair
				202	5 Poor

Notes: Inapplicable if COMATOSE = 1.
 First available in 1997

HLTHCOMP	14	2	COMPFMT		HA43K N SP's health compared to 1 year ago?
				1	. Missing
				70	-8 Don't know
				15	-1 Inapplicable
				20	1 Much better
				82	2 Somewhat better
				544	3 About the same
				384	4 Somewhat worse
				57	5 Much worse

Notes: Inapplicable if COMATOSE = 1.
 First available in 1999

LIMACTIV	16	2	TIMEFMT		HA43L N Hlth limited soc activities in past mo?
				1	. Missing
				15	-8 Don't know
				15	-1 Inapplicable
				565	1 None of the time
				259	2 Some of the time
				145	3 Most of the time
				173	4 All of the time

Notes: Inapplicable if COMATOSE = 1.
 First available in 1999

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
VISAPPL	18	2	YES1FMT			HA20A	N Does SP use a visual appliance?
				15			. Inapplicable
				7			-8 Don't know
				657			1 Yes
				494			2 No
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
VISION	20	2	VISION			HA20	N Ability of SP to see?
				15			. Inapplicable
				11			-8 Don't know
				671			1 Adequate
				240			2 Impaired
				115			3 Moderately impaired
				81			4 Highly impaired
				40			5 Severely impaired
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
CATAROP	22	2	YES2FMT			HA33E	N SP ever have operation for cataracts?
				154			-8 Don't know
				90			1 Yes
				929			2 No
				Note: First available in 1997			
HCHEAID	24	2	YES1FMT			HA17	N SP use hearing aid?
				15			. Inapplicable
				6			-8 Don't know
				109			1 Yes
				1,043			2 No
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
HCHECOND	26	2	HEARING			HA16	N Description of hearing
				15			. Inapplicable
				5			-8 Don't know
				789			1 Hears adequately
				233			2 Hears with minimal difficulty
				66			3 Hears in special situations only
				65			4 Hearing is highly impaired
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			

 Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label

HYSTLAST 41 2 YES1FMT HA43C N SP had a hysterectomy in the last year?
 542 . Inapplicable
 26 -8 Don't know
 7 1 Yes
 598 2 No

Notes: See Section 3 for skip pattern. Also see HYSTEREC in RIC 2.
 First available in 1997

EVERHYST 43 2 YES1FMT HA43D N SP ever had a hysterectomy?
 415 . Inapplicable
 177 -8 Don't know
 115 1 Yes
 466 2 No

Notes: Applies to female SPs in continuing sample where HYSTLAST = 1.
 First available in 1997

DRECEXAM 45 2 YES1FMT HA43DA N Digital rectal prostate exam in past yr?
 777 . Inapplicable
 64 -8 Don't know
 93 1 Yes
 239 2 No

Notes: Inapplicable if SP is female. Also see DIGTEXAM in RIC 2.
 First available in 1999

BLOODPSA 47 2 YES1FMT HA43DB N Prostate cancer blood test in past yr?
 777 . Inapplicable
 63 -8 Don't know
 124 1 Yes
 209 2 No

Notes: Inapplicable if SP is female
 First available in 1999

FLUVACC 49 2 YES2FMT HA43DC N SP had a flu shot in the past year?
 186 -8 Don't know
 870 1 Yes
 117 2 No

Notes: Facility data 91-96: FLUSHOT in RIC 2.
 First available in 1999

PNEUVACC 51 2 YES2FMT HA43DD N Has SP ever had a shot for pneumonia?
 128 -8 Don't know
 682 1 Yes
 363 2 No

Notes: Facility data 91-96: PNEUSHOT in RIC 2.
 First available in 1999

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
EVRSMOKE	53	2	YES2FMT			HA43E	N SP ever smoked cigars/cigarettes/pipe?
				91			-8 Don't know
				228			1 Yes
				854			2 No
				Note: First available in 1997			
NOWSMOKE	55	2	YES1FMT			HA43F	N Does SP smoke now?
				141			. Inapplicable
				2			-8 Don't know
				87			1 Yes
				943			2 No
				Notes: Applies only if EVRSMOKE = 1 First available in 1997			
IADSTOOP	57	2	DIF2FFMT			HA43GA	N Was stooping/kneeling difficult?
				15			. Inapplicable
				3			-8 Don't know
				165			1 No difficulty
				104			2 A little difficulty
				107			3 Some difficulty
				170			4 A lot of difficulty
				609			5 Unable to do it
				Notes: Inapplicable if COMATOSE = 1. First available in 1997			
IADLIFT	59	2	DIF2FFMT			HA43GB	N Was lifting heavy items difficult?
				15			. Inapplicable
				11			-8 Don't know
				188			1 No difficulty
				77			2 A little difficulty
				97			3 Some difficulty
				130			4 A lot of difficulty
				655			5 Unable to do it
				Notes: Inapplicable if COMATOSE = 1. First available in 1997			
IADREACH	61	2	DIF2FFMT			HA43GC	N Was reaching/extending arms difficult?
				15			. Inapplicable
				9			-8 Don't know
				428			1 No difficulty
				205			2 A little difficulty
				208			3 Some difficulty
				126			4 A lot of difficulty
				182			5 Unable to do it
				Notes: Inapplicable if COMATOSE = 1. First available in 1997			

 Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label

IADGRASP 63 2 DIF2FFMT HA43GD N Was writing/grasping difficult?
 15 . Inapplicable
 8 -8 Don't know
 476 1 No difficulty
 208 2 A little difficulty
 189 3 Some difficulty
 108 4 A lot of difficulty
 169 5 Unable to do it

Notes: Inapplicable if COMATOSE = 1.
 First available in 1997

IADWALK 65 2 DIF2FFMT HA43GE N Was walking difficult?
 15 . Inapplicable
 4 -8 Don't know
 216 1 No difficulty
 54 2 A little difficulty
 56 3 Some difficulty
 84 4 A lot of difficulty
 744 5 Unable to do it

Notes: Inapplicable if COMATOSE = 1.
 First available in 1997

ASHD 67 2 SEL2FMT HA28 N SP has arteriosclerotic heart disease
 84 1 Selected
 1,089 2 Not Selected

Note: First available in 1997

HYPETENS 69 2 SEL2FMT HA28 N SP has hypertension
 422 1 Selected
 751 2 Not Selected

Note: First available in 1997

HYPETHYR 71 2 SEL2FMT HA28 N SP has hyperthyroidism
 64 1 Selected
 1,109 2 Not Selected

Note: First available in 1997

MYOCARD 73 2 YES2FMT HA33D N Did SP have myocardial infarction?
 74 -8 Don't know
 81 1 Yes
 1,018 2 No

Note: First available in 1997

CARDIOV 75 2 SEL2FMT HA28 N SP has cardiovascular disease
 107 1 Selected
 1,066 2 Not Selected

Note: First available in 1997

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
CRDVTYPE	77	2	YES1FMT			HA33C	N SP have angina/coronary heart disease?
				8			-8 Don't know
				56			1 Yes
				1,109			2 No
				Note: First available in 1997			
HRTFAIL	79	2	SEL2FMT			HA28	N SP has congestive heart failure
				161			1 Selected
				1,012			2 Not Selected
				Note: First available in 1997			
STROKE	81	2	SEL2FMT			HA28	N SP has a stroke
				158			1 Selected
				1,015			2 Not Selected
				Note: First available in 1997			
CNRSKIN	83	2	SEL2FMT			HA33B	N Did SP have skin cancer?
				2			-8 Don't know
				5			1 Selected
				1,166			2 Not Selected
				Note: First available in 1997			
CANCER	85	2	SEL2FMT			HA28	N SP has cancer
				44			1 Selected
				1,129			2 Not Selected
				Note: First available in 1997			
CNRLUNG	87	2	SEL2FMT			HA33B	N Did SP have lung cancer?
				2			-8 Don't know
				3			1 Selected
				1,168			2 Not Selected
				Note: First available in 1997			
CNRBOWEL	89	2	SEL2FMT			HA33B	N Did SP have colon/rectum/bowel cancer?
				2			-8 Don't know
				7			1 Selected
				1,164			2 Not Selected
				Note: First available in 1997			
CNRBREAS	91	2	SEL2FMT			HA33B	N Did SP have breast cancer?
				2			-8 Don't know
				11			1 Selected
				1,160			2 Not Selected
				Note: First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
CNRUTERU	93	2	SEL2FMT			HA33B	N Did SP have uterus cancer?
				2			-8 Don't know
				1			1 Selected
				1,170			2 Not Selected
				Note: First available in 1997			
CNRPROST	95	2	SEL2FMT			HA33B	N Did SP have prostate cancer?
				2			-8 Don't know
				9			1 Selected
				1,162			2 Not Selected
				Note: First available in 1997			
CNRBLADD	97	2	SEL2FMT			HA33B	N Did SP have bladder cancer?
				2			-8 Don't know
				1			1 Selected
				1,170			2 Not Selected
				Note: First available in 1997			
CNRROVARY	99	2	SEL2FMT			HA33B	N Did SP have ovarian cancer?
				2			-8 Don't know
				1			1 Selected
				1,170			2 Not Selected
				Note: First available in 1997			
CNRCERVI	101	2	SEL2FMT			HA33B	N Did SP have cervix cancer?
				2			-8 Don't know
				1			1 Selected
				1,170			2 Not Selected
				Note: First available in 1997			
CNRSTOMA	103	2	SEL2FMT			HA33B	N Did SP have stomach cancer?
				2			-8 Don't know
				0			1 Selected
				1,171			2 Not Selected
				Note: First available in 1997			
CNROTHER	105	2	SEL2FMT			HA33B	N Did SP have other cancer?
				2			-8 Don't know
				6			1 Selected
				1,165			2 Not Selected
				Note: First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
DIABMEL	107	2	SEL2FMT			HA28	N SP has diabetes mellitus
				211			1 Selected
				962			2 Not Selected
				Note: First available in 1997			
ARTHRIT	109	2	SEL2FMT			HA28	N SP has arthritis
				220			1 Selected
				953			2 Not Selected
				Note: First available in 1997			
ARTHARMS	111	2	SEL2FMT			HA33A	N Were arms affected by arthritis?
				21			-8 Don't know
				44			1 Selected
				1,108			2 Not Selected
				Note: First available in 1997			
ARTHLEGS	113	2	SEL2FMT			HA33A	N Were legs affected by arthritis?
				21			-8 Don't know
				81			1 Selected
				1,071			2 Not Selected
				Note: First available in 1997			
ARTHBACK	115	2	SEL2FMT			HA33A	N Was back affected by arthritis?
				21			-8 Don't know
				26			1 Selected
				1,126			2 Not Selected
				Note: First available in 1997			
ARTHNECK	117	2	SEL2FMT			HA33A	N Was neck affected by arthritis?
				21			-8 Don't know
				6			1 Selected
				1,146			2 Not Selected
				Note: First available in 1997			
ARTHJOIN	119	2	SEL2FMT			HA33A	N Were joints affected by arthritis?
				21			-8 Don't know
				108			1 Selected
				1,044			2 Not Selected
				Note: First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
ARTHOTHR	121	2	SEL2FMT			HA33A	N Were other parts affected by arthritis?
				21			-8 Don't know
				2			1 Selected
				1,150			2 Not Selected
				Note: First available in 1997			
MENTAL	123	2	YES2FMT			HA9	N Did SP have any mental illnesses?
				2			-8 Don't know
				293			1 Yes
				878			2 No
				Note: First available in 1997			
ALZHMR	125	2	SEL2FMT			HA28	N SP has Alzheimer's disease
				198			1 Selected
				975			2 Not Selected
				Note: First available in 1997			
OSTEOP	127	2	SEL2FMT			HA28	N SP has osteoporosis
				140			1 Selected
				1,033			2 Not Selected
				Note: First available in 1997			
HIPFRACT	129	2	SEL2FMT				N SP has a hip fracture
				40			1 Selected
				1,133			2 Not Selected
				Note: First available in 1997			
PARKNSON	131	2	SEL2FMT			HA28	N SP has Parkinson's disease
				61			1 Selected
				1,112			2 Not Selected
				Note: First available in 1997			
EMPCOPD	133	2	SEL2FMT			HA28	N SP has emphysema/COPD
				98			1 Selected
				1,075			2 Not Selected
				Note: First available in 1997			
MISSLIMB	135	2	SEL2FMT			HA28	N SP has a missing limb
				11			1 Selected
				1,162			2 Not Selected
				Note: First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
DIFUSEPH	137	2	ADL1FMT			HA43H	N Was using the phone difficult?
				15			. Inapplicable
				5			-8 Don't know
				316			1 Yes
				446			2 No
				391			3 Doesn't do
				Notes: Inapplicable if COMATOSE = 1. First available in 1997			
DIFSHOP	139	2	ADL1FMT			HA43H	N Was shopping difficult?
				15			. Inapplicable
				5			-8 Don't know
				379			1 Yes
				189			2 No
				585			3 Doesn't do
				Notes: Inapplicable if COMATOSE = 1. First available in 1997			
DIFMONEY	141	2	ADL1FMT			HA43H	N Was managing money difficult?
				15			. Inapplicable
				12			-8 Don't know
				354			1 Yes
				142			2 No
				650			3 Doesn't do
				Notes: Inapplicable if COMATOSE = 1. First available in 1997			
REASNOPH	143	2	YES1FMT			HA43I	N Not use phone due to health/phys problem
				782			. Inapplicable
				359			1 Yes
				32			2 No
				Notes: Inapplicable if DIFUSEPH is not equal to 3 First available in 1997			
REASNOSH	145	2	YES1FMT			HA43I	N Not shop due to health/phys problem
				585			. Inapplicable
				558			1 Yes
				30			2 No
				Notes: Inapplicable if DIFSHOP is not equal to 3 First available in 1997			
REASNOMM	147	2	YES1FMT			HA43I	N SP doesn't manage \$ due to health prob
				521			. Inapplicable
				1			-8 Don't know
				605			1 Yes
				46			2 No
				Notes: Inapplicable if DIFMONEY is not equal to 3 First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PFTRNSFR	149	2	PERFLEV			HA22A	N Level of self perform: transfer
				15			. Inapplicable
				495			1 Independent
				59			2 Supervision
				162			3 Limited assistance
				176			4 Extensive assistance
				258			5 Total dependence
				8			6 Activity did not occur
Notes: Inapplicable if COMATOSE = 1 First available in 1997							
PFLOCOMO	151	2	PERFLEV			HA22B	N Level of self perform: locomot. on unit
				15			. Inapplicable
				538			1 Independent
				102			2 Supervision
				132			3 Limited assistance
				85			4 Extensive assistance
				281			5 Total dependence
				20			6 Activity did not occur
Notes: Inapplicable if COMATOSE = 1 First available in 1997							
PFDRSSNG	153	2	PERFLEV			HA22C	N Level of self perform: dressing
				15			. Inapplicable
				313			1 Independent
				114			2 Supervision
				221			3 Limited assistance
				207			4 Extensive assistance
				295			5 Total dependence
				8			6 Activity did not occur
Notes: Inapplicable if COMATOSE = 1 First available in 1997							
PFEATING	155	2	PERFLEV			HA22D	N Level of self perform: eating
				15			. Inapplicable
				601			1 Independent
				186			2 Supervision
				108			3 Limited assistance
				79			4 Extensive assistance
				178			5 Total dependence
				6			6 Activity did not occur
Notes: Inapplicable if COMATOSE = 1 First available in 1997							

Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label

PFTOILET 157 2 PERFLEV HA22E N Level of self perform: toilet use
15 . Inapplicable
388 1 Independent
76 2 Supervision
160 3 Limited assistance
179 4 Extensive assistance
337 5 Total dependence
18 6 Activity did not occur

Notes: Inapplicable if COMATOSE = 1
First available in 1997

PFBATHNG 159 2 BATHLEV HA23 N Level of self perform: bathing
15 . Inapplicable
172 1 Independent
150 2 Supervision
81 3 Physical help limited to transfer only
339 4 Physical help in part of bathing actvty
415 5 Total dependence
1 6 Activity did not occur

Notes: Inapplicable if COMATOSE = 1
First available in 1997

MLCANE 161 2 YES1FMT HA24 N Did SP use cane/walker?
15 . Inapplicable
8 -8 Don't know
295 1 Yes
855 2 No

Notes: Inapplicable if COMATOSE = 1
First available in 1997

MLWLPRIM 163 2 YES1FMT HA24 N Did SP use wheelchair prim means?
15 . Inapplicable
8 -8 Don't know
399 1 Yes
751 2 No

Notes: Inapplicable if COMATOSE = 1
First available in 2001

MLWHLSLF 165 2 YES1FMT HA24 N Did SP wheel her/himself?
15 . Inapplicable
8 -8 Don't know
280 1 Yes
870 2 No

Notes: Inapplicable if COMATOSE = 1
First available in 1997

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
MLWHLOTH	167	2	YES1FMT			HA24	N Did someone wheel SP?
				15			. Inapplicable
				8			-8 Don't know
				420			1 Yes
				730			2 No
Notes: Inapplicable if COMATOSE = 1 First available in 1997							
CTBADD	169	2	CONTLEV			HA26	N Level of bladder control
				15			. Inapplicable
				1			-8 Don't know
				458			1 Continent
				103			2 Usually continent
				93			3 Occasionally incontinent
				135			4 Frequently incontinent
				368			5 Incontinent
Notes: Inapplicable if COMATOSE = 1 First available in 1997							
ADLIVWIL	171	2	YES2FMT			HA10	N Did SP have living will?
				28			-8 Don't know
				233			1 Yes
				912			2 No
Note: First available in 1997							
ADDNRES	173	2	YES2FMT			HA10	N Did SP have 'Do not resuscitate' order?
				28			-8 Don't know
				490			1 Yes
				655			2 No
Note: First available in 1997							
ADDNHOSP	175	2	YES2FMT			HA10	N Did SP have 'Do not hospitalize' order?
				28			-8 Don't know
				51			1 Yes
				1,094			2 No
Note: First available in 1997							
ADOTREST	177	2	YES2FMT			HA10	N Feeding/Medication/Other restrictions?
				28			-8 Don't know
				90			1 Yes
				1,055			2 No
Note: First available in 1997							
COMATOSE	179	2	YES2FMT			HA11	N Was SP comatose?
				15			1 Yes
				1,158			2 No
Note: First available in 1997							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
CSMEMST	181	2	YES1FMT			HA12	N Was SP's short term memory OK?
				15			. Inapplicable
				4			-8 Don't know
				745			1 Yes
				409			2 No
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
CSMEMLT	183	2	YES1FMT			HA13	N Was SP's long term memory OK?
				15			. Inapplicable
				7			-8 Don't know
				625			1 Yes
				526			2 No
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
CSCURSEA	185	2	YES1FMT			HA14	N Was SP able to recall current season?
				15			. Inapplicable
				10			-8 Don't know
				587			1 Yes
				561			2 No
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
CSLOCROM	187	2	YES1FMT			HA14	N Was able to recall location of room?
				15			. Inapplicable
				10			-8 Don't know
				762			1 Yes
				386			2 No
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
CSNAMFAC	189	2	YES1FMT			HA14	N Was able to recall names and faces?
				15			. Inapplicable
				10			-8 Don't know
				786			1 Yes
				362			2 No
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
CSINNH	191	2	YES1FMT			HA14	N SP could recall he/she was in nurs. home
				15			. Inapplicable
				10			-8 Don't know
				705			1 Yes
				443			2 No
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
CSDECIS	193	2	CSDECIS			HA15	N How skilled was SP in making decisions?
				15			. Inapplicable
				1			-8 Don't know
				242			1 Independent
				286			2 Modified independence
				336			3 Moderately impaired
				293			4 Severely impaired
				Notes: Inapplicable if COMATOSE = 1			First available in 1997
BSWANDER	195	2	FREQUENT			HA21A	N How often did wandering occur?
				15			. Inapplicable
				1			-8 Don't know
				1,021			1 Not at all
				75			2 Less than daily
				61			3 Daily or more frequently
				Notes: Inapplicable if COMATOSE = 1			First available in 1997
BSVERBAB	197	2	FREQUENT			HA21B	N Occurrence of verbally abusive behavior?
				15			. Inapplicable
				1			-8 Don't know
				1,000			1 Not at all
				124			2 Less than daily
				33			3 Daily or more frequently
				Notes: Inapplicable if COMATOSE = 1			First available in 1997
BSPHYSAB	199	2	FREQUENT			HA21C	N Occurrence of phys abusive behavior?
				15			. Inapplicable
				1			-8 Don't know
				1,053			1 Not at all
				80			2 Less than daily
				24			3 Daily or more frequently
				Notes: Inapplicable if COMATOSE = 1			First available in 1997
BSDISRPT	201	2	FREQUENT			HA21D	N How often did disruptive behavior occur?
				15			. Inapplicable
				950			1 Not at all
				139			2 Less than daily
				69			3 Daily or more frequently
				Notes: Inapplicable if COMATOSE = 1			First available in 1997

11/07/03
ACCESS
2002

MEDICARE CURRENT BENEFICIARY SURVEY
 Health Status & Functioning -- Facility

RIC: **2F**
 Page: 17
 Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
BSRESIST	203	2	FREQUENT			HA21E	N How often did SP resist care?
				15			. Inapplicable
				896			1 Not at all
				201			2 Less than daily
				61			3 Daily or more frequently
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
CTBOWEC	205	2	CONTLEV			HA25	N Level of bowel control?
				15			. Inapplicable
				1			-8 Don't know
				577			1 Continent
				90			2 Usually continent
				79			3 Occasionally incontinent
				72			4 Frequently incontinent
				339			5 Incontinent
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
PWINTOTH	207	2	YES1FMT			HA27	N At ease interacting with others?
				15			. Inapplicable
				844			1 Yes
				314			2 No
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
PWSTRACT	209	2	YES1FMT			HA27	N At ease doing planned activities?
				15			. Inapplicable
				612			1 Yes
				546			2 No
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
PWSLFACT	211	2	YES1FMT			HA27	N At ease doing self-initiated activities?
				15			. Inapplicable
				492			1 Yes
				666			2 No
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
PWGOALS	213	2	YES1FMT			HA27	N At ease establishing goals?
				15			. Inapplicable
				290			1 Yes
				868			2 No
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PWFACLIF	215	2	YES1FMT			HA27	N Involved with life at facility?
				15			. Inapplicable
				359			1 Yes
				799			2 No
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
PWGRPACT	217	2	YES1FMT			HA27	N Accepts invitations to group activities?
				15			. Inapplicable
				468			1 Yes
				690			2 No
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
PWNOFC	219	2	YES1FMT			HA27	N Absence of contact with family/friends?
				15			. Inapplicable
				115			1 Yes
				1,043			2 No
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
ALLERGY	221	2	SEL2FMT			HA28	N SP has allergies
				137			1 Selected
				1,036			2 Not Selected
				Note: First available in 1997			
ANEMIA	223	2	SEL2FMT			HA28	N SP has anemia
				148			1 Selected
				1,025			2 Not Selected
				Note: First available in 1997			
ANXIETY	225	2	SEL2FMT			HA28	N SP has anxiety disorder
				104			1 Selected
				1,069			2 Not Selected
				Note: First available in 1997			
APHASIA	227	2	SEL2FMT			HA28	N SP has aphasia
				51			1 Selected
				1,122			2 Not Selected
				Note: First available in 1997			
ASTHMA	229	2	SEL2FMT			HA28	N SP has asthma
				22			1 Selected
				1,151			2 Not Selected
				Note: First available in 1997			

11/07/03
ACCESS
2002

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Facility

RIC: 2F
Page: 19
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
CARDDYSR	231	2	SEL2FMT			HA28	N SP has dysrhythmia
				78			1 Selected
				1,095			2 Not Selected
				Note: First available in 1997			
CATARCT	233	2	SEL2FMT			HA28	N SP has cataracts
				73			1 Selected
				1,100			2 Not Selected
				Note: First available in 1997			
CERPALSY	235	2	SEL2FMT			HA28	N SP has cerebral palsy
				20			1 Selected
				1,153			2 Not Selected
				Note: First available in 1997			
VEINTHR	237	2	SEL2FMT			HA28	N SP has deep vein thrombosis
				17			1 Selected
				1,156			2 Not Selected
				Note: First available in 1997			
DEMENT	239	2	SEL2FMT			HA28	N SP has dementia
				290			1 Selected
				883			2 Not Selected
				Note: First available in 1997			
DEPRESS	241	2	SEL2FMT			HA28	N SP has depression
				336			1 Selected
				837			2 Not Selected
				Note: First available in 1997			
DIABRET	243	2	SEL2FMT			HA28	N SP has diabetic retinopathy
				8			1 Selected
				1,165			2 Not Selected
				Note: First available in 1997			
GLAUCOMA	245	2	SEL2FMT			HA28	N SP has glaucoma
				83			1 Selected
				1,090			2 Not Selected
				Note: First available in 1997			

11/07/03
ACCESS
2002

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Facility

RIC: 2F
Page: 20
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
HEMIPLPA	247	2	SEL2FMT			HA28	N SP has hemiplegia/hemiparesis
				73			1 Selected
				1,100			2 Not Selected
				Note: First available in 1997			
HYPOTENS	249	2	SEL2FMT			HA28	N SP has hypotension
				19			1 Selected
				1,154			2 Not Selected
				Note: First available in 1997			
HYPOTHYR	251	2	SEL2FMT			HA28	N SP has hypothyroidism
				71			1 Selected
				1,102			2 Not Selected
				Note: First available in 1997			
MACDEGEN	253	2	SEL2FMT			HA28	N SP has macular degeneration
				27			1 Selected
				1,146			2 Not Selected
				Note: First available in 1997			
MANICDEP	255	2	SEL2FMT			HA28	N SP has manic depression
				29			1 Selected
				1,144			2 Not Selected
				Note: First available in 1997			
SCLEROS	257	2	SEL2FMT			HA28	N SP has multiple sclerosis
				10			1 Selected
				1,163			2 Not Selected
				Note: First available in 1997			
PARAPLEG	259	2	SEL2FMT			HA28	N SP has paraplegia
				7			1 Selected
				1,166			2 Not Selected
				Note: First available in 1997			
BONEFRAC	261	2	SEL2FMT			HA28	N SP has pathological bone fracture
				4			1 Selected
				1,169			2 Not Selected
				Note: First available in 1997			

11/07/03
ACCESS
2002

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Facility

RIC: 2F
Page: 21
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
VASCULAR	263	2	SEL2FMT			HA28	N SP has peripheral vascular disease
				66			1 Selected
				1,107			2 Not Selected
				Note: First available in 1997			
QUADPLEG	265	2	SEL2FMT			HA28	N SP has quadriplegia
				9			1 Selected
				1,164			2 Not Selected
				Note: First available in 1997			
RENTFAIL	267	2	SEL2FMT			HA28	N SP has renal failure
				28			1 Selected
				1,145			2 Not Selected
				Note: First available in 1997			
SCHIZOPH	269	2	SEL2FMT			HA28	N SP has schizophrenia
				86			1 Selected
				1,087			2 Not Selected
				Note: First available in 1997			
SEIZURE	271	2	SEL2FMT			HA28	N SP has a seizure disorder
				107			1 Selected
				1,066			2 Not Selected
				Note: First available in 1997			
TIA	273	2	SEL2FMT			HA28	N SP has Transient Ischemic Attack (TIA)
				36			1 Selected
				1,137			2 Not Selected
				Note: First available in 1997			
BRAININJ	275	2	SEL2FMT			HA28	N SP has traumatic brain injury
				11			1 Selected
				1,162			2 Not Selected
				Note: First available in 1997			
INFMRSA	277	2	SEL2FMT			HA29	N SP have antibiotic resistant infection
				9			1 Selected
				1,164			2 Not Selected
				Note: First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
INFCDIFF	279	2	SEL2FMT			HA29	N SP has clostridium difficile
				1			1 Selected
				1,172			2 Not Selected
				Note: First available in 1997			
INFCONJ	281	2	SEL2FMT			HA29	N SP has conjunctivitis
				7			1 Selected
				1,166			2 Not Selected
				Note: First available in 1997			
INFHIV	283	2	SEL2FMT			HA29	N SP has HIV
				1			1 Selected
				1,172			2 Not Selected
				Note: First available in 1997			
INFPNEU	285	2	SEL2FMT			HA29	N SP has pneumonia
				22			1 Selected
				1,151			2 Not Selected
				Note: First available in 1997			
INFRESP	287	2	SEL2FMT			HA29	N SP has respiratory infection
				25			1 Selected
				1,148			2 Not Selected
				Note: First available in 1997			
INFSEPT	289	2	SEL2FMT			HA29	N SP has septicemia
				1			1 Selected
				1,172			2 Not Selected
				Note: First available in 1997			
INFSEXTR	291	2	SEL2FMT			HA29	N SP has sexually transmitted disease
				1			1 Selected
				1,172			2 Not Selected
				Note: First available in 1997			
INFTBRC	293	2	SEL2FMT			HA29	N SP has tuberculosis
				2			1 Selected
				1,171			2 Not Selected
				Note: First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
INFURNRY	295	2	SEL2FMT			HA29	N SP has urinary tract infection
				80			1 Selected
				1,093			2 Not Selected
				Note: First available in 1997			
INFHPPTS	297	2	SEL2FMT			HA29	N SP has viral hepatitis
				0			1 Selected
				1,173			2 Not Selected
				Note: First available in 1997			
INFWOUND	299	2	SEL2FMT			HA29	N SP has wound infection
				22			1 Selected
				1,151			2 Not Selected
				Note: First available in 1997			
OTHDIAG	301	2	DIAGFMT				N Additional diagnosis/conditions
				977			0 None
				161			1 One
				29			2 Two
				5			3 Three
				1			4 Four
DEHYD	303	2	YES1FMT			HA34	N Did SP experience dehydration?
				15			. Inapplicable
				2			-8 Don't know
				8			1 Yes
				1,148			2 No
				Notes: Inapplicable if COMATOSE = 1. First available in 1997			
DELUS	305	2	YES1FMT			HA35	N Did SP experience delusions?
				15			. Inapplicable
				7			-8 Don't know
				75			1 Yes
				1,076			2 No
				Notes: Inapplicable if COMATOSE = 1. First available in 1997			
HALLUC	307	2	YES1FMT			HA36	N Did SP experience hallucinations?
				15			. Inapplicable
				7			-8 Don't know
				57			1 Yes
				1,094			2 No
				Notes: Inapplicable if COMATOSE = 1. First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
ONCHEW	309	2	YES1FMT			HA37	N Did SP experience chewing problems?
				15			. Inapplicable
				21			-8 Don't know
				195			1 Yes
				942			2 No
Notes: Inapplicable if COMATOSE = 1. First available in 1997							
ONSWALL	311	2	YES1FMT			HA37	N Did SP experience swallowing problems?
				15			. Inapplicable
				21			-8 Don't know
				165			1 Yes
				972			2 No
Notes: Inapplicable if COMATOSE = 1. First available in 1997							
ONMOUTH	313	2	YES1FMT			HA37	N Did SP experience any mouth pain?
				15			. Inapplicable
				21			-8 Don't know
				18			1 Yes
				1,119			2 No
Notes: Inapplicable if COMATOSE = 1. First available in 1997							
DHDEBRIS	315	2	YES2FMT			HA40	N Did SP have debris in mouth?
				47			-8 Don't know
				13			1 Yes
				1,113			2 No
Note: First available in 1997							
DHBRIDGE	317	2	YES2FMT			HA40	N Did SP have removable bridges?
				47			-8 Don't know
				417			1 Yes
				709			2 No
Note: First available in 1997							
DHTEELOS	319	2	YES2FMT			HA40	N Did SP have any natural teeth lost?
				47			-8 Don't know
				377			1 Yes
				749			2 No
Note: First available in 1997							

11/07/03
ACCESS
2002

MEDICARE CURRENT BENEFICIARY SURVEY
Health Status & Functioning -- Facility

RIC: 2F
Page: 25
Version: 1

Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label

DHBROKEN 321 2 YES2FMT HA40 N Did SP have any broken/loose teeth?
47 -8 Don't know
56 1 Yes
1,070 2 No

Note: First available in 1997

DHINFGUM 323 2 YES2FMT HA40 N Did SP have any gum infection?
47 -8 Don't know
24 1 Yes
1,102 2 No

Note: First available in 1997