

Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label

This file examines in greater detail the behaviors of the Medicare population with respect to various preventative healthcare screeners. In addition to mammograms and Pap smears this file contains data on procedures associated with the prostate and colon cancer, osteoporosis, and diabetes. There is one record for every community interview.

RIC	1	2				C Record Identification Code
VERSION	3	1				C Version Number
BASEID	4	8	\$BSIDFMT			C Unique SP Identification Number
				15,142		LOW-HIGH BASEID Count
MAMNNEED	12	2	IND1FMT	HFF5		N Wasn't needed/no need/nothing wrong
				11,063		. Inapplicable
				12		-8 Don't know
				1,113		1 Indicated
				2,954		2 Not indicated
						Notes: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000
MAMNANUL	14	2	IND1FMT	HFF5		N Not recommended annually/diff schedule
				11,063		. Inapplicable
				12		-8 Don't know
				503		1 Indicated
				3,564		2 Not indicated
						Notes: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000
MAMNGET	16	2	IND1FMT	HFF5		N Could get cancer anyway/test useless
				11,063		. Inapplicable
				12		-8 Don't know
				156		1 Indicated
				3,911		2 Not indicated
						Notes: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000
MAMNRISK	18	2	IND1FMT	HFF5		N Not at risk for breast cancer
				11,063		. Inapplicable
				12		-8 Don't know
				85		1 Indicated
				3,982		2 Not indicated
						Notes: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000
MAMNPRES	20	2	IND1FMT	HFF5		N Dr. did not prescribe or recommend it
				11,063		. Inapplicable
				12		-8 Don't know
				784		1 Indicated
				3,283		2 Not indicated
						Notes: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
MAMNREC	22	2	IND1FMT				N Dr. recommended against getting it
				11,063			. Inapplicable
				12			-8 Don't know
				47			1 Indicated
				4,020			2 Not indicated
Notes: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000							
MAMNLIKE	24	2	IND1FMT				N Don't like mammograms/pain/reactions to
				11,063			. Inapplicable
				12			-8 Don't know
				374			1 Indicated
				3,693			2 Not indicated
Notes: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000							
MAMNLOCA	26	2	IND1FMT				N Inconvenient/unable to get to location
				11,063			. Inapplicable
				12			-8 Don't know
				151			1 Indicated
				3,916			2 Not indicated
Notes: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000							
MAMNMISS	28	2	IND1FMT				N Forgot/missed it/procrastinated
				11,063			. Inapplicable
				12			-8 Don't know
				546			1 Indicated
				3,521			2 Not indicated
Notes: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000							
MAMNCOST	30	2	IND1FMT				N Cost of mammogram/not covered by ins
				11,063			. Inapplicable
				12			-8 Don't know
				68			1 Indicated
				3,999			2 Not indicated
Notes: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000							
MAMNFEAR	32	2	IND1FMT				N Afraid of results/don't want to know
				11,063			. Inapplicable
				12			-8 Don't know
				84			1 Indicated
				3,983			2 Not indicated
Notes: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
MAMNRADI	34	2	IND1FMT			HFF5	N Mammogram radiation could cause cancer
				11,063			. Inapplicable
				12			-8 Don't know
				20			1 Indicated
				4,047			2 Not indicated
Notes: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000							
MAMNHEAR	36	2	IND1FMT			HFF5	N Never heard of mammogram
				11,063			. Inapplicable
				12			-8 Don't know
				12			1 Indicated
				4,055			2 Not indicated
Notes: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000							
MAMNAPPT	38	2	IND1FMT			HFF5	N Appointment is scheduled/due soon
				11,063			. Inapplicable
				12			-8 Don't know
				430			1 Indicated
				3,637			2 Not indicated
Notes: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000							
MAMNMASC	40	2	IND1FMT			HFF5	N SP had a mastectomy
				11,063			. Inapplicable
				12			-8 Don't know
				73			1 Indicated
				3,994			2 Not indicated
Notes: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000							
MAMNILL	42	2	IND1FMT			HFF5	N SP was too ill, physically or mentally
				11,063			. Inapplicable
				12			-8 Don't know
				116			1 Indicated
				3,951			2 Not indicated
Notes: Applies only if RIC 2, MAMMOGRM = 2 First available in 2001							
MAMNOTHR	44	2	IND1FMT			HFF5	N Reason not had mammogram - other
				11,063			. Inapplicable
				12			-8 Don't know
				62			1 Indicated
				4,005			2 Not indicated
Notes: Applies only if RIC 2, MAMMOGRM = 2 First available in 2000							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PAPNNEED	46	2	IND1FMT			HFF8	N Wasn't needed/no need/nothing wrong
				10,004			. Inapplicable
				22			-8 Don't know
				1,352			1 Indicated
				3,764			2 Not indicated
Notes: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							
PAPANUL	48	2	IND1FMT			HFF8	N Not recommended annually/diff schedule
				10,004			. Inapplicable
				22			-8 Don't know
				679			1 Indicated
				4,437			2 Not indicated
Notes: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							
PAPNGET	50	2	IND1FMT			HFF8	N Could get cancer anyway/test useless
				10,004			. Inapplicable
				22			-8 Don't know
				99			1 Indicated
				5,017			2 Not indicated
Notes: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							
PAPNRISK	52	2	IND1FMT			HFF8	N Not at risk for cancer
				10,004			. Inapplicable
				22			-8 Don't know
				58			1 Indicated
				5,058			2 Not indicated
Notes: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							
PAPNPRES	54	2	IND1FMT			HFF8	N Dr. did not prescribe or recommend it
				10,004			. Inapplicable
				22			-8 Don't know
				1,188			1 Indicated
				3,928			2 Not indicated
Notes: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							
PAPNREC	56	2	IND1FMT			HFF8	N Dr. recommended against getting it
				10,004			. Inapplicable
				22			-8 Don't know
				90			1 Indicated
				5,026			2 Not indicated
Notes: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PAPNLIKE	58	2	IND1FMT			HFF8	N Don't like Pap smears/pain/discomfort
				10,004			. Inapplicable
				22			-8 Don't know
				309			1 Indicated
				4,807			2 Not indicated
Notes: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							
PAPNLOCA	60	2	IND1FMT			HFF8	N Inconvenient/unable to get to location
				10,004			. Inapplicable
				22			-8 Don't know
				111			1 Indicated
				5,005			2 Not indicated
Notes: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							
PAPNMISS	62	2	IND1FMT			HFF8	N Forgot/missed it/procrastinated
				10,004			. Inapplicable
				22			-8 Don't know
				506			1 Indicated
				4,610			2 Not indicated
Notes: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							
PAPNCOST	64	2	IND1FMT			HFF8	N Cost of Pap smear/not covered by ins
				10,004			. Inapplicable
				22			-8 Don't know
				79			1 Indicated
				5,037			2 Not indicated
Notes: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							
PAPNFEAR	66	2	IND1FMT			HFF8	N Afraid of results/don't want to know
				10,004			. Inapplicable
				22			-8 Don't know
				40			1 Indicated
				5,076			2 Not indicated
Notes: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							
PAPNAPPT	68	2	IND1FMT			HFF8	N Appointment is scheduled/due soon
				10,004			. Inapplicable
				22			-8 Don't know
				225			1 Indicated
				4,891			2 Not indicated
Notes: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PAPHYST	70	2	IND1FMT			HFF8	N Had hysterectomy; no uterus or ovaries
				10,004			. Inapplicable
				22			-8 Don't know
				795			1 Indicated
				4,321			2 Not indicated
Notes: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							
PAPHEAR	72	2	IND1FMT			HFF8	N Never heard of Pap smear
				10,004			. Inapplicable
				22			-8 Don't know
				5			1 Indicated
				5,111			2 Not indicated
Notes: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							
PAPHILL	74	2	IND1FMT			HFF8	N SP was too ill, physically or mentally
				10,004			. Inapplicable
				22			-8 Don't know
				91			1 Indicated
				5,025			2 Not indicated
Notes: Applies only if RIC2, PAPSMEAR = 2 First available in 2001							
PAPHOTHR	76	2	IND1FMT			HFF8	N Reason not had Pap smear - other
				10,004			. Inapplicable
				22			-8 Don't know
				99			1 Indicated
				5,017			2 Not indicated
Notes: Applies only if RIC2, PAPSMEAR = 2 First available in 2000							
PRONNEED	78	2	IND1FMT			HFF14	N Wasn't needed/no need/nothing wrong
				12,964			. Inapplicable
				25			-8 Don't know
				1			-7 Refused
				1,057			1 Indicated
				1,095			2 Not indicated
Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONANUL	80	2	IND1FMT			HFF14	N Not recommended annually/diff schedule
				12,964			. Inapplicable
				25			-8 Don't know
				1			-7 Refused
				225			1 Indicated
				1,927			2 Not indicated
Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PRONGET	82	2	IND1FMT			HFF14	N Could get cancer anyway/test useless
				12,964			. Inapplicable
				25			-8 Don't know
				1			-7 Refused
				29			1 Indicated
				2,123			2 Not indicated
Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONRISK	84	2	IND1FMT			HFF14	N Not at risk for cancer
				12,964			. Inapplicable
				25			-8 Don't know
				1			-7 Refused
				74			1 Indicated
				2,078			2 Not indicated
Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONPRES	86	2	IND1FMT			HFF14	N Dr. did not prescribe or recommend it
				12,964			. Inapplicable
				25			-8 Don't know
				1			-7 Refused
				557			1 Indicated
				1,595			2 Not indicated
Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONREC	88	2	IND1FMT			HFF14	N Dr. recommended against getting it
				12,964			. Inapplicable
				25			-8 Don't know
				1			-7 Refused
				42			1 Indicated
				2,110			2 Not indicated
Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONLIKE	90	2	IND1FMT			HFF14	N Don't like blood tests/pain/reactions to
				12,964			. Inapplicable
				25			-8 Don't know
				1			-7 Refused
				30			1 Indicated
				2,122			2 Not indicated
Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PRONLOCA	92	2	IND1FMT		HFF14		N Inconvenient/unable to get to location
				12,964			. Inapplicable
				25			-8 Don't know
				1			-7 Refused
				26			1 Indicated
				2,126			2 Not indicated
Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONMISS	94	2	IND1FMT		HFF14		N Forgot/missed it/procrastinated
				12,964			. Inapplicable
				25			-8 Don't know
				1			-7 Refused
				132			1 Indicated
				2,020			2 Not indicated
Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONCOST	96	2	IND1FMT		HFF14		N Cost of blood test/not covered by ins
				12,964			. Inapplicable
				25			-8 Don't know
				1			-7 Refused
				52			1 Indicated
				2,100			2 Not indicated
Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONFEAR	98	2	IND1FMT		HFF14		N Afraid of results/don't want to know
				12,964			. Inapplicable
				25			-8 Don't know
				1			-7 Refused
				14			1 Indicated
				2,138			2 Not indicated
Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONHEAR	100	2	IND1FMT		HFF14		N Never heard of PSA
				12,964			. Inapplicable
				25			-8 Don't know
				1			-7 Refused
				33			1 Indicated
				2,119			2 Not indicated
Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PRONAPPT	102	2	IND1FMT	HFF14			N Appointment is scheduled/due soon
				12,964			. Inapplicable
				25			-8 Don't know
				1			-7 Refused
				91			1 Indicated
				2,061			2 Not indicated
Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONPROS	104	2	IND1FMT	HFF14			N Prostate removed
				12,964			. Inapplicable
				25			-8 Don't know
				1			-7 Refused
				55			1 Indicated
				2,097			2 Not indicated
Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000							
PRONOTHR	106	2	IND1FMT	HFF14			N Reason not had prostate test - other
				12,964			. Inapplicable
				25			-8 Don't know
				1			-7 Refused
				28			1 Indicated
				2,124			2 Not indicated
Notes: Applies only if RIC2, BLOODTST = 2 First available in 2000							
FLUNEEDED	108	2	IND1FMT	HFF17			N No flu shot b/c didn't know was needed
				9,999			. Inapplicable
				36			-8 Don't know
				1,276			1 Indicated
				3,831			2 Not indicated
Notes: Applies only if RIC2, FLUSHOT = 2 First available in 1996							
FLUCAUSE	110	2	IND1FMT	HFF17			N No flu shot b/c could cause flu
				9,999			. Inapplicable
				36			-8 Don't know
				820			1 Indicated
				4,287			2 Not indicated
Notes: Applies only if RIC2, FLUSHOT = 2 First available in 1996							
FLUSIDE	112	2	IND1FMT	HFF17			N No flu shot b/c could have side effects
				9,999			. Inapplicable
				36			-8 Don't know
				728			1 Indicated
				4,379			2 Not indicated
Notes: Applies only if RIC2, FLUSHOT = 2 First available in 1996							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
FLUVRVNT	114	2	IND1FMT		HFF17		N No flu shot b/c didn't think prevent flu
				9,999			. Inapplicable
				36			-8 Don't know
				557			1 Indicated
				4,550			2 Not indicated
Notes: Applies only if RIC2, FLUSHOT = 2 First available in 1996							
FLURISK	116	2	IND1FMT		HFF17		N No flu shot b/c risk of catching flu
				9,999			. Inapplicable
				36			-8 Don't know
				354			1 Indicated
				4,753			2 Not indicated
Notes: Applies only if RIC2, FLUSHOT = 2 First available in 1996							
FLUDOCNO	118	2	IND1FMT		HFF17		N No flu shot b/c Dr didn't recommend it
				9,999			. Inapplicable
				36			-8 Don't know
				315			1 Indicated
				4,792			2 Not indicated
Notes: Applies only if RIC2, FLUSHOT = 2 First available in 1996							
FLUAGNST	120	2	IND1FMT		HFF17		N No flu shot b/c Dr against/allergic to
				9,999			. Inapplicable
				36			-8 Don't know
				271			1 Indicated
				4,836			2 Not indicated
Notes: Applies only if RIC2, FLUSHOT = 2 First available in 1996							
FLUREACT	122	2	IND1FMT		HFF17		N No flu shot b/c don't like shots/needles
				9,999			. Inapplicable
				36			-8 Don't know
				421			1 Indicated
				4,686			2 Not indicated
Notes: Applies only if RIC2, FLUSHOT = 2 First available in 1996							
FLULOCAT	124	2	IND1FMT		HFF17		N No flu shot b/c unable get to location
				9,999			. Inapplicable
				36			-8 Don't know
				150			1 Indicated
				4,957			2 Not indicated
Notes: Applies only if RIC2, FLUSHOT = 2 First available in 1996							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
FLUMISS	126	2	IND1FMT	HFF17			N No flu shot b/c missed, forgot, etc.
				9,999			. Inapplicable
				36			-8 Don't know
				541			1 Indicated
				4,566			2 Not indicated
Notes: Applies only if RIC2, FLUSHOT = 2 First available in 1996							
FLUCOST	128	2	IND1FMT	HFF17			N No flu shot b/c shot not worth cost
				9,999			. Inapplicable
				36			-8 Don't know
				49			1 Indicated
				5,058			2 Not indicated
Notes: Applies only if RIC2, FLUSHOT = 2 First available in 1996							
FLUBEFOR	130	2	IND1FMT	HFF17			N No flu shot b/c had before/no need again
				9,999			. Inapplicable
				36			-8 Don't know
				31			1 Indicated
				5,076			2 Not indicated
Notes: Applies only if RIC2, FLUSHOT = 2 First available in 1996							
FLUVAC	132	2	IND1FMT	HFF17			N Vaccine unavailable/vaccine shortage
				9,999			. Inapplicable
				36			-8 Don't know
				352			1 Indicated
				4,755			2 Not indicated
Notes: Applies only if RIC2, FLUSHOT = 2 First available in 2001							
FLUOTHER	134	2	IND1FMT	HFF17			N No flu shot b/c other reason
				9,999			. Inapplicable
				36			-8 Don't know
				85			1 Indicated
				5,022			2 Not indicated
Notes: Applies only if RIC2, FLUSHOT = 2 First available in 1996							
D_VACSUP	136	2	IND2FMT	HFF20,21			N Flu vaccine in short supply/unavailable
				492			. Missing
				22			-8 Don't know
				1,818			1 Indicated
				12,810			2 Not indicated
Note: First available in 2001							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PNUNEED	138	2	IND1FMT	HFF23			N No pneu shot b/c didn't know was needed
				9,844			. Inapplicable
				72			-8 Don't know
				2			-7 Refused
				3,368			1 Indicated
				1,856			2 Not indicated
Notes: Applies only if PNEUSHOT = 2 First available in 1996							
PNUCAUSE	140	2	IND1FMT	HFF23			N No pneu shot b/c could cause pneumonia
				9,844			. Inapplicable
				72			-8 Don't know
				2			-7 Refused
				183			1 Indicated
				5,041			2 Not indicated
Notes: Applies only if PNEUSHOT = 2 First available in 1996							
PNUSIDE	142	2	IND1FMT	HFF23			N No pneu shot b/c could have side effects
				9,844			. Inapplicable
				72			-8 Don't know
				2			-7 Refused
				156			1 Indicated
				5,068			2 Not indicated
Notes: Applies only if PNEUSHOT = 2 First available in 1996							
PNUPRVNT	144	2	IND1FMT	HFF23			N No pneu shot b/c no think prevent pneu.
				9,844			. Inapplicable
				72			-8 Don't know
				2			-7 Refused
				242			1 Indicated
				4,982			2 Not indicated
Notes: Applies only if PNEUSHOT = 2 First available in 1996							
PNURISK	146	2	IND1FMT	HFF23			N No pneu shot b/c not at risk of catching
				9,844			. Inapplicable
				72			-8 Don't know
				2			-7 Refused
				235			1 Indicated
				4,989			2 Not indicated
Notes: Applies only if PNEUSHOT = 2 First available in 1996							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PNUDOCNO	148	2	IND1FMT		HFF23		N No pneu shot b/c Dr didn't recommend it
				9,844			. Inapplicable
				72			-8 Don't know
				2			-7 Refused
				870			1 Indicated
				4,354			2 Not indicated
				Notes: Applies only if PNEUSHOT = 2 First available in 1996			
PNUAGNST	150	2	IND1FMT		HFF23		N No pneu shot b/c Dr against/allergic to
				9,844			. Inapplicable
				72			-8 Don't know
				2			-7 Refused
				58			1 Indicated
				5,166			2 Not indicated
				Notes: Applies only if PNEUSHOT = 2 First available in 1996			
PNUREACT	152	2	IND1FMT		HFF23		N No pneu shot b/c dont like shots/needles
				9,844			. Inapplicable
				72			-8 Don't know
				2			-7 Refused
				234			1 Indicated
				4,990			2 Not indicated
				Notes: Applies only if PNEUSHOT = 2 First available in 1996			
PNULOCAT	154	2	IND1FMT		HFF23		N No pneu shot b/c unable get to location
				9,844			. Inapplicable
				72			-8 Don't know
				2			-7 Refused
				38			1 Indicated
				5,186			2 Not indicated
				Notes: Applies only if PNEUSHOT = 2 First available in 1996			
PNUMISS	156	2	IND1FMT		HFF23		N No pneu shot b/c missed, forgot, etc.
				9,844			. Inapplicable
				72			-8 Don't know
				2			-7 Refused
				322			1 Indicated
				4,902			2 Not indicated
				Notes: Applies only if PNEUSHOT = 2 First available in 1996			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PNUCOST	158	2	IND1FMT	HFF23			N No pneu shot b/c shot not worth cost
				9,844			. Inapplicable
				72			-8 Don't know
				2			-7 Refused
				21			1 Indicated
				5,203			2 Not indicated
Notes: Applies only if PNEUSHOT = 2 First available in 1996							
PNUOTHER	160	2	IND1FMT	HFF23			N No pneu shot b/c other reason
				9,844			. Inapplicable
				72			-8 Don't know
				2			-7 Refused
				102			1 Indicated
				5,122			2 Not indicated
Notes: Applies only if PNEUSHOT = 2 First available in 1996							
ENOCHNGE	162	2	IND1FMT	HFB9			N No eye exam: not needed at all
				11,930			. Inapplicable
				11			-8 Don't know
				1,575			1 Indicated
				1,626			2 Not indicated
Notes: Applies only if EDOCLAST = 1, 3, or 4 First available in 2002							
ENOTNEED	164	2	IND1FMT	HFB9			N No eye exam: not needed as often
				11,930			. Inapplicable
				11			-8 Don't know
				329			1 Indicated
				2,872			2 Not indicated
Notes: Applies only if EDOCLAST = 1, 3, or 4 First available in 2002							
ENOUSE	166	2	IND1FMT	HFB9			N No eye exam: couldn't help
				11,930			. Inapplicable
				11			-8 Don't know
				66			1 Indicated
				3,135			2 Not indicated
Notes: Applies only if EDOCLAST = 1, 3, or 4 First available in 2002							
EEFFECT	168	2	IND1FMT	HFB9			N No eye exam: bad side effects
				11,930			. Inapplicable
				11			-8 Don't know
				6			1 Indicated
				3,195			2 Not indicated
Notes: Applies only if EDOCLAST = 1, 3, or 4 First available in 2002							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
ENORISK	170	2	IND1FMT	HFB9			N No eye exam: not at risk for eye disease
				11,930			. Inapplicable
				11			-8 Don't know
				28			1 Indicated
				3,173			2 Not indicated
Notes: Applies only if EDOCLAST = 1, 3, or 4 First available in 2002							
ENOTREC	172	2	IND1FMT	HFB9			N No eye exam: Dr. didn't recommend one
				11,930			. Inapplicable
				11			-8 Don't know
				169			1 Indicated
				3,032			2 Not indicated
Notes: Applies only if EDOCLAST = 1, 3, or 4 First available in 2002							
EAGAINST	174	2	IND1FMT	HFB9			N No eye exam: Dr. recommended against it
				11,930			. Inapplicable
				11			-8 Don't know
				10			1 Indicated
				3,191			2 Not indicated
Notes: Applies only if EDOCLAST = 1, 3, or 4 First available in 2002							
EAPPTSET	176	2	IND1FMT	HFB9			N No eye exam: appointment already set
				11,930			. Inapplicable
				11			-8 Don't know
				7			1 Indicated
				3,194			2 Not indicated
Notes: Applies only if EDOCLAST = 1, 3, or 4 First available in 2002							
ENOTRUST	178	2	IND1FMT	HFB9			N No eye exam: don't trust Drs to help me
				11,930			. Inapplicable
				11			-8 Don't know
				44			1 Indicated
				3,157			2 Not indicated
Notes: Applies only if EDOCLAST = 1, 3, or 4 First available in 2002							
ETMAPPTS	180	2	IND1FMT	HFB9			N No eye exam: too many other appontments
				11,930			. Inapplicable
				11			-8 Don't know
				51			1 Indicated
				3,150			2 Not indicated
Notes: Applies only if EDOCLAST = 1, 3, or 4 First available in 2002							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
EDISCOMF	182	2	IND1FMT			HFB9	N No eye exam: don't like/drops irritate
				11,930			. Inapplicable
				11			-8 Don't know
				53			1 Indicated
				3,148			2 Not indicated
Notes: Applies only if EDOCLAST = 1, 3, or 4 First available in 2002							
EINCONVT	184	2	IND1FMT			HFB9	N No eye exam: can't get there easily
				11,930			. Inapplicable
				11			-8 Don't know
				159			1 Indicated
				3,042			2 Not indicated
Notes: Applies only if EDOCLAST = 1, 3, or 4 First available in 2002							
ENOFIND	186	2	IND1FMT			HFB9	N No eye exam: didn't know where to go
				11,930			. Inapplicable
				11			-8 Don't know
				43			1 Indicated
				3,158			2 Not indicated
Notes: Applies only if EDOCLAST = 1, 3, or 4 First available in 2002							
EFORGOT	188	2	IND1FMT			HFB9	N No eye exam: forgot, missed, postponed
				11,930			. Inapplicable
				11			-8 Don't know
				440			1 Indicated
				2,761			2 Not indicated
Notes: Applies only if EDOCLAST = 1, 3, or 4 First available in 2002							
EHEALTH	190	2	IND1FMT			HFB9	N No eye exam: too ill
				11,930			. Inapplicable
				11			-8 Don't know
				52			1 Indicated
				3,149			2 Not indicated
Notes: Applies only if EDOCLAST = 1, 3, or 4 First available in 2002							
ECOSTPAY	192	2	IND1FMT			HFB9	N No eye exam: not covered by ins./Medicare
				11,930			. Inapplicable
				11			-8 Don't know
				507			1 Indicated
				2,694			2 Not indicated
Notes: Applies only if EDOCLAST = 1, 3, or 4 First available in 2002							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
EAFRAID	194	2	IND1FMT	HFB9			N No eye exam: afraid of result
				11,930			. Inapplicable
				11			-8 Don't know
				26			1 Indicated
				3,175			2 Not indicated
Notes: Applies only if EDOCLAST = 1, 3, or 4 First available in 2002							
EOTHRDOC	196	2	IND1FMT	HFB9			N No eye exam: Dr other than eye Dr checks
				11,930			. Inapplicable
				11			-8 Don't know
				28			1 Indicated
				3,173			2 Not indicated
Notes: Applies only if EDOCLAST = 1, 3, or 4 First available in 2002							
EREAOTHR	198	2	IND1FMT	HFB9			N No eye exam: Other, specify
				11,930			. Inapplicable
				11			-8 Don't know
				47			1 Indicated
				3,154			2 Not indicated
Notes: Applies only if EDOCLAST = 1, 3, or 4 First available in 2002							
DIAAGE	200	3	AGE2FMT	HFP1			N SP's age when told had diabetes
				13,439			. Inapplicable
				1,703			Age in years
Notes: Applies only if RIC2, OCDIABTS = 1 First available in 2000							
DIAPRGNT	203	2	YES1FMT	HFP2			N Did SP have diabetes during pregnancy
				14,974			. Inapplicable
				1			-8 Don't know
				1			-7 Refused
				0			1 Yes
				166			2 No
Notes: Applies only if ROSTSEX = 2 and DIAAGE = 12 to 45, -7, or -8 First available in 2000							
DIATYPES	205	2	DITYPFMT	HFP3			N Type of diabetes SP has
				13,440			. Inapplicable
				1			-9 Not ascertained
				44			-8 Don't know
				255			1 Type 1: insulin dependent, juv-onset
				1,376			2 Type 2: non-insulin depend, adult-onset
				0			3 Gestational (pregnancy-related)
				26			91 Other type of diabetes
Notes: Applies only if DIAAGE is not equal to . or 997 and DIAPRGNT = . or 2 First available in 2000							

 Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label

DIAINSUL 207 2 YES1FMT HFP4a N SP takes insulin
 12,410 . Inapplicable
 3 -9 Not ascertained
 1 -8 Don't know
 1 -7 Refused
 732 1 Yes
 1,995 2 No

Notes: Applies only if DIATYPES is not equal to . or 3
 First available in 2000

DIAMEDS 209 2 YES1FMT HFP4b N SP takes prescribed diabetes pill/med
 12,410 . Inapplicable
 3 -9 Not ascertained
 4 -8 Don't know
 1 -7 Refused
 1,885 1 Yes
 839 2 No

Notes: Applies only if DIATYPES is not equal to . or 3
 First available in 2000

DIATEST 211 2 YES1FMT HFP4c N SP tests own blood for sugar/glucose
 12,410 . Inapplicable
 3 -9 Not ascertained
 1 -8 Don't know
 1 -7 Refused
 2,212 1 Yes
 515 2 No

Notes: Applies only if DIATYPES is not equal to . or 3
 First available in 2000

DIADIET 213 2 YES1FMT HFP4d N SP uses diet control for diabetes
 12,410 . Inapplicable
 3 -9 Not ascertained
 2 -8 Don't know
 1 -7 Refused
 2,134 1 Yes
 592 2 No

Notes: Applies only if DIATYPES is not equal to . or 3
 First available in 2000

DIAEXER 215 2 YES1FMT HFP4e N SP does regular exercise for diabetes
 12,410 . Inapplicable
 3 -9 Not ascertained
 3 -8 Don't know
 1 -7 Refused
 1,395 1 Yes
 1,330 2 No

Notes: Applies only if DIATYPES is not equal to . or 3
 First available in 2000

 Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label

DIASORES 217 2 YES1FMT HFP4f N SP checks for sores on feet
 12,410 . Inapplicable
 3 -9 Not ascertained
 4 -8 Don't know
 1 -7 Refused
 2,221 1 Yes
 503 2 No

Notes: Applies only if DIATYPES is not equal to . or 3
 First available in 2000

DIAASPRN 219 2 YES1FMT HFP4g N SP takes aspirin regularly for diabetes
 12,410 . Inapplicable
 3 -9 Not ascertained
 6 -8 Don't know
 1 -7 Refused
 1,110 1 Yes
 1,612 2 No

Notes: Applies only if DIATYPES is not equal to . or 3
 First available in 2000

DIAPRESS 221 2 YES1FMT HFP4h N Measure blood pressure at home
 12,410 . Inapplicable
 3 -9 Not ascertained
 1 -8 Don't know
 1 -7 Refused
 980 1 Yes
 1,747 2 No

Notes: Applies only if DIATYPES is not equal to . or 3
 First available in 2002

INSUTAKE 223 2 TAKEFMT HFP5 N How often SP takes insulin
 14,410 . Inapplicable
 7 -8 Don't know
 697 1 Every day
 21 2 Every week
 7 3 Use insulin pump

Notes: Applies only if DIAINSUL = 1
 First available in 2000

INSUDAY 225 3 NUM2FMT HFP5 N Insulin - times per day
 14,445 . Missing
 697 Number

Notes: Applies only if INSUTAKE = 1
 First available in 2000

INSUWEEK 228 4 NUM2FMT HFP5 N Insulin - times per week
 15,121 . Missing
 21 Number

Notes: Applies only if INSUTAKE = 2
 First available in 2000

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
MEDSTAKE	232	2	OFTENFMT			HFP6	N How often takes meds/pill for diabetes
				13,257			. Inapplicable
				13			-8 Don't know
				1,835			1 Every day
				29			2 Every week
				8			3 Every month
				0			4 Every year
				Notes: Applies only if DIAMEDS = 1 First available in 2000			
MEDDAY	234	3	NUM2FMT			HFP6	N Diabetes medicine - per day
				13,307			. Missing
				1,835			Number
				Notes: Applies only if MEDSTAKE = 1 First available in 2000			
MEDWEEK	237	4	NUM2FMT			HFP6	N Diabetes medicine - per week
				15,113			. Missing
				29			Number
				Notes: Applies only if MEDSTAKE = 2 First available in 2000			
MEDMONTH	241	4	NUM2FMT			HFP6	N Diabetes medicine - per month
				15,134			. Missing
				8			Number
				Notes: Applies only if MEDSTAKE = 3 First available in 2000			
TESTTAKE	245	2	OFTENFMT			HFP7	N How often tests own blood for sugar/gluc
				12,930			. Inapplicable
				21			-8 Don't know
				1,409			1 Every day
				592			2 Every week
				132			3 Every month
				58			4 Every year
				Notes: Applies only if DIATEST = 1 First available in 2000			
TESTDAY	247	3	NUM2FMT			HFP7	N Blood test - times per day
				13,733			. Missing
				1,409			Number
				Notes: Applies only if TESTTAKE = 1 First available in 2000			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
TESTWEEK	250	4	NUM2FMT	HFP7			N Blood test - times per week
				14,550			. Missing
				592			Number
				Notes: Applies only if TESTTAKE = 2 First available in 2000			
TESTMNTN	254	4	NUM2FMT	HFP7			N Blood test - times per month
				15,010			. Missing
				132			Number
				Notes: Applies only if TESTTAKE = 3 First available in 2000			
TESTYEAR	258	5	NUM2FMT	HFP7			N Diabetes blood test - per year
				15,084			. Missing
				58			Number
				Notes: Applies only if TESTTAKE = 4 First available in 2000			
SORECHEK	263	2	OFTENFMT	HFP8			N How ofen checks feet for sores{diabetes}
				12,921			. Inapplicable
				33			-8 Don't know
				1			-7 Refused
				1,512			1 Every day
				534			2 Every week
				99			3 Every month
				42			4 Every year
				Notes: Applies only if DIASORES = 1 First available in 2000			
SOREDAY	265	3	NUM2FMT	HFP8			N Check sores - times per day
				13,630			. Missing
				1,512			Number
				Notes: Applies only if SORECHEK = 1 First available in 2000			
SOREWEEK	268	4	NUM2FMT	HFP8			N Check sores - times per week
				14,608			. Missing
				534			Number
				Notes: Applies only if SORECHEK = 2 First available in 2000			
SOREMNTN	272	4	NUM2FMT	HFP8			N Check sores - times per month
				15,043			. Missing
				99			Number
				Notes: Applies only if SORECHEK = 3 First available in 2000			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
SOREYEAR	276	5	NUM2FMT	HFP8			N Check sores - times per year
				15,100			. Missing
				42			Number
Notes: Applies only if SORECHEK = 4 First available in 2000							
DIAFEET	281	2	YES1FMT	HFP9			N Problems with feet from diabetes
				12,410			. Inapplicable
				3			-9 Not ascertained
				26			-8 Don't know
				1			-7 Refused
				637			1 Yes
				2,065			2 No
Notes: Applies only if DIATYPES is not equal to 3 First available in 2002							
DIATENYR	283	2	YES1FMT	HFP10			N In past year has dr. examined feet
				12,410			. Inapplicable
				3			-9 Not ascertained
				15			-8 Don't know
				1			-7 Refused
				1,777			1 Yes
				936			2 No
Notes: Applies only if DIATYPES is not equal to 3 First available in 2002							
DIADRSAW	285	3	NUM3FMT	HFP11			N # of times saw Dr. last yr. for diabetes
				12,410			. Missing
				92			-8 Don't know
				1			-7 Refused
				125			0 None
				2,514			Number
Notes: Applies only if DIATYPES is not equal to . or 3 First available in 2000							
DIATREAT	288	2	YES1FMT	HFP12			N Dr. talked about treatment for diabetes?
				12,410			. Inapplicable
				3			-9 Not ascertained
				13			-8 Don't know
				1			-7 Refused
				1,985			1 Yes
				730			2 No
Notes: Applies only if DIATYPES is not equal to . or 3 First available in 2000							

 Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label

DIAHEMOC 290 3 NUM3FMT HFP13 N # times checked {hemoglobin a} last year
 12,410 . Missing
 561 -8 Don't know
 1 -7 Refused
 224 0 None
 1,946 Number

Notes: Applies only if DIATYPES is not equal to . or 3
 First available in 2000

DIACTRLD 293 2 TIME2FMT HFP14 N Is blood sugar controlled
 12,410 . Inapplicable
 3 -9 Not ascertained
 99 -8 Don't know
 1 -7 Refused
 717 1 All of the time
 1,399 2 Most of the time
 379 3 Some of the time
 85 4 A little of the time
 49 5 None of the time

Notes: Applies only if DIATYPES is not equal to . or 3
 First available in 2002

DIAEYPRB 295 2 YES1FMT HFP15 N Probs. w/ eyes because of diabetes
 12,410 . Inapplicable
 3 -9 Not ascertained
 103 -8 Don't know
 1 -7 Refused
 635 1 Yes
 1,990 2 No

Notes: Applies only if DIATYPES is not equal to . or 3
 First available in 2002

DIAKDPRB 297 2 YES1FMT HFP16 N Probs. w/ kidney because of diabetes
 12,410 . Inapplicable
 3 -9 Not ascertained
 68 -8 Don't know
 1 -7 Refused
 309 1 Yes
 2,351 2 No

Notes: Applies only if DIATYPES is not equal to . or 3
 First available in 2002

DIAMNGE 299 2 YES1FMT HFP17 N Had diabetes self management course
 12,410 . Inapplicable
 3 -9 Not ascertained
 14 -8 Don't know
 1 -7 Refused
 895 1 Yes
 1,819 2 No

Notes: Applies only if DIATYPES is not equal to . or 3
 First available in 2000

 Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label

DIATRAN 301 2 RECFMT HFP18 N Last time SP had diabetes mgmnt training
 14,247 . Inapplicable
 12 -8 Don't Know
 240 1 Less than 1 year ago
 194 2 Between 1-2 years ago
 129 3 Between 2-3 years ago
 85 4 Between 3-5 years ago
 235 5 5 or more years ago

Notes: Applies only if DIAMNGE = 1
 First available in 2000

DIAKNOW 303 2 KNOWFMT HFP19 N How much knows about managing diabetes
 12,718 . Missing
 3 -9 Not ascertained
 14 -8 Don't know
 1 -7 Refused
 617 1 Just about everything necessary
 1,071 2 Most of what is necessary
 531 3 Some of what is necessary
 141 4 A little of what is necessary
 46 5 Almost none of what is necessary

Notes: Applies only if DIATYPES is not equal to . or 3 and SP is respondent
 First available in 2000

DIASUPPS 305 2 YES1FMT HFP20 N Know Medicare helps pay for supplies
 12,718 . Inapplicable
 3 -9 Not ascertained
 15 -8 Don't know
 1 -7 Refused
 1,767 1 Yes
 638 2 No

Notes: Applies only if DIATYPES is not equal to . or 3 and SP is respondent
 First available in 2000

DIAEVERT 307 2 YNDIAFMT HFP21 N Ever had blood test for diabetes
 2,773 . Inapplicable
 28 -9 Not ascertained
 1,058 -8 Don't know
 17 -7 Refused
 8,902 1 Yes
 2,364 2 No
 0 3 SP has diabetes

Notes: Applies only if OCDIABTS = 1, DIAAGE = 997, DIAPRGNT = 2 or DIATYPES=3
 First available in 2000

Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label

DIARECNT 309 2 RECFMT HFP22 N Most recent time tested for diabetes

6,199	.	Inapplicable
1	-9	Not Ascertained
309	-8	Don't Know
5,626	1	Less than 1 year ago
1,849	2	Between 1-2 years ago
467	3	Between 2-3 years ago
251	4	Between 3-5 years ago
440	5	5 or more years ago

Notes: Applies only if DIAEVERT = 1
 First available in 2000

DIAAWARE 311 2 YES1FMT HFP23 N SP aware of diabetes test before today

12,101	.	Inapplicable
27	-9	Not ascertained
48	-8	Don't know
14	-7	Refused
1,791	1	Yes
1,161	2	No

Notes: Applies only if DIAEVERT = 2, -7, or -8 and SP is respondent
 First available in 2000

DIARISK 313 2 YES1FMT HFP24 N Ever told at high risk for diabetes

2,732	.	Inapplicable
31	-9	Not ascertained
72	-8	Don't know
15	-7	Refused
785	1	Yes
11,507	2	No

Notes: Applies only if DIAEVERT is not equal to . or 3
 First available in 2000

DIASIGNS 315 2 YES1FMT HFP25 N Received info about signs of diabetes

2,732	.	Inapplicable
32	-9	Not ascertained
148	-8	Don't know
14	-7	Refused
2,824	1	Yes
9,392	2	No

Notes: Applies only if DIAEVERT is not equal to . or 3
 First available in 2000

TALKURIN 317 2 YES1FMT HFQ2 N Has SP talked w/ Dr. about lost urine

11,591	.	Inapplicable
14	-8	Don't know
1,903	1	Yes
1,634	2	No

Notes: Applies only if LOSTURIN = 1 through 6
 First available in 2002

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
FEELURIN	319	2	YES1FMT			HFQ3	N Did Dr. asked how you felt about problem
				13,239			. Inapplicable
				26			-8 Don't know
				1,273			1 Yes
				604			2 No
				Notes: Applies only if TALKURIN = 1 First available in 2002			
REASURIN	321	2	YES1FMT			HFQ4	N Has Dr. examined you to determine cause
				13,239			. Inapplicable
				18			-8 Don't know
				1,331			1 Yes
				554			2 No
				Notes: Applies only if TALKURIN = 1 First available in 2002			
SURGURIN	323	2	YES1FMT			HFQ5	N Has Dr. talked about surgery for problem
				13,239			. Inapplicable
				11			-8 Don't know
				1,062			1 Yes
				830			2 No
				Notes: Applies only if TALKURIN = 1 First available in 2002			