

Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label  
 -----

The Survey Health Status and Functioning file includes data about the sample person's health including height and weight, self-assessments of vision and hearing, history of medical conditions, functioning, among others.

This file started in 1997 when the facility instrument was converted to a Computer-Assisted Personal Interviewing format. It contains one record for each person who completed a facility interview. From 1992 through 1996, similar data may be found in RIC 2.

RIC	1	2			C Record Identification Code
VERSION	3	1			C Version Number
BASEID	4	8	\$BSIDFMT		C Unique SP Identification
				1,099	LOW-HIGH BASEID Count
SPHEALTH	12	2	GENHFMT		HA43J N Description of SPs general health
				9	. Missing
				1	-9 Not ascertained
				4	-8 Don't know
				39	1 Excellent
				118	2 Very good
				318	3 Good
				412	4 Fair
				198	5 Poor

Notes: Inapplicable if COMATOSE = 1.  
 First available in 1997

HLTHCOMP	14	2	COMPFMT		HA43K N SP's health compared to 1 year ago?
				9	. Missing
				2	-9 Not ascertained
				58	-8 Don't know
				12	1 Much better
				85	2 Somewhat better
				532	3 About the same
				342	4 Somewhat worse
				59	5 Much worse

Notes: Inapplicable if COMATOSE = 1.  
 First available in 1999

LIMACTIV	16	2	TIMEFMT		HA43L N Hlth limited soc activities in past mo?
				9	. Missing
				1	-9 Not ascertained
				12	-8 Don't know
				554	1 None of the time
				241	2 Some of the time
				132	3 Most of the time
				150	4 All of the time

Notes: Inapplicable if COMATOSE = 1.  
 First available in 1999

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
VISAPPL	18	2	YES1FMT			HA20A	N Does SP use a visual appliance?
				9			. Inapplicable
				3			-8 Don't know
				610			1 Yes
				477			2 No
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
VISION	20	2	VISION			HA20	N Ability of SP to see?
				9			. Inapplicable
				4			-8 Don't know
				647			1 Adequate
				239			2 Impaired
				102			3 Moderately impaired
				69			4 Highly impaired
				29			5 Severely impaired
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
CATAROP	22	2	YES1FMT			HA33E	N SP ever have operation for cataracts?
				157			-8 Don't know
				83			1 Yes
				859			2 No
				Note: First available in 1997			
HCHEAID	24	2	YES1FMT			HA17	N SP use hearing aid?
				9			. Inapplicable
				4			-8 Don't know
				96			1 Yes
				990			2 No
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
HCHECOND	26	2	HEARING			HA16	N Description of hearing
				9			. Inapplicable
				2			-8 Don't know
				752			1 Hears adequately
				217			2 Hears with minimal difficulty
				86			3 Hears in special situations only
				33			4 Hearing is highly impaired
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
HCUNCOND	28	2	UNDTND			HA18	N Ability of SP to make him/her understood
				9			. Inapplicable
				516			1 Understood
				283			2 Usually understood
				168			3 Sometimes understood
				123			4 Rarely or never understood
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
HCUNDOTH	30	2	UNDSTND			HA19	N Ability of SP to understand others
				9			. Inapplicable
				1			-8 Don't know
				471			1 Understood
				319			2 Usually understood
				201			3 Sometimes understood
				98			4 Rarely or never understood
				Notes: Inapplicable if COMATOSE = 1			
				First available in 1997			
HEIGHT	32	2	NUM2FMT			HA38	N Height of SP in inches
				64			-8 Don't know
				1,035			Number
				Note: First available in 1997			
WEIGHTF	34	4	NUM2FMT			HA39	N Weight of SP in pounds
				25			-8 Don't know
				1,074			Number
				Note: First available in 1997			
MAMMOGR	38	2	YES1FMT			HA43A	N SP had a mammogram in the last year?
				360			. Inapplicable
				1			-9 Not ascertained
				91			-8 Don't know
				77			1 Yes
				570			2 No
				Notes: Inapplicable if SP is male			
				First available in 1997			
PAPSM	40	2	YES1FMT			HA43B	N SP had a Pap smear in the last year?
				360			. Inapplicable
				1			-9 Not ascertained
				94			-8 Don't know
				63			1 Yes
				581			2 No
				Notes: Inapplicable if SP is male			
				First available in 1997			
HYSTLAST	42	2	YES1FMT			HA43C	N SP had a hysterectomy in the last year?
				503			. Inapplicable
				1			-9 Not ascertained
				54			-8 Don't know
				11			1 Yes
				530			2 No
				Notes: Applies to females in supplemental sample or where PAPNHYST = 2			
				First available in 1997			

Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label  
 -----

EVERHYST 44 2 YES1FMT HA43D N SP ever had a hysterectomy?  
 360 . Inapplicable  
 1 -9 Not ascertained  
 165 -8 Don't know  
 133 1 Yes  
 440 2 No

Notes: Applies to female SPs in continuing sample where HYSTLAST = 1.  
 First available in 1997

DRECEXAM 46 2 YES1FMT HA43DA N Digital rectal prostate exam in past yr?  
 738 . Inapplicable  
 67 -8 Don't know  
 94 1 Yes  
 200 2 No

Notes: Inapplicable if SP is female. Also see DIGTEXAM in RIC 2.  
 First available in 1999

BLOODSPA 48 2 YES1FMT HA43DB N Prostate cancer blood test in past yr?  
 738 . Inapplicable  
 67 -8 Don't know  
 94 1 Yes  
 200 2 No

Notes: Inapplicable if SP is female  
 First available in 1999

FLUVACC 50 2 YES2FMT HA43DC N SP had a flu shot in the past year?  
 157 -8 Don't know  
 820 1 Yes  
 122 2 No

Notes: Facility data 91-96: FLUSHOT in RIC 2.  
 First available in 1999

PNEUVACC 52 2 YES2FMT HA43DD N Has SP ever had a shot for pneumonia?  
 234 -8 Don't know  
 605 1 Yes  
 260 2 No

Notes: Facility data 91-96: PNEUSHOT in RIC 2.  
 First available in 1999

EVRSMOKE 54 2 YES1FMT HA43E N SP ever smoked cigars/cigarettes/pipe?  
 1 -9 Not ascertained  
 269 -8 Don't know  
 174 1 Yes  
 655 2 No

Note: First available in 1997

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
NOWSMOKE	56	2	YES1FMT			HA43F	N Does SP smoke now?
				925			. Inapplicable
				2			-8 Don't know
				72			1 Yes
				100			2 No
Notes: Applies only if EVRSMOKE = 1 First available in 1997							
IADSTOOP	58	2	DIF1FMT			HA43G	N Was stooping/kneeling difficult?
				9			. Inapplicable
				1			-8 Don't know
				144			1 No difficulty
				71			2 A little difficulty
				107			3 Some difficulty
				161			4 A lot of difficulty
				606			5 Unable to do it
Notes: Inapplicable if COMATOSE = 1. First available in 1997							
IADLIFT	60	2	DIF1FMT			HA43G	N Was lifting heavy items difficult?
				9			. Inapplicable
				9			-8 Don't know
				178			1 No difficulty
				62			2 A little difficulty
				86			3 Some difficulty
				102			4 A lot of difficulty
				653			5 Unable to do it
Notes: Inapplicable if COMATOSE = 1. First available in 1997							
IADREACH	62	2	DIF1FMT			HA43G	N Was reaching/extending arms difficult?
				9			. Inapplicable
				6			-8 Don't know
				383			1 No difficulty
				175			2 A little difficulty
				196			3 Some difficulty
				124			4 A lot of difficulty
				206			5 Unable to do it
Notes: Inapplicable if COMATOSE = 1. First available in 1997							
IADGRASP	64	2	DIF1FMT			HA43G	N Was writing/grasping difficult?
				9			. Inapplicable
				8			-8 Don't know
				398			1 No difficulty
				171			2 A little difficulty
				206			3 Some difficulty
				125			4 A lot of difficulty
				182			5 Unable to do it
Notes: Inapplicable if COMATOSE = 1. First available in 1997							

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
IADWALK	66	2	DIF1FMT			HA43G	N Was walking 1/4 mi or 2-3 blk difficult?
				9			. Inapplicable
				2			-8 Don't know
				187			1 No difficulty
				41			2 A little difficulty
				64			3 Some difficulty
				70			4 A lot of difficulty
				726			5 Unable to do it
				Notes: Inapplicable if COMATOSE = 1. First available in 1997			
ASHD	68	2	SEL2FMT			HA28	N SP has arteriosclerotic heart disease
				87			1 Selected
				1,012			2 Not Selected
				Note: First available in 1997			
HYPETENS	70	2	SEL2FMT			HA28	N SP has hypertension
				420			1 Selected
				679			2 Not Selected
				Note: First available in 1997			
HYPETHYR	72	2	SEL2FMT			HA28	N SP has hyperthyroidism
				61			1 Selected
				1,038			2 Not Selected
				Note: First available in 1997			
MYOCARD	74	2	YES1FMT			HA33D	N Did SP have myocardial infarction?
				81			-8 Don't know
				75			1 Yes
				943			2 No
				Note: First available in 1997			
CARDIOV	76	2	SEL2FMT			HA28	N SP has cardiovascular disease
				89			1 Selected
				1,010			2 Not Selected
				Note: First available in 1997			
CRDVTYPE	78	2	YES1FMT			HA33C	N SP have angina/coronary heart disease?
				2			-9 Not ascertained
				9			-8 Don't know
				47			1 Yes
				1,041			2 No
				Note: First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
HRTFAIL	80	2	SEL2FMT			HA28	N SP has congestive heart failure
				154			1 Selected
				945			2 Not Selected
				Note: First available in 1997			
STROKE	82	2	SEL2FMT			HA28	N SP has a stroke
				148			1 Selected
				951			2 Not Selected
				Note: First available in 1997			
CNRSKIN	84	2	SEL2FMT			HA33B	N Did SP have skin cancer?
				2			-8 Don't know
				7			1 Selected
				1,090			2 Not Selected
				Note: First available in 1997			
CANCER	86	2	SEL2FMT			HA28	N SP has cancer
				42			1 Selected
				1,057			2 Not Selected
				Note: First available in 1997			
CNRLUNG	88	2	SEL2FMT			HA33B	N Did SP have lung cancer?
				2			-8 Don't know
				2			1 Selected
				1,095			2 Not Selected
				Note: First available in 1997			
CNRBOWEL	90	2	SEL2FMT			HA33B	N Did SP have colon/rectum/bowel cancer?
				2			-8 Don't know
				7			1 Selected
				1,090			2 Not Selected
				Note: First available in 1997			
CNRBREAS	92	2	SEL2FMT			HA33B	N Did SP have breast cancer?
				2			-8 Don't know
				9			1 Selected
				1,088			2 Not Selected
				Note: First available in 1997			
CNRUTERU	94	2	SEL2FMT			HA33B	N Did SP have uterus cancer?
				2			-8 Don't know
				0			1 Selected
				1,097			2 Not Selected
				Note: First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
CNRPROST	96	2	SEL2FMT			HA33B	N Did SP have prostate cancer?
				2			-8 Don't know
				9			1 Selected
				1,088			2 Not Selected
				Note: First available in 1997			
CNRBLADD	98	2	SEL2FMT			HA33B	N Did SP have bladder cancer?
				2			-8 Don't know
				2			1 Selected
				1,095			2 Not Selected
				Note: First available in 1997			
CNROVARY	100	2	SEL2FMT			HA33B	N Did SP have ovarian cancer?
				2			-8 Don't know
				0			1 Selected
				1,097			2 Not Selected
				Note: First available in 1997			
CNRCERVI	102	2	SEL2FMT			HA33B	N Did SP have cervix cancer?
				2			-8 Don't know
				1			1 Selected
				1,096			2 Not Selected
				Note: First available in 1997			
CNRSTOMA	104	2	SEL2FMT			HA33B	N Did SP have stomach cancer?
				2			-8 Don't know
				1			1 Selected
				1,096			2 Not Selected
				Note: First available in 1997			
CNROTHER	106	2	SEL2FMT			HA33B	N Did SP have other cancer?
				2			-8 Don't know
				5			1 Selected
				1,092			2 Not Selected
				Note: First available in 1997			
DIABMEL	108	2	SEL2FMT			HA28	N SP has diabetes mellitus
				177			1 Selected
				922			2 Not Selected
				Note: First available in 1997			
ARTHRIT	110	2	SEL2FMT			HA28	N SP has arthritis
				205			1 Selected
				894			2 Not Selected
				Note: First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
ARTHARMS	112	2	SEL2FMT			HA33A	N Were arms affected by arthritis?
				1			-9 Not ascertained
				11			-8 Don't know
				43			1 Selected
				1,044			2 Not Selected
				Note: First available in 1997			
ARTHLEGS	114	2	SEL2FMT			HA33A	N Were legs affected by arthritis?
				1			-9 Not ascertained
				11			-8 Don't know
				70			1 Selected
				1,017			2 Not Selected
				Note: First available in 1997			
ARTHBACK	116	2	SEL2FMT			HA33A	N Was back affected by arthritis?
				1			-9 Not ascertained
				11			-8 Don't know
				21			1 Selected
				1,066			2 Not Selected
				Note: First available in 1997			
ARTHNECK	118	2	SEL2FMT			HA33A	N Was neck affected by arthritis?
				1			-9 Not ascertained
				11			-8 Don't know
				6			1 Selected
				1,081			2 Not Selected
				Note: First available in 1997			
ARTHJOIN	120	2	SEL2FMT			HA33A	N Were joints affected by arthritis?
				1			-9 Not ascertained
				11			-8 Don't know
				108			1 Selected
				979			2 Not Selected
				Note: First available in 1997			
ARTHOTHR	122	2	SEL2FMT			HA33A	N Were other parts affected by arthritis?
				1			-9 Not ascertained
				11			-8 Don't know
				1			1 Selected
				1,086			2 Not Selected
				Note: First available in 1997			
MENTAL	124	2	YES1FMT			HA9	N Did SP have any mental illnesses?
				2			-8 Don't know
				274			1 Yes
				823			2 No
				Note: First available in 1997			

04/19/04  
**Cost & Use**  
**2001**

**MEDICARE CURRENT BENEFICIARY SURVEY**  
 Health Status & Functioning -- Facility

**RIC: 2F**  
 Page: 10  
 Version: 2

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
ALZHMR	126	2	SEL2FMT			HA28	N SP has Alzheimer's disease
				173			1 Selected
				926			2 Not Selected
				Note: First available in 1997			
OSTEOP	128	2	SEL2FMT			HA28	N SP has osteoporosis
				132			1 Selected
				967			2 Not Selected
				Note: First available in 1997			
HIPFRACT	130	2	SEL2FMT			HA28	N SP has a hip fracture
				46			1 Selected
				1,053			2 Not Selected
				Note: First available in 1997			
PARKNSON	132	2	SEL2FMT			HA28	N SP has Parkinson's disease
				55			1 Selected
				1,044			2 Not Selected
				Note: First available in 1997			
EMPCOPD	134	2	SEL2FMT			HA28	N SP has emphysema/COPD
				107			1 Selected
				992			2 Not Selected
				Note: First available in 1997			
MISSLIMB	136	2	SEL2FMT			HA28	N SP has a missing limb
				19			1 Selected
				1,080			2 Not Selected
				Note: First available in 1997			
DIFUSEPH	138	2	ADL1FMT			HA43H	N Any difficulty using telephone?
				9			. Inapplicable
				10			-8 Don't know
				301			1 Yes
				390			2 No
				389			3 Doesn't do

Notes: Inapplicable if COMATOSE = 1.  
 First available in 1997

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
DIFSHOP	140	2	ADL1FMT			HA43H	N Any difficulty shopping 4 personal item?
				9			. Inapplicable
				353			1 Yes
				172			2 No
				565			3 Doesn't do
				Notes: Inapplicable if COMATOSE = 1. First available in 1997			
DIFMONEY	142	2	ADL1FMT			HA43H	N Any difficulty with managing money?
				9			. Inapplicable
				7			-8 Don't know
				320			1 Yes
				120			2 No
				643			3 Doesn't do
				Notes: Inapplicable if COMATOSE = 1. First available in 1997			
REASNOPH	144	2	YES1FMT			HA43I	N Don't use telephone b/c health problems?
				710			. Inapplicable
				369			1 Yes
				20			2 No
				Notes: Inapplicable if DIFUSEPH is not equal to 3 First available in 1997			
REASNOSH	146	2	YES1FMT			HA43I	N Don't do shopping b/c health problems?
				534			. Inapplicable
				548			1 Yes
				17			2 No
				Notes: Inapplicable if DIFSHOP is not equal to 3 First available in 1997			
REASNOMM	148	2	YES1FMT			HA43I	N Don't manage money b/c health problems?
				456			. Inapplicable
				619			1 Yes
				24			2 No
				Notes: Inapplicable if DIFMONEY is not equal to 3 First available in 1997			
PFTRNSFR	150	2	PERFLEV			HA22	N Level of self perform: transfer
				9			. Inapplicable
				454			1 Independent
				68			2 Supervision
				146			3 Limited assistance
				186			4 Extensive assistance
				229			5 Total dependence
				7			6 Activity did not occur
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			

Variable Col Len Format Frequency ComQues# FacQues# Variable Type & Label  
 -----

PFLOCOMO 152 2 PERFLEV HA22 N Level of self perform: locomot. on unit  
 9 . Inapplicable  
 493 1 Independent  
 112 2 Supervision  
 121 3 Limited assistance  
 87 4 Extensive assistance  
 253 5 Total dependence  
 24 6 Activity did not occur

Notes: Inapplicable if COMATOSE = 1  
 First available in 1997

PFDRSSNG 154 2 PERFLEV HA22 N Level of self perform: dressing  
 9 . Inapplicable  
 292 1 Independent  
 105 2 Supervision  
 182 3 Limited assistance  
 217 4 Extensive assistance  
 287 5 Total dependence  
 7 6 Activity did not occur

Notes: Inapplicable if COMATOSE = 1  
 First available in 1997

PFEATING 156 2 PERFLEV HA22 N Level of self perform: eating  
 9 . Inapplicable  
 557 1 Independent  
 194 2 Supervision  
 107 3 Limited assistance  
 65 4 Extensive assistance  
 163 5 Total dependence  
 4 6 Activity did not occur

Notes: Inapplicable if COMATOSE = 1  
 First available in 1997

PFTOILET 158 2 PERFLEV HA22 N Level of self perform: toilet use  
 9 . Inapplicable  
 349 1 Independent  
 77 2 Supervision  
 165 3 Limited assistance  
 158 4 Extensive assistance  
 332 5 Total dependence  
 9 6 Activity did not occur

Notes: Inapplicable if COMATOSE = 1  
 First available in 1997

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PFBATHNG	160	2	BATHLEV			HA23	N Level of self perform: bathing
				9			. Inapplicable
				2			-8 Don't know
				124			1 Independent
				151			2 Supervision
				78			3 Physical help limited to transfer only
				309			4 Physical help in part of bathing actvty
				425			5 Total dependence
				1			6 Activity did not occur
				Notes: Inapplicable if COMATOSE = 1			
				First available in 1997			
MLCANE	162	2	YES1FMT			HA24	N Did SP use cane/walker?
				9			. Inapplicable
				4			-8 Don't know
				280			1 Yes
				806			2 No
				Notes: Inapplicable if COMATOSE = 1			
				First available in 1997			
MLWLPRIM	164	2	YES1FMT			HA24	N Did SP use wheelchair prim means?
				156			. Inapplicable
				2			-8 Don't know
				314			1 Yes
				627			2 No
				Notes: Inapplicable if COMATOSE = 1			
				First available in 2001			
MLWHLSELF	166	2	YES1FMT			HA24	N Did SP wheel her/himself?
				9			. Inapplicable
				4			-8 Don't know
				268			1 Yes
				818			2 No
				Notes: Inapplicable if COMATOSE = 1			
				First available in 1997			
MLWHLOTH	168	2	YES1FMT			HA24	N Did someone wheel SP?
				9			. Inapplicable
				4			-8 Don't know
				427			1 Yes
				659			2 No
				Notes: Inapplicable if COMATOSE = 1			
				First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
CTBADD	170	2	CONTLEV			HA26	N Level of bladder control
				9			. Inapplicable
				434			1 Continent
				91			2 Usually continent
				83			3 Occasionally incontinent
				122			4 Frequently incontinent
				360			5 Incontinent
				Notes: Inapplicable if COMATOSE = 1			First available in 1997
ADLIVWIL	172	2	YES1FMT			HA10	N Did SP have living will?
				12			-8 Don't know
				201			1 Yes
				886			2 No
				Note: First available in 1997			
ADDNRES	174	2	YES1FMT			HA10	N Did SP have 'Do not resuscitate' order?
				12			-8 Don't know
				479			1 Yes
				608			2 No
				Note: First available in 1997			
ADDNHOSP	176	2	YES1FMT			HA10	N Did SP have 'Do not hospitalize' order?
				12			-8 Don't know
				43			1 Yes
				1,044			2 No
				Note: First available in 1997			
ADOTREST	178	2	YES1FMT			HA10	N Feeding/Medication/Other restrictions?
				12			-8 Don't know
				89			1 Yes
				998			2 No
				Note: First available in 1997			
COMATOSE	180	2	YES1FMT			HA11	N Was SP comatose?
				1			-8 Don't know
				9			1 Yes
				1,089			2 No
				Note: First available in 1997			
CSMEMST	182	2	YES1FMT			HA12	N Was SP's short term memory OK?
				9			. Inapplicable
				3			-8 Don't know
				723			1 Yes
				364			2 No
				Notes: Inapplicable if COMATOSE = 1			First available in 1997

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
CSMEMLT	184	2	YES1FMT			HA13	N Was SP's long term memory OK?
				9			. Inapplicable
				4			-8 Don't know
				613			1 Yes
				473			2 No
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
CSCURSEA	186	2	YES1FMT			HA14	N Was SP able to recall current season?
				9			. Inapplicable
				5			-8 Don't know
				543			1 Yes
				542			2 No
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
CSLOCROM	188	2	YES1FMT			HA14	N Was able to recall location of room?
				9			. Inapplicable
				5			-8 Don't know
				704			1 Yes
				381			2 No
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
CSNAMFAC	190	2	YES1FMT			HA14	N Was able to recall names and faces?
				9			. Inapplicable
				5			-8 Don't know
				725			1 Yes
				360			2 No
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
CSINNH	192	2	YES1FMT			HA14	N SP could recall he/she was in nurs. home
				9			. Inapplicable
				5			-8 Don't know
				638			1 Yes
				447			2 No
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
CSDECIS	194	2	CSDECIS			HA15	N How skilled was SP in making decisions?
				9			. Inapplicable
				224			1 Independent
				246			2 Modified independence
				358			3 Moderately impaired
				262			4 Severely impaired
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
BSWANDER	196	2	FREQUENT			HA21	N How often did wandering occur?
				9			. Inapplicable
				959			1 Not at all
				69			2 Less than daily
				62			3 Daily or more frequently
				Notes: Inapplicable if COMATOSE = 1			First available in 1997
BSVERBAB	198	2	FREQUENT			HA21	N Occurrence of verbally abusive behavior?
				9			. Inapplicable
				925			1 Not at all
				121			2 Less than daily
				44			3 Daily or more frequently
				Notes: Inapplicable if COMATOSE = 1			First available in 1997
BSPHYSAB	200	2	FREQUENT			HA21	N Occurrence of phys abusive behavior?
				9			. Inapplicable
				972			1 Not at all
				103			2 Less than daily
				15			3 Daily or more frequently
				Notes: Inapplicable if COMATOSE = 1			First available in 1997
BSDISRPT	202	2	FREQUENT			HA21	N How often did disruptive behavior occur?
				9			. Inapplicable
				892			1 Not at all
				138			2 Less than daily
				60			3 Daily or more frequently
				Notes: Inapplicable if COMATOSE = 1			First available in 1997
BSRESIST	204	2	FREQUENT			HA21	N How often did SP resist care?
				9			. Inapplicable
				845			1 Not at all
				165			2 Less than daily
				80			3 Daily or more frequently
				Notes: Inapplicable if COMATOSE = 1			First available in 1997
CTBOWEC	206	2	CONTLEV			HA25	N Level of bowel control?
				9			. Inapplicable
				527			1 Continent
				84			2 Usually continent
				65			3 Occasionally incontinent
				88			4 Frequently incontinent
				326			5 Incontinent
				Notes: Inapplicable if COMATOSE = 1			First available in 1997

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
PWINTOTH	208	2	YES1FMT			HA27	N At ease interacting with others?
				9			. Inapplicable
				775			1 Yes
				315			2 No
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
PWSTRACT	210	2	YES1FMT			HA27	N At ease doing planned activities?
				9			. Inapplicable
				527			1 Yes
				563			2 No
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
PWSLFACT	212	2	YES1FMT			HA27	N At ease doing self-initiated activities?
				9			. Inapplicable
				431			1 Yes
				659			2 No
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
PWGOALS	214	2	YES1FMT			HA27	N At ease establishing goals?
				9			. Inapplicable
				244			1 Yes
				846			2 No
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
PWFACLIF	216	2	YES1FMT			HA27	N Involved with life at facility?
				9			. Inapplicable
				321			1 Yes
				769			2 No
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
PWGRPACT	218	2	YES1FMT			HA27	N Accepts invitations to group activities?
				9			. Inapplicable
				430			1 Yes
				660			2 No
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			
PWNOFC	220	2	YES1FMT			HA27	N Absence of contact with family/friends?
				9			. Inapplicable
				74			1 Yes
				1,016			2 No
				Notes: Inapplicable if COMATOSE = 1 First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
ALLERGY	222	2	SEL2FMT			HA28	N SP has allergies
				147			1 Selected
				952			2 Not Selected
				Note: First available in 1997			
ANEMIA	224	2	SEL2FMT			HA28	N SP has anemia
				153			1 Selected
				946			2 Not Selected
				Note: First available in 1997			
ANXIETY	226	2	SEL2FMT			HA28	N SP has anxiety disorder
				88			1 Selected
				1,011			2 Not Selected
				Note: First available in 1997			
APHASIA	228	2	SEL2FMT			HA28	N SP has aphasia
				41			1 Selected
				1,058			2 Not Selected
				Note: First available in 1997			
ASTHMA	230	2	SEL2FMT			HA28	N SP has asthma
				17			1 Selected
				1,082			2 Not Selected
				Note: First available in 1997			
CARDDYSR	232	2	SEL2FMT			HA28	N SP has dysrhythmia
				74			1 Selected
				1,025			2 Not Selected
				Note: First available in 1997			
CATARCT	234	2	SEL2FMT			HA28	N SP has cataracts
				74			1 Selected
				1,025			2 Not Selected
				Note: First available in 1997			
CERPALSY	236	2	SEL2FMT			HA28	N SP has cerebral palsy
				27			1 Selected
				1,072			2 Not Selected
				Note: First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
VEINTHR	238	2	SEL2FMT			HA28	N SP has deep vein thrombosis
				11			1 Selected
				1,088			2 Not Selected
				Note: First available in 1997			
DEMENT	240	2	SEL2FMT			HA28	N SP has dementia
				292			1 Selected
				807			2 Not Selected
				Note: First available in 1997			
DEPRESS	242	2	SEL2FMT			HA28	N SP has depression
				307			1 Selected
				792			2 Not Selected
				Note: First available in 1997			
DIABRET	244	2	SEL2FMT			HA28	N SP has diabetic retinopathy
				6			1 Selected
				1,093			2 Not Selected
				Note: First available in 1997			
GLAUCOMA	246	2	SEL2FMT			HA28	N SP has glaucoma
				63			1 Selected
				1,036			2 Not Selected
				Note: First available in 1997			
HEMIPLPA	248	2	SEL2FMT			HA28	N SP has hemiplegia/hemiparesis
				57			1 Selected
				1,042			2 Not Selected
				Note: First available in 1997			
HYPOTENS	250	2	SEL2FMT			HA28	N SP has hypotension
				12			1 Selected
				1,087			2 Not Selected
				Note: First available in 1997			
HYPOTHYR	252	2	SEL2FMT			HA28	N SP has hypothyroidism
				67			1 Selected
				1,032			2 Not Selected
				Note: First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
MACDEGEN	254	2	SEL2FMT			HA28	N SP has macular degeneration
				28			1 Selected
				1,071			2 Not Selected
				Note: First available in 1997			
MANICDEP	256	2	SEL2FMT			HA28	N SP has manic depression
				16			1 Selected
				1,083			2 Not Selected
				Note: First available in 1997			
SCLEROS	258	2	SEL2FMT			HA28	N SP has multiple sclerosis
				7			1 Selected
				1,092			2 Not Selected
				Note: First available in 1997			
PARAPLEG	260	2	SEL2FMT			HA28	N SP has paraplegia
				6			1 Selected
				1,093			2 Not Selected
				Note: First available in 1997			
BONEFRAC	262	2	SEL2FMT			HA28	N SP has pathological bone fracture
				5			1 Selected
				1,094			2 Not Selected
				Note: First available in 1997			
VASCULAR	264	2	SEL2FMT			HA28	N SP has peripheral vascular disease
				66			1 Selected
				1,033			2 Not Selected
				Note: First available in 1997			
QUADPLEG	266	2	SEL2FMT			HA28	N SP has quadriplegia
				10			1 Selected
				1,089			2 Not Selected
				Note: First available in 1997			
RENTFAIL	268	2	SEL2FMT			HA28	N SP has renal failure
				32			1 Selected
				1,067			2 Not Selected
				Note: First available in 1997			
SCHIZOPH	270	2	SEL2FMT			HA28	N SP has schizophrenia
				65			1 Selected
				1,034			2 Not Selected
				Note: First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
SEIZURE	272	2	SEL2FMT			HA28	N SP has a seizure disorder
				97			1 Selected
				1,002			2 Not Selected
				Note: First available in 1997			
TIA	274	2	SEL2FMT			HA28	N SP has Transient Ischemic Attack (TIA)
				38			1 Selected
				1,061			2 Not Selected
				Note: First available in 1997			
BRAININJ	276	2	SEL2FMT			HA28	N SP has traumatic brain injury
				11			1 Selected
				1,088			2 Not Selected
				Note: First available in 1997			
INFMRSA	278	2	SEL2FMT			HA29	N SP have antibiotic resistant infection
				8			1 Selected
				1,091			2 Not Selected
				Note: First available in 1997			
INFCDIFF	280	2	SEL2FMT			HA29	N SP has clostridium difficile
				2			1 Selected
				1,097			2 Not Selected
				Note: First available in 1997			
INFCONJ	282	2	SEL2FMT			HA29	N SP has conjunctivitis
				6			1 Selected
				1,093			2 Not Selected
				Note: First available in 1997			
INFHIV	284	2	SEL2FMT			HA29	N SP has HIV
				2			1 Selected
				1,097			2 Not Selected
				Note: First available in 1997			
INFPNEU	286	2	SEL2FMT			HA29	N SP has pneumonia
				33			1 Selected
				1,066			2 Not Selected
				Note: First available in 1997			
INFRESP	288	2	SEL2FMT			HA29	N SP has respiratory infection
				15			1 Selected
				1,084			2 Not Selected
				Note: First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
INFSEPT	290	2	SEL2FMT			HA29	N SP has septicemia 3 1 Selected 2 Not Selected Note: First available in 1997
				1,096			
INFSEXTR	292	2	SEL2FMT			HA29	N SP has sexually transmitted disease 0 1 Selected 2 Not Selected Note: First available in 1997
				1,099			
INFTBRC	294	2	SEL2FMT			HA29	N SP has tuberculosis 2 1 Selected 2 Not Selected Note: First available in 1997
				1,097			
INFURNRY	296	2	SEL2FMT			HA29	N SP has urinary tract infection 70 1 Selected 2 Not Selected Note: First available in 1997
				1,029			
INFHPPTS	298	2	SEL2FMT			HA29	N SP has viral hepatitis 1 1 Selected 2 Not Selected Note: First available in 1997
				1,098			
INFWOUND	300	2	SEL2FMT			HA29	N SP has wound infection 18 1 Selected 2 Not Selected Note: First available in 1997
				1,081			
OTHDIAG	302	2	NUM2FMT				N Additional diagnosis/condition Number Notes: Note not created First available in 2001
				1,099			
DEHYD	304	2	YES1FMT			HA34	N Did SP experience dehydration? 9 . Inapplicable -8 Don't know 1 Yes 2 No Notes: Inapplicable if COMATOSE = 1. First available in 1997
				1,074			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
DELUS	306	2	YES1FMT			HA35	N Did SP experience delusions?
				9			. Inapplicable
				4			-8 Don't know
				50			1 Yes
				1,036			2 No
				Notes: Inapplicable if COMATOSE = 1. First available in 1997			
HALLUC	308	2	YES1FMT			HA36	N Did SP experience hallucinations?
				9			. Inapplicable
				5			-8 Don't know
				45			1 Yes
				1,040			2 No
				Notes: Inapplicable if COMATOSE = 1. First available in 1997			
ONCHEW	310	2	YES1FMT			HA37	N Did SP experience chewing problems?
				9			. Inapplicable
				10			-8 Don't know
				165			1 Yes
				915			2 No
				Notes: Inapplicable if COMATOSE = 1. First available in 1997			
ONSWALL	312	2	YES1FMT			HA37	N Did SP experience swallowing problems?
				9			. Inapplicable
				10			-8 Don't know
				130			1 Yes
				950			2 No
				Notes: Inapplicable if COMATOSE = 1. First available in 1997			
ONMOUTH	314	2	YES1FMT			HA37	N Did SP experience any mouth pain?
				9			. Inapplicable
				10			-8 Don't know
				13			1 Yes
				1,067			2 No
				Notes: Inapplicable if COMATOSE = 1. First available in 1997			
DHDEBRIS	316	2	YES1FMT			HA40	N Did SP have debris in mouth?
				27			-8 Don't know
				10			1 Yes
				1,062			2 No
				Note: First available in 1997			

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
DHBRIDGE	318	2	YES1FMT			HA40	N Did SP have removable bridges?
				27			-8 Don't know
				418			1 Yes
				654			2 No
Note: First available in 1997							
DHTEELOS	320	2	YES1FMT			HA40	N Did SP have any natural teeth lost?
				27			-8 Don't know
				347			1 Yes
				725			2 No
Note: First available in 1997							
DHBROKEN	322	2	YES1FMT			HA40	N Did SP have any broken/loose teeth?
				27			-8 Don't know
				47			1 Yes
				1,025			2 No
Note: First available in 1997							
DHINFGUM	324	2	YES1FMT			HA40	N Did SP have any gum infection?
				27			-8 Don't know
				16			1 Yes
				1,056			2 No
Note: First available in 1997							