

Dysphagia Literature References

1. Avery-Smith W, Dellarosa DM. Approaches to treating dysphagia in patients with brain injury. *Am J Occup Ther* 1994; 48(3): 235-239.
2. Aviv JE, Liu H, Parides M, Kaplan ST, Close LG. Laryngopharyngeal sensory deficits in patients with laryngopharyngeal reflux and dysphagia. *Ann Otol Rhinol Laryngol* 2000 Nov; 109(11): 1000-1006.
3. Aviv JE, Martin J, Kim T, Sacco R, Thomson J, Diamond B, Close L. Laryngopharyngeal sensory discrimination testing and the laryngeal adductor reflux. *Ann Otol Rhinol Laryngol* 1999; 108:725-730
4. Aviv JE, Sacco RL, Mohr JP, Thompson JL, Levin B, Sunshine S, Thomson J, Close LG. Laryngopharyngeal sensory testing with modified barium swallow as predictors of aspiration pneumonia after stroke. *Laryngoscope* 1997 Sep; 107(9): 1254-1260.
5. Aviv JE. Prospective, randomized outcome study of endoscopy versus modified barium swallow in patients with dysphagia. *Laryngoscope* 2000 Apr; 110(4): 563-574.
6. Aviv JE, Kim T, Thomson JE, Sunshine S, Kaplan S, Close LG. Fiber optic endoscopic evaluation of swallowing with sensory testing (FEESST) in healthy controls. *Dysphagia* 1998 Spring; 13(2): 87-92.
7. Aviv JE, Kim T, Sacco R, Kaplan S, Goodhart K, Diamond B, Close L. FEESST: a new bedside endoscopic test of the motor and sensory components of swallowing. *Ann Otol Rhinol Laryngol* 1998; 107:378-386.
8. Aviv JE, Kaplan ST, Thomson JE, Spitzer J, Diamond B, Close LG. The safety of flexible endoscopic evaluation of swallowing with sensory testing (FEESST): an analysis of 500 consecutive evaluations. *Dysphagia* 2000 Winter; 15(1): 39-44.
9. Aviv JE, Martin JH, Kim T, Sacco RL, Thomson JE, Diamond B, Close LG. Laryngopharyngeal sensory discrimination testing and the laryngeal adductor reflex. *Ann Otol Rhinol Laryngol* 1999 Aug; 108(8): 725-730.
10. Axelsson K, Norberg A, Asplund K, Soderberg O, Wenngren BI. Training of eating after a stroke in a patient with dysphagia of pharyngeal type. *Scand J Caring Sci* 1988; 2(1): 31-36.
11. Baker BM. Symptoms, diagnosis, and management of dysphagia. *J Ky Med Assoc* 1998 Sep; 96(9): 362-367.
12. Baker DM. Assessment and management of impairments in swallowing. *Nurs Clin North Am* 1993 Dec; 28(4): 793-805.
13. Barer DH. The natural history and functional consequences of dysphagia after hemispheric stroke. *J Neurol Neurosurg Psych* 1989; 52:236-241.
14. Bartolome G, Neuman DS. Swallowing therapy in patients with neurological disorders causing cricopharyngeal dysfunctions. *Dysphagia* 1993; 8:146-149.
15. Bartolome G, Prosiel M, Yassouridis A. Long-term functional outcome in patients with neurogenic dysphagia. *NeuroRehabilitation* 1997; 9:195-204.
16. Bastian RW. Contemporary diagnosis of the dysphagic patient. *Otolaryngol Clin North Am* 1998 Jun; 31(3): 489-506.
17. Bastian RW. Videoendoscopic evaluation of patients with dysphagia: an adjunct to the modified barium swallow. *Otolaryngol Head Neck Surg* 1991; 104:339-350.
18. Bath PM, Bath FJ, Smithard DG. Interventions for dysphagia in acute stroke. *Cochrane Database Syst Rev* 2000; (2): CD000323.

19. Blitzer A. Approaches to the patient with aspiration and swallowing disabilities. *Dysphagia* 1990; 5:129-137.
20. Boiron M, Rouleau P, Metman EH. Exploration of pharyngeal swallowing by audio signal recording. *Dysphagia* 1997 Spring; 12(2): 86-92.
21. Bove M, Mansson I, Eliasson I. Thermal oral-pharyngeal stimulation and elicitation of swallowing. *Acta Otolaryngol* 1998; 118:728-731.
22. Bryant M. Biofeedback in treatment of a selected dysphagic patient. *Dysphagia* 1991; 6:140-144.
23. Bulow M, Olsson R, Ekberg O. Videomanometric analysis of supraglottic swallow, effortful swallow, and chin tuck in healthy volunteers. *Dysphagia* 1999 Spring; 14(2): 67-72.
24. Bushman M, Dobmeyer S, Leeker L, Perimutter J. Swallowing abnormalities and their response to treatment in Parkinson's disease. *Neurology* 1989 Oct; 38:1309-1314.
25. Butcher, RB. Treatment of chronic aspiration as a complication of cerebrovascular accident. *Laryngoscope* 1982; 92:681-685.
26. Cefalu CA. Diagnosing and treating dysphagia. *Provider* 1999 Nov; 25(11): 71-72, 74-75.
27. Colodny N. Comparison of dysphagics and nondysphagics on pulse oximetry during oral feeding. *Dysphagia* 2000 Spring; 15(2): 68-73.
28. Crary MA. A direct intervention program for chronic neurogenic dysphagia secondary to brainstem stroke. *Dysphagia* 1995; 10:6-18.
29. Crogan JE, Burke EM, Caplan S, Denman S. Pilot study of 12-month outcomes of nursing home patients with aspiration on videofluoroscopy. *Dysphagia* 1994; 9:141-146.
30. Daniels SK, Foundas AL. Lesion localization in acute stroke patients with risk of aspiration. *J Neuroimaging* 1999 Apr; 9(2): 91-98.
31. Davis J, Lazarus C, Logemann J, Hurst P. Effect of a maxillary glossectomy prostheses on articulation and swallowing. *American Journal of Prosthodontic Dentistry* 1987; 57(6): 715-719.
32. Dejonckere P, Hordijk G. Prognostic factors for swallowing after treatment of head and neck cancer. *Clin Otolaryngol* 1998; 23:218-223
33. Denk DM, Kaider A. Videoendoscopic biofeedback: a simple method to improve the efficacy of swallowing rehabilitation of patients after head and neck surgery. *ORL Journal of Otorhinolaryngol Relat Spec* 1997 Mar-Apr; 59(2): 100-105.
34. DePippo KL, Holas MA, Reding MJ, Mandel FS, Lesser ML. Dysphagia therapy following stroke: a controlled trial. *Neurology* 1994 Sep; 44(9): 1655-1660.
35. DePippo K, Holas M, Reding M. The Burke dysphagia-screening test: Validation of its use in patients with stroke. *Arch Phys Med Rehabil* 1994 Dec; 75:1284-1286
36. Drake W, O'Donohue S, Bartram C, Lindsay J, Greenwood R. Eating in side-lying facilitates rehabilitation in neurogenic dysphagia. *Brain Inj* 1997 Feb; 11(2): 137-142.
37. Dray TG, Hillel AD, Miller RM. Dysphagia caused by neurologic deficits. *Otolaryngol Clin North Am* 1998 Jun; 31(3): 507-524.

38. Ekberg O. Posture of the head and pharyngeal swallowing. *Acta Radiologica Diagnosis* 1986;17:691-696.
39. Ekberg O, Nylander G. Cineradiography of the pharyngeal stage of deglutition in 250 patients with dysphagia. *Br J Radiol* 1982; 55:258-262.
40. Eliachar I, et al. Laryngotracheal stent for internal support and control of aspiration without loss of phonation. *Otolaryngol Head Neck Surg* 1990; 103:837-840.
41. Erlichman M. The role of speech language pathologists in the management of dysphagia. *Health Technology Assessment Reports* 1989; 1-10.
42. Feinberg M, Ekberg O, Segall L, Tully J. Deglutition in elderly patients with dementia: Findings of videofluorographic evaluation and impact on staging and management. *Radiology* 1992; 183:811-814
43. Finestone HM. Safe feeding methods in stroke patients. *Lancet* 2000 May; 355(9216): 1662-1663.
44. Friedman B, Frazier JB. Deep laryngeal penetration as a predictor of aspiration. *Dysphagia* 2000 Summer; 15(3): 153-8.
45. Fujii M, Logemann JA. Effect of a tongue-holding maneuver on posterior pharyngeal wall movement during deglutition. *American Journal of Speech-Language Pathology* 1996; 5:23-30.
46. Gilbert RW, et al. Management of patients with long-term tracheotomies and aspiration. *Ann Otol Rhinol Laryngol* 1987; 96:561-564.
47. Gordon C, Langton-Hewer R, Wade DT. Dysphagia in acute stroke. *BMJ* 1987; 295:411-414.
48. Goulding R, Bakheit AM. Evaluation of the benefits of monitoring fluid thickness in the dietary management of dysphagic stroke patients. *Clinical Rehabilitation* 2000 April; 14(2): 119-124.
49. Griffin KM. Swallowing training for dysphagic patients. *Arch Phys Med Rehabil* 1974 Oct; 55(10): 467-70.
50. Gupta V, Reddy NP, Canilang EP. Surface EMG measurements at the throat during dry and wet swallowing. *Dysphagia* 1996 Summer; 11(3): 173-179.
51. Hakan N, Ekberg O, Olsson R, Hindfelt B. Quantitative aspects of swallowing in an elderly nondysphagic population. *Dysphagia* 1996; 11:180-184.
52. Hamdy S, Aziz Q, Rothwell JC, Crone R, Hughes D, Tallis RC, Thompson DG. Explaining oropharyngeal dysphagia after unilateral hemispheric stroke. *Lancet* 1997 Sep; 350(9079): 686-692.
53. Hamlet S, Mathog R, Fleming S, Jones L, Muz I. Modification of compensatory swallowing in a supraglottic laryngectomy patient. *Head Neck* 1990; 12(2): 131-136.
54. Heimlich HJ. Rehabilitation of swallowing after stroke. *Ann Otol Rhinol Laryngol* 1983 Jul-Aug; 92(4 Pt 1): 357-359.
55. Helfrich-Miller KR, Rector KL, Straka JA. Dysphagia: Its treatment in the profoundly retarded patient with cerebral palsy. *Archives of Physical Medicine and Rehabilitation* 1986; 67:520-525.
56. Hoppers P, Holm SE. The role of fiberoptic endoscopy in dysphagia rehabilitation. *J Head Trauma Rehabil* 1999 Oct; 14(5): 475-485.
57. Horner J, Buoyer F, Alberts M, Helms M. Dysphagia following brain-stem stroke. *Arch Neurol* 1991 Nov; 48:1170-1173.

58. Jacob P, Kahrilas PJ, Logemann JA, Shah V, Ha T. Upper esophageal sphincter opening and modulation during swallowing. *Gastroenterology* 1989; 97:1469-1478.
59. Jacobsson C, Axelsson K, Norberg A, Asplund K, Wenngren BI. Outcomes of individualized interventions in patients with severe eating difficulties. *Clin Nurs Res* 1997 Feb; 6(1): 25-44.
60. Johnson ER, McKenzie SW, Sievers A. Aspiration pneumonia in stroke. *Arch Phys Med Rehabil* 1993; 74:973-976.
61. Jordan K. Rehabilitation of the patient with dysphagia. *Ear Nose Throat J* 1979 Feb; 58(2): 86-87.
62. Kagel MC, Leopold NA. Dysphagia in Huntington's Disease: A 16-year retrospective. *Dysphagia* 1992; 7(2): 106-114.
63. Kahrilas PJ, Logemann JA, Krugler C, Flanagan E. Volitional augmentation of upper esophageal sphincter opening during swallowing. *American Journal of Physiology* 1991; 260:G450-456.
64. Kahrilas PJ, Lin S, Rademaker AW, Logemann JA. Impaired degllutitive airway protection: a videofluoroscopic analysis of severity and mechanism. *Gastroenterology* 1997 Nov; 113(5): 1457-1464.
65. Kahrilas PJ, Logemann JA, Gibbons MS. Food intake by maneuver: An extreme compensation for impaired swallowing. *Dysphagia* 1992; 7:155-159.
66. Kahrilas PJ. Current investigation of swallowing disorders. *Baillieres Clin Gastroenterol* 1994; 8(4): 651-664.
67. Kasarskis EJ, Scarlata D, Hill R, Fuller C, Stambler N, Cedarbaum JM. A retrospective study of percutaneous endoscopic gastrostomy in ALS patients during the BDNF and CNTF trials. *Journal of Neurological Science* 1999 Oct; 169 (1-2): 118-125.
68. Kasprisin AT, Clumeck H, Nino-Murcia M. The efficacy of rehabilitative management of dysphagia. *Dysphagia* 1989; 4:48-52.
69. Kaye GM, Zorowitz RD, Baredes S. The role of flexible laryngoscopy in evaluating aspiration. *Ann Oto Rhinol Laryngol* 1997; 106:705-709.
70. Kayser-Jones J, Pengilly K. Dysphagia among nursing home residents. *Geriatric Nursing* 1999 Mar-Apr; 20(2): 77-82.
71. Khurana A, Thach BT. Effects of upper airway stimulation on swallowing, gasping, and autoresuscitation in hypoxic mice. *J Appl Physiol* 1996 Feb; 80(2): 472-477.
72. Kidder TM. Esophago/pharyngo/laryngeal interrelationships: airway protection mechanisms. *Dysphagia* 1995 Fall; 10(4): 228-231.
73. Killen JM. Understanding dysphagia: interventions for care. *Medsurg Nurs* 1996 Apr; 5(2): 99-101,104-105.
74. Klahn MS, Perlman AL. Temporal and durational patterns associating respiration and swallowing. *Dysphagia* 1999 Summer; 14(3): 131-138.
75. Klor BM, Milianti FJ. Rehabilitation of neurogenic dysphagia with percutaneous endoscopic gastrostomy. *Dysphagia* 1999; 14(3): 162-164.
76. Kuhlemeier KV, Yates P, Palmer JB. Intra-and interrater variation in the evaluation of videofluorographic swallowing studies. *Dysphagia* 1998 Summer; 13(3): 142-147.

77. Lama L, Lazarus C, Logemann J. Impact of thermal stimulation on the triggering of the swallowing reflex. *Dysphagia* 1986; 1:73-77.
78. Langmore SE. Efficacy of behavioral treatment for oropharyngeal dysphagia. *Dysphagia* 1995; 10(4): 259-262.
79. Langmore SE, Terpenning M, Schork A, et al. Predictors of aspiration pneumonia: how important is dysphagia? *Dysphagia* 1998; 13:69-81.
80. Larsen GL. Conservative management for incomplete dysphagia paralytica. *Arch Phys Med Rehabil* 1973 Apr; 54(4): 180-185.
81. Lazarus CL. Effects of radiation therapy and voluntary maneuvers on swallow functioning in head and neck cancer patients. *Clinical Communication Disorder* 1993; 3(4): 11-20.
82. Lazarus CL, Logemann JA, Gibbons P. Effects of maneuvers on swallowing function in a dysphagic oral cancer patient. *Head and Neck Surgery* 1993; 15:419-424.
83. Lazarus CL, Logemann JA, Rademaker AW, Kahrilas PJ, Pajak T, Lazar R, Halper A. Effects of bolus volume, viscosity and repeated swallows in nonstroke subjects and stroke patients. *Archives of Physical Medicine and Rehabilitation* 1993; 74:1066-1070.
84. Lazzara G, Lazarus CL, Logemann JA. Impact of thermal stimulation on the triggering of the swallowing reflex. *Dysphagia* 1986; 1:73-77.
85. Leder SB. Serial fiberoptic endoscopic swallowing evaluations in the management of patients with dysphagia. *Archives of Physical Medicine and Rehabilitation* 1998 Oct; 79(10): 1264-1269.
86. Leder SB. Fiberoptic endoscopic evaluation of swallowing in patients with acute traumatic brain injury. *J Head Trauma Rehabil* 1999 Oct; 14(5): 448-453.
87. Lee Huckabee M, Cannito M. Outcomes of swallowing rehabilitation in chronic brainstem dysphagia: A retrospective evaluation. *Dysphagia* 1999; 14:93-109.
88. Leopold N, Kagal M. Dysphagia in Huntington's disease. *Archives of Neurology* 1985; 42:57-60.
89. Linden P. Videofluoroscopy in the rehabilitation of swallowing dysfunction. *Dysphagia* 1989; 3(4): 189-191.
90. Logemann JA. Behavioral management for oropharyngeal dysphagia. *Folia Phoniatr Logo*. 1999 Jul-Oct; 51(4-5): 199-212.
91. Logemann JA. Rehabilitation of oropharyngeal swallowing disorders. *Acta Otorhinolaryngol Belg* 1994; 48(2): 207-215.
92. Logemann JA, Kahrilas P, Kobara M, Vakil N. The benefit of head rotation on pharyngoesophageal dysphagia. *Archives of Physical Medicine and Rehabilitation* 1989; 70(10): 767-771.
93. Logemann JA, Kahrilas PJ, Hurst P, Davis J, Krugler C. Effects of intraoral prosthetics on swallowing in oral cancer patients. *Dysphagia* 1989; 4:118-120.
94. Logemann JA, Kahrilas PJ, Cheng J, Pauloski BR, Gibbons PI, Rademaker AW, Lin S. Closure mechanisms of the laryngeal vestibule during swallowing. *American Journal of Physiology* 1992; 262:G338-344.
95. Logemann JA, Pauloski BR, ColangeloL, Lazarus C, Fujio M, Kahrilas PJ. Effects of a sour bolus on oropharyngeal swallowing measures in patients with neurogenic dysphagia. *Journal of Speech and Hearing Research* 1995; 38,556-563.

96. Logemann JA. Dysphagia: evaluation and treatment. *Folia Phoniatr Logop* 1995; 47(3): 140-64.
97. Logemann JA. Multidisciplinary management of dysphagia. *Acta Otorhinolaryngol Belg* 1994; 48(2): 235-238.
98. Logemann JA, Bytell D. Swallowing disorders in three types of head and neck surgical patients. *Cancer* 1979; 44:1095-1105.
99. Logemann JA. Non-invasive approaches to deglutitive aspiration. *Dysphagia* 1993; 8:331-333.
100. Logemann JA. Rehabilitation of head and neck cancer patient. *Semin Oncol* 1994; 21:359-365.
101. Lucas C, Rodgers H. Variation in the management of dysphagia after stroke: does SLT make a difference? *International Journal of Language and Communication Disorder* 1998; 33 Suppl: 284-289.
102. Madden C, Fenton J, Hughes J, Timon J. Comparison between videofluoroscopy and milk-swallow endoscopy in the assessment of swallowing function. *Clin. Otolaryngol* 2000; 25:504-506.
103. Marks L, Turner K, O'Sullivan J, Deighton B, Lees A. Drooling in Parkinson's disease: A novel speech and language therapy intervention. *Session* 6.2:282-287.
104. Martin BJW, Logemann JA, Shaker R, Dodds WJ. Coordination between respiration and swallowing: respiratory phase relationships and temporal integration. *J Appl Physiol* 1994 Feb; 76(2): 714-723.
105. Martin BJW, Logemann JA, Shaker R, Dodds WJ. Normal laryngeal valving patterns during three breath hold maneuvers: A pilot investigation. *Dysphagia* 1993; 8:11-20.
106. Martin-Harris B, Logemann J, McMahon S, Schleicher M, Sandige J. Clinical utility of the modified barium swallow. *Dysphagia* 2000; 15:136-141.
107. Miller J, Watkin K. The influence of bolus volume and viscosity on anterior lingual force during the oral stage of swallowing. *Dysphagia* 1996; 11:117-124.
108. Miller RM, Langmore SE. Treatment efficacy for adults with oropharyngeal dysphagia. *Arch Phys Med Rehabil* 1999 Nov; 75(11): 1256-1262.
109. Nagaya M, Kachi T, Yamada T. Effect of swallowing training on swallowing disorders in Parkinson's Disease. *Scand J Rehabil Med* 2000 Mar; 32(1): 11-15.
110. Nagaya M, Kachi T, Yamada T, Igata A. Videofluorographic study of swallowing in Parkinson's Disease. *Dysphagia* 1998 Spring; 13(2): 95-100.
111. Neumann S. Swallowing therapy with neurologic patients: results of direct and indirect therapy methods in 66 patients suffering from neurological disorders. *Dysphagia* 1993; 8:150-153.
112. Neurmann S, Bartolome G, Buchholz D, Prosiegel M. Swallowing therapy of neurologic patients: correlation of outcome with pretreatment variables and therapeutic methods. *Dysphagia* 1995; 10:1-5.
113. Newton H, Newton C, Pearl D, Davidson T. Swallowing assessment in primary brain tumor patients with dysphagia. *Neurology* 1994 Oct; 44:1927-1932.
114. Nilsson H, Ekberg O, Olsson R, Hindfelt B. Quantitative aspects of swallowing in an elderly nondysphagic population. *Dysphagia* 1996; 11:180-184.
115. Nishino T, Hasegawa R, Ide T, Isono S. Hypercapnia enhances the development of coughing during continuous infusion of water into the pharynx. *Am J Respir Crit Care Med* 1998 Mar; 157(3 Pt 1): 815-821.

116. Norton B, Homer-Ward M, Connell MT, Long RG, Holmes GK. A randomized prospective comparison of percutaneous endoscopic gastrostomy and nasogastric tube feeding after acute dysphagic stroke. *British Medical Journal* 1996 Jan; 312(7022): 13-16.
117. Odderson IR, Keaton JC, McKenna BS. Swallow management in patients on an acute stroke pathway: quality is cost effective. *Archives of Physical Medicine and Rehabilitation* 1995; 76(12): 1130-1133.
118. O'Loughlin G, Shanley C. Swallowing problems in the nursing home: a novel training response. *Dysphagia* 1998 Summer; 13(3): 172-183.
119. O'Neil K, Purdy M, Falk J, Gallo L. The dysphagia outcome and severity scale. *Dysphagia* 1999; 14:139-145.
120. Pinnington L, Muhiddin K, Lobeck M, Pearce V. Interrater and intrarater reliability of the Exeter dysphagia assessment technique applied to healthy elderly adults. *Dysphagia* 2000; 15:6-9.
121. Pouderoux P, Logemann JA, Kahrilas PJ. Pharyngeal swallowing elicited by fluid infusion: role of volition and vallecular containment. *Am J Physiol* 1996 Feb; 270(2 Pt 1): G347-354.
122. Reddy NP, Simcox DL, Gupta V, Motta GE, Coppenger J, Das A, Buch O. Biofeedback therapy using accelerometry for treating dysphagic patients with poor laryngeal elevation: case studies. *J Rehabil Res Dev* 2000 May-Jun; 37(3): 361-372.
123. Rosenbek JC, Robbins J, Willford WO, et al. Comparing treatment intensities of tactile-thermal application. *Dysphagia* 1998 Winter; 13(1): 1-9.
124. Rosenbek JC. Efficacy in dysphagia. *Dysphagia* 1995; 10(4): 263-267.
125. Rosenbeck JC, Robbins J, Fishback B, Levine RL. Effects of thermal application on dysphagia after stroke. *Journal of Speech, Language and Hearing Research* 1991; 34:1257-1268.
126. Rosenbeck JC, Roecker EB, Wood JB, Robbins J. Thermal application reduced the duration of stage transition in dysphagia after stroke. *Dysphagia* 1996; 11:225-233.
127. Schurr MJ, Ebner KA, Maser AL, Sperling KB, Helgerson RB, Harms B. Formal swallowing evaluation and therapy after traumatic brain injury improves dysphagia outcomes. *Journal of Trauma* 1999 May; 46(5): 817-821.
128. Sellars C, Campbell AM, Stott DJ, Stewart M, Wilson JA. Swallowing abnormalities after acute stroke: A case control study. *Dysphagia* 1999 Fall; 14(4): 212-218.
129. Sellars C, Dunnet C, Carter R. A preliminary comparison of videofluoroscopy of swallow and pulse oximetry in the identification of aspiration in dysphagic patients. *Dysphagia* 1998 Spring; 13(2): 82-86.
130. Shaker R, Zamir Z, Dodds W, Hogan W, Hoffman R. Effect of age and bolus variables on the coordination of the glottis and upper esophageal sphincter during swallowing. *Am. Coll. Of Gastroenterology* 1993 July; 88(5): 665-669.
131. Shingai T, Miyaoka Y, Ikarashi R, Shimada K. Swallowing reflex elicited by water and taste solutions in humans. *Am J Physiol* 1989 Apr; 256(4 Pt 2): R822-826.
132. Siebens AA, Linden P. Dynamic imaging for swallowing reeducation. *Gastrointestinal Radiology* 1985; 10(3): 251-253.
133. Smith CH, Logemann JA, Colangelo LA, Rademaker AW, Pauloski BR. Incidence and patient characteristics associated with silent aspiration in the acute care setting. *Dysphagia* 1999 Winter; 14(1): 1-7.

134. Splaingard M, Hutchins B, Sulton L, Chaudhuri G. Aspiration in rehabilitation patients: videofluoroscopy vs. bedside clinical assessment. *Arch Phys Med Rehabil* 1988; 69:637-640.
135. Sukthankar SM, Reddy NP, Canilang EP, Stephenson L, Thomas R. Design and development of portable biofeedback systems for use in oral dysphagia rehabilitation. *Med Eng Phys* 1994 Sep; 16(5): 430-435.
136. Teasell R, McRae M, Heitzner J, Bhardwaj A, Finestone H. Frequency of videofluoroscopic modified barium swallow studies and pneumonia in stroke rehabilitation patients: a comparative study. *Arch Phys Med Rehabil* 1999 Mar; 80:294-298.
137. Teramoto S, Matsuse T, Fukuchi Y, Ouchi Y. Simple two-step swallowing provocation test for elderly patients with aspiration pneumonia. *Lancet* 1999 Apr 10; 353(9160): 1243.
138. Tippett DC, Palmer J, Linden P. Management of dysphagia in a patient with closed head injury: a case report. *Dysphagia* 1987; 1:221-226.
139. Triadafilopoulos G, Tsang P, Segall G. Hot water swallows improve symptoms and accelerate esophageal clearance in esophageal motility disorders. *J Clin Gastroenterol* 1998; 26(4): 239-244.
140. Warms T, Richards J. "Wet Voice" as a predictor of penetration and aspiration in oropharyngeal dysphagia. *Dysphagia* 2000 Spring; 15(2): 84-88.
141. Welch MY, Logemann JA, Rademaker AW, Kahrilas PJ. Changes in pharyngeal dimensions affected by chin tuck. *Archives of Physical Medicine and Rehabilitation* 1993; 74:178-181.
142. Zuydam AC, Rogers SN, Brown JS, Vaughan ED, Magennis P. Swallowing rehabilitation after oro-pharyngeal resection for squamous cell carcinoma. *Br J Oral Maxillofac Surg* 2000 Oct; 38(5): 513-518.