

Low Vision References

1. Special Issue on Low Vision. *Am J Occup Ther* 1995 Oct; 49(9): 857-930.
2. Achiron LR, Witkin NS, McCarey B, Primo S. The illuminated high contrast macular grid: a pilot study. *J Am Optom Assoc* 1995; 66(11): 693-697.
3. Ahn SJ, Legge GE. Psychophysics of reading XIII. Predictors of magnifier aided reading speed in low vision. *Vision Res* 1995 Jul; 35(13): 1931-1938.
4. Apple LE, Blasch BB. Workshop on low vision mobility. Visual training without aids. *Bull Prosthet Res* 1976 Fall; 60-74.
5. Archambault P, Colebrander A. Visual results with low vision aids in age-related macular degeneration. *Am J Ophthalmol* 1989 May; 107(5): 564-566.
6. Ardid A. Elicited sequential presentation for low vision reading. *Vision Res* 1999 Oct; 39(26): 4412-4418.
7. Arnold RW, Coon L, Reber P, Armitage MD. Collaborative visual rehabilitation: high astigmatism, esotropia and elevator palsy. *Alaska Med* 1995 Jul-Sep; 37(3): 88-90.
8. Bailey IL, Bullimore MA, Greer RB, Mattingly WB. Low vision magnifiers-their optical parameters and methods for prescribing. *Optom Vis Sci* 1994 Nov; 71(11): 689-698.
9. Bagley M. Helping older adults to live better with hearing and vision losses. *J Case Manag* 1998; 7(4): 147-152.
10. Barron C. Low vision rehabilitation of multiple sclerosis: a case report. *J Am Optom Assoc* 1993 Jan; 64(1): 38-44.
11. Baum CM, Bachelder JM. Rehabilitation of patients with progressive multiple sensory losses including use of corrective lens and low vision aids. *Seminars in Hearing* 1995 Aug; 16(3): 281-286.
12. Bertrand T, Junginger H, Romanet JP, Mouillon M. Description of the prismation method in the rehabilitation of low vision of macular origin. *J Fr Ophthalmol* 1997; 20(4): 271-276.
13. Bienfang DC, Kurtz D. Management of functional vision loss. *J Am Optom Assoc* 1998 Jan; 69(1): 12-21.
14. Birchall W. Minimizing the impact of visual impairment. Training in use of low vision aid. *BMJ* 1999 Sep; 319(7211): 707.
15. Birnbaum MH, Sodden R, Cohen AH. Efficacy of vision therapy for convergence insufficiency in an adult male population. *J Am Optom Assoc* 1999; 60(4): 225-232.
16. Bischoff P. Long-term results of low vision rehabilitation in age related macular degeneration. *Doc Ophthalmol* 1995; 89(4): 305-311.
17. Blasch BB. Low vision and blindness. *J Rehabil Res De* 1999 Oct; 36(4): vii-x.
18. Boulton LM. Computer hardware and software to assist the visually impaired and blind. *Aust NZ J Ophthalmol* 1993 Feb; 21(1): 7-14.
19. Boulton LM. A clinical evaluation of equipment which allows the partially sighted and blind to access computer-based information. *Aust NZ J Ophthalmol* 1989; 17(1): 87-93.
20. Boulton LM. Results of three years of low vision care at Palmerston North Hospital. *Trans Ophthalmol Soc NZ* 1979; 31:27-31.

21. Bunning ME, Hanzlik JR. Adaptive computer use for a person with visual impairment. *American Journal of Occupational Therapy* 1993 Nov; 47(11): 99-1008.
22. Carnall D. Drivers' visual acuity. *BMJ* 2000;21; 321(7267): 1028A.
23. Cate Y, Baker SS, Gilbert MP. Occupational therapy and the person with diabetes and vision impairment. *Am J Occup Ther* 1995 Oct; 49(9): 905-911.
24. Chan IM, Friedman GR, Ho PC, Tolentino FL. Low vision aids for patients with sub-optimal vision after closed vitrectomy for diabetic vitreous hemorrhage. *Ophthalmology* 1984; 91(5): 458-460.
25. Chereshanskii VA, Budiianskaia LM, Ivanchenko IA, Karsh LA. Cane for the blind with a device for detecting and recognizing pedestrian obstacles. *Med Tekh* 1998 Jan-Feb;(1): 32-34.
26. Cohen JM, Waiss B. Comparison of reading speed in normal observers through different forms of equivalent power low vision devices. *Optom Vis Sci* 1991 Feb; 68(2): 127-131.
27. Colenbrander A, Fletcher DC. Basic concepts and terms for low vision rehabilitation. *Am J Occup Ther* 1995 Oct; 49(9): 865-869.
28. Colenbrander A, Fletcher DC. Low vision rehabilitation: vision requirements for driving. *J Ophthalmic Nurs Technol* 1992; 11(3): 111-115.
29. Colebrander A, Fletcher DC. Low vision rehabilitation: visual acuity measurement in the low vision range. *J Ophthalmic Nurs Techno.* 1992; 11(2): 62-69.
30. Collee CM, Jalkh AE, Weiter JJ, Friedman GR. Visual improvement with low vision aids in Stargardt's Disease. *Ophthalmology* 1985; 92(12): 1657-1659.
31. Connolly JK. Considerations for the visually impaired older worker. *Work: A Journal of Prevention, Assessment & Rehabilitation* 1991 fall; 2(1): 19-28.
32. Cooper BA. The utility of functional colour cues – senior's views. *Scandinavian Journal of Caring Sciences* 1999; 13(3): 186-192.
33. Cooper BA, Letts L, Rigby P. Exploring the use of color cueing on assistive device in the home: six case studies. *Physical & Occupational Therapy in Geriatrics* 1993; 11(4): 47-59.
34. Corbe C, Menu JP, Maille M, Boissin JP. Aids for low vision – strategic approach. *Bull Soc Ophtalmol Fr* 1989 Jan; 89(1): 31-34(French).
35. Cullinan TR, Silver JH, Gould ES, Irvine D. Visual disability and home lighting. *Lancet* 1979; 1(8117): 642-644.
36. Cummings RW, Whitaker SG, Watson GR, et al. Scanning characters and reading with a central scotoma. *Am J Optom Physiolog Opt* 1985; 68:218-223.
37. De Benabib RM, Nelson CA. Efficiency in visual skills and postural control: a dynamic interaction. *Occupational Therapy Practice* 1991 Dec; 3(1): 57-68.
38. Demarco G. Diabetes and low vision rehabilitation. *J Am Optom Assoc* 1988; 59(5): 362-262.
39. Demer JL, Goldberg J, Porter FI, Schmidt K. Validation of physiologic predictors of successful telescopic spectacle use in low vision. *Invest Ophthalmol Vis Sci* 1991 Sep; 32(10): 2826-2834.
40. Demer JL, Goldberg J, Porter FI. Effect of telescopic spectacles on head stability in normal and low vision. *J Vestib Res* 1990-91; 1(2): 109-122.

41. Demer JL, Porter FI, Goldberg J, Jenkins HA, Schmidt K, Ulrich I. Predictors of functional success in telescopic spectacle use by low vision patients. *Invest Ophthalmol Vis Sci* 1989; 30(7): 1652-1665.
42. Demers-Turco P. Providing timely and ongoing vision rehabilitation services for the diabetic patient with irreversible vision loss from diabetic retinopathy. *Journal of American Optometry Association* 1999 Jan; 70(1): 49-62.
43. Den Brinker BP, Beek PJ. Reading with magnifier. *Ergonomics* 1996; 39(10): 1231-1248.
44. Dickinson CM. Low vision rehabilitation: caring for the whole person. *Br J Ophthalmol* 1999; 83(10): 1207C.
45. Dillehay SM, Pensyl CD. Low vision aids and the presbyope. *J Am Optom Assoc* 1991; 62(9): 704-710.
46. Domey RG, McFarland RA, Chadwick E. Threshold and rate of dark adaptation as functions of age and time. *Hum Factors* 1960; 8:109-120.
47. Ducrey N, Gildschmidt M, Moroszlay S, Moreau D. Follow up of patients suffering from age-related macular degeneration, supplied with visual aids. *Klin Monatsbl Augenheilkd* 2000 May; 216(5): 278-282. (French)
48. Eagan SM, Jacobs RJ, Demers-Turco PL. Study of luminance effects on pinhole test results for visually impaired patients. *Optom Vis Sci* 1999 Jan; 76(1): 50-58.
49. Edmans JA, Lincoln NB. Treatment of visual perceptual deficits after stroke: single case studies on four patients with right hemiplegia. *British Journal of Occupational Therapy* 1991 April; 54(4): 139-144.
50. Ehrlich D. A comparative study in the use of closed circuit television reading machines and optical aids by patients with retinitis pigmentosa and maculopathy. *Ophthalmic Physiol Opt* 1987; 7(3): 293-302.
51. Eisner A, Fleming SA, Klein M, et al. Sensitivities in older eyes with good acuity: cross sectional norms. *Invest Ophthalmol Vis Sci* 1987; 25:1824-1831.
52. Eperjesi F, Fowler CW, Kempster AJ. Luminance and chromatic contrast effects on reading and object recognition in low vision. *Ophthalmic Physiol Opt* 1995 Nov; 15(6): 561-568.
53. Faes FF. A study of successful and unsuccessful low vision rehabilitation patients. *Am J Optom Physiol Opt* 1981 May; 58(5): 404-407.
54. Faubert J, Overbury O. Binocular vision in older people with adventitious visual impairment: sometimes one eye is better than two. *J Am Geriatr Soc* 2000 Apr; 48(4): 375-380.
55. Fine EM, Hazel CA, Petre KL, Rubin GS. Are the benefits of sentence context different in central and peripheral vision? *Optom Vis Sci* 1999 Nov; 76(11): 764-769.
56. Fine EM, Peli E. Scrolled and rapid serial visual presentation texts are read at similar rates by the visually impaired. *J Opt Soc Am A* 1995 Oct; 12(10): 2286-2292.
57. Fine EM, Peli E. Benefits of rapid serial visual presentation over scrolled text vary with letter size. *Optom Vis Sci* 1998 Mar; 75(3): 191-196.
58. Fine EM, Peli E. The role of context in reading with central field loss. *Optom Vis Sci* 1996 Aug; 73(8): 533-539.
59. Fine EM, Peli E. Visually impaired observers require a larger window than normally sighted observers to read from a scroll display. *J Am Optom Assoc* 1996; 67(7): 390-396.
60. Fine EM, Kirschen MP, Peli E. The necessary field of view to read with an optical magnifier. *J Am Optom Assoc* 1996; 67:382-388.

61. Finkelstein D, Feinberg SJ, Flom RE, Hedstrom NJ, Leinhaas M, Raasch TW, Rubin GS, Massof RW. Visual prostheses and visual rehabilitation in low vision research, assessment, and management. *Curr Opin Ophthalmol* 1991 Dec; 2(6): 729-732.
62. Fishbaugh J. High technology for low vision. *Insight* 1996; 80(4): 380-381.
63. Fletcher DC, Shindell S, Hindman T, Schaffrath M. Low vision rehabilitation. *West J Med* 1991 May; 154(5): 554-556.
64. Freeman PB, Jose RT. Enhancing decreased sight of patients with traumatic brain injury. *NeuroRehabilitation* June 1996; 6(3): 203-212.
65. Frennesson C, Jakobsson P, Nilsson UL. A computer and video display based system for training eccentric viewing in macular degeneration with an absolute central scotoma. *Doc Ophthalmol* 1995; 91(1): 9-16.
66. Gelstine N, Wetzel G. Focus: vision therapy: binasal occluders: a viable alternative. *OT Week* 1991; 5(39): 12-13.
67. Gieser DK. Visual rehabilitation: the challenge, responsibility, and reward. *Ophthalmology* 1992 Oct; 99(10): 1622-1625.
68. Goodrich GL, Mehr EB, Darling NC. Parameters in the use of CCTV's and optical aids. *Am J Optom Physiol Opt* 1980 Dec; 57(12): 881-892.
69. Goodrich GL, Mehr EB. Eccentric viewing training and low vision aids: current practice and implications of peripheral retinal research. *Am J Optom Physiol Opt* 1986 Feb; 63(2): 119-126.
70. Goodrich GL, Mehr EB, Quillman RD, Shaw HK, Wiley JK. Training and practice effects in performance with low vision aids. *Am J Optom Physiol Opt* 1977 May; 54(5): 312-318.
71. Greenblatt SL. Training ophthalmology residents to treat patients with vision loss. Results of a demonstration program. *Ophthalmology* 1990 Jan; 97(1): 138-143.
72. Greene HA, Beadles R, Pekar J. Challenges in applying autofocus technology to low vision telescopes. *Optom Vis Sci* 1992; 69(1): 25-31.
73. Greene HA, Pekar J, Brillant R, Freeman PB, Lewis HT, Siwoff R, Madden DJ, Westlund RE. Use of spectacle mounted telescope systems by the visually impaired. *J Am Optom Assoc* 1993; 64(7): 507-513.
74. Haegerstrom-Portnoy G, Schnect ME, Brabyn JA. Seeing into old age: vision function beyond acuity. *Optom Vis Sci* 1999; 76:141-158.
75. Harland S, Legge GE, Luebker A. Psychophysics of reading. XVII. Low vision performance with four types of electronically magnified text. *Optom Vis Sci* 2000 Mar; 77(3): 183-190.
76. Harper R, Doorduy K, Reeves B, Slater L. Evaluating the outcomes of low vision rehabilitation. *Ophthalmic Physiol Opt* 1999 Jan; 19(1): 3-11.
77. Harper R, Culham L, Dickinson C. Head mounted video magnification devices for low vision rehabilitation: a comparison with existing technology. *Br J Ophthalmol* 1999 Apr; 83(4): 495-500.
78. Hillman JS. Aids for low vision in the elderly. *Br Med J* 1988; 296(6615): 102-102.
79. Hoeft W. Optometric contributions to the vision rehabilitation network. *J Am Optom Assoc* 1995 Jan; 66(1): 14-15.
80. Hoeft WW. The management of visual field defects through low vision aids. *J Am Optom Assoc* 1980; 51(9): 863-864.

81. Hoyng CB, Verezen CA, De Jong PT. Vision rehabilitation of patients with old-age macular degeneration. *Ned Tijdschr Geneeskd* 1998; 142(4): 164-169.
82. Inage K, Hara T, Hara T. Assisting low-vision patients in Japan. *J Ophthalmic Nurs Technol* 1993; 12(3): 107-111.
83. Innes AL, Cohen J. Spectacle/loupe telescope designed for reading music. *J Am Optom Assoc* 1997; 68(7): 459-462.
84. Iusupov RG, Gareev EM, Muldashev ER. Effects of repeated courses of electrostimulation and psychophysiologic correction on visual system characteristics in patients with poor vision of different genesis. *Vest Oftalmol* 1999; 115(4): 26-30.
85. Ji YH, Park HJ, Ph SY. Clinical effect of low vision aids. *Korean Journal of Ophthalmology* 1999 Jun; 13(1): 52-56.
86. Jin CJ. The relationship between reading rehabilitation and visual function in low vision. *Chung Hua Yen Ko Tsa Chih* 1992 Sep; 28(5): 276-278.
87. Johnson JT, Johnson BF, Blasch BB, de l'Aune WD. Gait and long cane kinematics: a comparison of sighted and visually impaired subjects. *J Orthop Sports Phys Ther* 1998 Feb; 27(2): 162-166.
88. Jordan M, Stelmack J, Hollyfield R, Richer S. Specialization in low vision rehabilitation and visual therapy. *J Am Optom Assoc* 1991 Jan; 62(1): 28-31.
89. Kelleher DK. Training low vision patients. *J Am Optom Assoc* 1976; 47(9): 1395-1401.
90. Klavora P, Warren M. Rehabilitation of visual motor skills in poststroke patients using the Dynavision apparatus. *Perceptual and Motor Skills* 1998 Feb; 86(1): 23-30.
91. Krefman RA. Reversed telescopes on visual efficiency scores in field-restricted patients. *Am J Optom Physiol Opt* 1981; 58(2): 159-162.
92. Kupfer C. The low vision education program: improving quality of life. *Optom Vis Sci* 1999; 76(11): 729-730.
93. Kuyk T, Elliott JL, Fuhr PS. Visual correlates of mobility in real world settings in older adults with low vision. *Optom Vis Sci* 1998 Jul; 75(7): 538-547.
94. Kuyk T, Elliott JL, Biehl J, Fuhr PS. Environmental variables and mobility performance in adults with low vision. *J Am Optom Assoc* 1996 Jul; 67(7): 403-409.
95. La Grow S. The use of the sonic pathfinder as a secondary mobility aid for travel in business environments: a single subject design. *J Rehabil Res Dev* 1999; 36(4): 333-340.
96. Lampert J, Lapolice DJ. Functional considerations in evaluation and treatment of the client with low vision. *Am J Occup Ther* 1995 Oct; 49(9): 885-890.
97. Lancioni GE, Oliva D, Gnocchini F. A visual orientation system for promoting indoor travel in persons with profound developmental disabilities and visual impairment. *Percept Mot Skills* 1996 Oct; 83(2): 619-626.
98. Landers A, Billington B, Tapley J. Low vision. *Br J Ophthalmol* 1996 Apr; 80(4): 380-381.
99. Langlois J. Recent progress in psychosensory rehabilitation of low vision. The third method for prevention of blindness. *Bull Acad Natl Med* 1997; 181(4): 699-707(French).

- 100.Langmann A, Lindner S, Kollegger E. Low vision training for better usage of magnifying visual aids. *Ophthalmologica* 1994; 208(2): 92-94.
- 101.Lawton TA, Sebag J, Sadun AA, Castleman KR. Image enhancement improves reading performance in age-related macular degeneration patients. *Vision Res* 1998; 38(1): 153-162.
- 102.Leat SJ, Fryer A, Rumney NJ. Outcome of low vision aid provision: the effectiveness of a low vision clinic. *Ophthalmology Visual Science* 1994 Mar; 71(3): 199-206.
- 103.Leat SJ, Wood GC. Vision assessment and rehabilitation in low vision. *Curr Opin Ophthalmol* 1992 Dec; 3(6): 796-802.
- 104.Leat SJ, Woodhouse JM. Reading performance with low vision aids: relationship with contrast sensitivity. *Ophthalmic Physiol Opt* 1993 Jan; 13(1): 9-16.
- 105.Lindner H, Rohl FW, Behrens-Baumann W. Contrast enhancement in the public environment-improvement in orienting capacity of visually handicapped patients. *Klin Monatsbl Augenheilkd* 1999 Apr; 214(4): 231-245. (German).
- 106.Loshin DS, White J. Contrast sensitivity. The visual rehabilitation of the patient with macular degeneration. *Arch Ophthalmol* 1984; 102(9): 1303-1306.
- 107.Lotery AJ, Wiggam MI, Jackson AJ, Refson K, Fullerton KJ, Gilmore DH, Beringer TR. Correctable visual impairment in stroke rehabilitation patients. *Age Aging* 2000; 29(3): 221-222.
- 108.Lovie-Kitchin JE, Woo GC. Effect of magnification and field of view on reading speed using a CCTV. *Ophthalmic Physiol Opt* 1988;8(2): 139-145.
- 109.Lowe JB, Drasdo N. Efficiency in reading with closed-circuit television for low vision. *Ophthalmol Physiol Opt* 1990 Jul; 10(3): 225-233.
- 110.Lowe JB. Effect of magnification and field of view on reading speed. *Ophthalmic Physiol Opt* 1989; 9(1): 96-97.
- 111.Maeda A, Nakamura K, Otoma A, Higuchi S, Motohashi Y. Body support effect on standing balance in the visually impaired elderly. *Arch Phys Med Rehabil* 1998 Aug; 79(8): 994-997.
- 112.Maino JH. Computer low vision aids. *J Am Optom Assoc* 1985 Jan; 56(1): 49-53.
- 113.Mancil GL, Nowakowski R. Evaluation of reading speed with four low vision aids. *Am J Optom Physiol Opt* 1986; 63(9): 708-713.
- 114.Mann RW. Low vision and blindness. *J Rehabil Res Dev* 2000 Mar-Apr; 37(2):xv-xvi.
- 115.Mann WC, Hurren D, Tomita M. Comparison of assistive device use and needs of home-based older persons with different impairments. *The American Journal of Occupational Therapy* 1993 Nov; 47(11): 980-987.
- 116.Margrain TH. Helping blind and partially sighted people to read: the effectiveness of low vision aids. *Br J Ophthalmol* 2000; 84(8): 919-921.
- 117.Margrain TH. Minimizing the impact of visual impairment. Low vision aids are a simple way of alleviating impairment. *BMJ* 1999 Jun; 318(7197): 1504.
- 118.Marsland D, Leoussi AS, Norcross P. Disability abated: audiocassettes for the visually impaired. *J R Soc Health* 1994 Feb; 114(1): 29-32.
- 119.Marx MS, Werner P, Cohen-Mansfield J, Feldman R. The relationship between low vision and performance of activities of daily living in nursing home residents. *J Am Geriatr Soc* 1992 Oct; 40(10): 1018-1020.

120. Massof RW. A systems model for low vision rehabilitation. Measurement of vision disabilities. *Optom Vis Sci* 1998 May; 75(5): 349-373.
121. Massof RW. A systems model for low vision rehabilitation. Basic concepts. *Optom Vis Sci* 1995 Oct; 72(10): 725-736.
122. Mather AG, Raizada IN, Maini R, Maini AK. Partially sighted- their management with low vision aids. *Indian J Ophthalmol* 1986; 34:350-352.
123. McCabe CP, Bergman SB. Vision rehabilitation for physiatry residents. *Am J Phys Med Rehabil* 1999; 78(4): 389-391?
124. McIlwaine GG, Bell JA, Dutton GN. Low vision aids: is our service cost effective? *Eye* 1991; 5:607-611.
125. McMahon TT, Hansen M, Stelmack J, Oliver P, Viana MA. Saccadic eye movements as a measure of the effect of low vision rehabilitation on reading rate. *Optom Vis Sci* 1993; 70(6): 506-510.
126. McMahon TT, Hansen M. Treatment of low vision in the progressive cone dystrophies. *Am J Optom Physiol Opt* 1988 Nov; 65(11): 909-914.
127. Mehr E, Shindell S. Advances in low vision and blind rehabilitation. *Adv Clin Rehabil* 1990; 3:121-147.
128. Messinger-Rapport BJ, Rader E. High risk on the highway. How to identify and treat the impaired older driver. *Geriatrics* 2000; 55(10): 32-34.
129. Mile DL, Odell JG, Behrens MM, Zhang X, Hood DC. Functional bitemporal quadratopia and the multifocal visual evoked potential. *J NeuroOphthalmol* 2000; 20(3): 159-162.
130. Miller KB. A novel approach to providing educationally based low vision services and outreach clinical and vision support services to the visually impaired. *J Am Optoma Assoc* 1995 Feb; 66(2): 129-133.
131. Moore LW. Severe visual impairment in older women. *West J Nurs Res* 2000 Aug; 22(5): 571-588.
132. Muth ER, Laurent JM, Jasper P. The effect of bilberry nutritional supplementation on night vision acuity and contrast sensitivity. *Altern Med Rev* 2000; 5(2): 164-173.
133. Myrberg M, Backman O, Lennerstrand G. Reading proficiency of older visually impaired persons after rehabilitation. *J Vis Imp Blind* 1996; 90:341-351.
134. Nasrallah FP, Jalkh AE, Friedman GR, Trempe CL, McMeel JW. Visual results with low vision aids in age related macular degeneration. *Am J Ophthalmol* 1988 Dec; 106(6): 730-734.
135. Nerenberg B. A new mirror design for hemianopia. *Am J Optom Physiol Opt* 1980; 57(3): 183-186.
136. Neve JJ. On the use of hand-held magnifiers during reading. *Optom Vis Sci* 1989 Jul; 66(7): 440-449.
137. Nilsson UL, Nilsson SE. Rehabilitation of the visually handicapped with advanced macular degeneration. A follow-up study at the low vision clinic. *Doc Ophthalmol* 1986 May 15; 62(4): 345-367.
138. Nilsson UL. Visual rehabilitation of patients with advanced stages of glaucoma, optic atrophy, myopis or retinitis pigmentosa. *Doc Ophthalmol* 1988 Dec; 70(4): 363-383.
139. Nilsson UL, Frennesson C, Nilsson SE. Location and stability of a newly established eccentric retinal locus suitable for reading, achieved through training of patients with a dense central scotoma. *Optom Vis Sci* 1998 Dec; 75(12): 873-878.

- 140.Nilsson U. Visual rehabilitation with and without educational training in the use of optical aids and residual vision: a prospective study of patients with advanced age-related macular degeneration. *Clin Vis Sci* 1990; 6:3-10.
- 141.Nottle HR, McCarty CA, Hassell JB, Keeffe JE. Detection of vision impairment in people admitted to aged care assessment centers. *Clinical Experiments in Ophthalmology* 2000 Jun; 28(3): 162-164.
- 142.Okovitov VV. Electrical stimulation of the visual analyzer in the rehabilitation of flying personnel with abnormal refraction. *Aviakosm Ekolog Med* 2000; 34(2): 58-61.
- 143.Owsley C, Ball K, Keeton DM. Relationship between visual sensitivity and target localization in older adults. *Vis Res* 1995; 35:579-587.
- 144.Owsley C, Ball K, McGwin G, et al. Visual processing impairment and risk of motor vehicle crash among older adults. *JAMA* 1998; 279:1083-1088.
- 145.Padula WV. Low vision related to function and rehabilitation. *Yen Ko Hsueh Pao* 1986; 2(2): 103-108.
- 146.Pankow L, Pliskin N, Luchins D. An optical intervention for visual hallucinations associated with visual impairment and dementia in elderly patients. *J Neuropsychiatry Clin Neurosci* 1996 Winter;8(1): 88-92.
- 147.Park W. Vision rehabilitation for age-related macular degeneration. *Int Ophthalmol Clin* 1999 Fall; 39(4): 143-162.
- 148.Park WL, Unatin J, Herbert A. A driving program for the visually impaired. *J Am Optom Assoc* 1993; 64(1): 54-59.
- 149.Paul W. The role of computer assistive technology in rehabilitation of the visually impaired. *Am J Ophthalmol* 1999 Jan; 127(1): 75-76.
- 150.Peli E, Siegmund WP. Fiber-optic reading magnifiers for the visually impaired. *J Opt Soc Am A* 1995 Oct; 12(10): 2274-2285.
- 151.Pelli DG, Legge GE, Schleske MM. Psychophysics of reading. A fiberscope low-vision reading aid. *Invest Ophthalmol Vis Sci* 1985 May; 26(5): 751-763.
- 152.Pelli E, Lee E, Trempe CL, Buzney S. Image enhancement for the visually impaired: the effects of enhancement on face recognition. *J Opt Soc Am A* 1994 Jul; 11(7): 1929-1939.
- 153.Peralta C. A team approach to vision rehabilitation. *OT Practice* Apr1999; 4(3): 46-48.
- 154.Perez-Franco AM. Modification of the univision lens for a low-vision bifocal user. *J Am Optom Assoc* 1996 May; 67(5): 283-287.
- 155.Pinto MR, DeMedici S, Zlotnicki A, Bianchi A, van Sant C, Napoli C. Reduced visual acuity in elderly people: the role of ergonomics and gerontechnology. *Age Aging* 1997 Sept; 26(5): 339-344.
- 156.Politzer MR. Vision rehabilitation therapy for the bioptic driver. *Journal of American Optometry Association* 1995 Jan; 66(1): 18-24.
- 157.Politzer TA. Case studies of a new approach using partial and selective occlusion for the clinical treatment of diplopia. *NeuroRehabilitation* 1996 Jun; 6(3): 213-217.
- 158.Powell-Schrepfer J. Gerontology: co-treatment lessens the impact of low vision. *OT Week* 1993 May 27; 7(21): 18-19.
- 159.Radner W, Huber A, Thaler A. Visual rehabilitation: magnifying vision aids. *Wien med Wochenschr* 1997; 147(12-13): 288-290.

160. Rinnert T, Lindner H, Behrens-Baumann W. At home utilization of low vision aids by the visually impaired. *Klin Monatsbl Augenheilkd* 1999; 215(5): 305-310.
161. Robinson ME, Doudlah AM, Waterland JC. The influence of vision on the performance motor act. *American Journal of Occupational Therapy* 1989 Sept; 43(9): 587-595.
162. Rohrschneider K, Bruder I, Aust R, Blankenagel A. Use of new optoelectronic vision aid for highly visually handicapped patients. *Klin Monatsbl Augenheilkd* 1997 Feb; 210(2): 105-110. (German)
163. Rohrschneider K, Riede B, Blankenagel A. Image flicker frequency of television reading aids. Effect on reading comfort for visually handicapped patients. *Ophthalmolge* 1998 Feb; 95(2): 110-113. (German)
164. Rohrschneider K, Bruder I, Blankenagel A. Ophthalmologic rehabilitation. *Ophthalmologe* 1999; 96(9): 611-616.
165. Romayananda N, Wong SW, Elzeneiny IH, Chan GH. Prismatic scanning method for improving visual acuity in patients with low vision. *Ophthalmology* 1982 Aug; 89(8): 937-945.
166. Rosenblum YZ, Zak PP, Ostrovsky MA, Smolyaninova H, Bora EV, Dyadina UV, Trofimova NN, Aliyev AG. Spectral filters in low-vision correction. *Ophthalmic Physiol Opt* 2000 Jul; 20(4): 335-341.
167. Rubin GS, Turano K. Low vision reading with sequential word presentation. *Vision Res* 1994 Jul; 34(13): 1723-1733.
168. Rumney NJ. Using visual thresholds to establish low vision performance. *Ophthalmic Physiol Opt* 1995 Mar; 15 (Suppl 1: S): 18-24.
169. Russell W, Harper R, Reeves B, Waterman H, Henson D, McLeod D. Randomized controlled trial of an integrated versus an optometric low vision rehabilitation service for patients with age-related macular degeneration: study design and methodology. *Ophthalmic Physiol Opt* 2001 Jan; 21(1): 36-44.
170. Schuchard RA. Adaptation to macular scotomas in person with low vision. *Am J Occup Ther* 1995 Oct; 49(9): 870-876.
171. Scott IU, Smiddy WE, Schiffman J, Feuer WJ, Pappas CJ. Quality of life of low vision patients and the impact of low vision services. *Am J Ophthalmol* 1999 Jul; 128(1): 54-62.
172. Sellier J, Albert R, Deconinck H, Verougastrate C. Evaluation and utilization of home visual aids prescribed to the satisfaction of the patients for age related macular degeneration. *Bull Soc Belge Ophtalmol* 1999; 273:33-39.
173. Shuttleworth GN, Dunlop A, Collins JK, James CR. How effective is an integrated approach to low vision rehabilitation? Two year results from South Devon. *British Journal of Ophthalmology* 1995 Aug; 79(8): 715-716.
174. Singer HW. Success with low vision patients: realistic prognosis, reasonable goals. *Journal of Ophthalmic Nursing Technology* 1999 Mar-Apr; 18(2): 65-67.
175. Sowka JW, Gurwood AS. Low vision rehabilitation of the albino patient. *J Am Optom Assoc* 1991 Jul; 62(7): 533-536.
176. Spaulding SJ, Patla AE, Elliott DB, Flanagan J, Rietdyk S, Brown S. Waterloo Vision and mobility study: gait adaptations to altered surfaces in individuals with age-related maculopathy. *Optom Vis Sci* 1994; 71(12): 770-777.
177. Spitzberg LA, Goodrich GL. New ergonomic stand magnifiers. *J Am Optom Assoc* 1995 Jan; 66(1): 25-30.
178. Spitzberg LA, Chen S. The design of a zoom stand magnifier – a new low vision device. *Optom Vis Sci* 1994 Oct; 71(10): 613-618.

179. Spitzberg LA, Qi M. Depth of field of plus lenses and reading telescopes. *Optom Vis Sci* 1994 Feb; 71(2): 115-119.
180. Spurney RV. Low vision aids for partially sighted persons. *Am J Ophthalmol* 1973; 75(1): 133-135.
181. Stokkermans TJ. Treatment of age-related macular degeneration. *Clin Eye Vis Care* 2000; 12(1-2): 15-35.
182. Stoll S, Sarma S, Hoeft WW. Low vision aids training in the home. *Journal of American Optometry Association* 1995 Jan; 66(1): 32-38.
183. Straatsma BR, Foos RX, Horwitz J, et al. Aging-related cataract: laboratory investigation and clinical management. *Ann Intern Med* 1985; 50:82-92.
184. Strong JG, Pace RJ, Plotkin AD. Low vision services: a model for sequential intervention and rehabilitation. *Can J Public Health* 1988; 32(6): 375-413.
185. Sunness JS, Applegate CA, Haselwood D, et al. Fixation patterns and reading rates in eyes with central scotomas from advanced atrophic age-related macular degeneration and Stargardt Disease. *Ophthalmology* 1996; 103:1458-1466.
186. Szlyk JP, Seiple W, Laderman DJ, Kelsch R, Ho K, McMahon T. Use of bioptic amorphic lenses to expand the visual field in patients with peripheral loss. *Optom Vis Sci* 1998 Jul; 75(7): 518-524.
187. Szlyk JP, Seiple W, Laderman DJ, Kelsch R, Stelmack J, McMahon T. Measuring the effectiveness of bioptic telescopes for persons with central vision loss. *J Rehabil Res Dev* 2000; 37(1): 101-108.
188. Takhara M. A telescopic system for distance consisting of contact lens and spectacle lens for low vision patients. *Nippon Ganka Gakkai Zasshi* 1992; 96(10): 1325-1331.
189. Temel A. Low vision aids. *Ophthalmic Physiol Opt* 1989; 9(3): 327-331.
190. Thierfelder S, Legge B, Ulrich F. Low vision enhancement system. Initial clinical experiences with a new kind of optoelectronic rehabilitation system. *Ophthalmologe* 1998 Nov; 95(11): 781-783.
191. Van Diemen HA, Van Dongen MM, Dammers JW, Polman CH. Increased visual impairment after exercise in multiple sclerosis: therapeutic possibilities. *Eur Neurol* 1992; 32(4): 231-234.
192. Van Hof C, Looijestijn PL. An interdisciplinary model for the rehabilitation of visually impaired and blind people: application of the ICIDH concepts. *Disabil Rehabil* 1995; 17(7): 391-399.
193. Verezen CA, Volker-Dieben HJ, Hoyng CB. Eccentric viewing spectacles in everyday life, for the optimum use of residual functional retinal areas, in patients with age-related macular degeneration. *Optom Vis Sci* 1996; 73(6): 413-417.
194. Virre E, Pryor H, Nagata S, Furness TA. The virtual retinal display: a new technology for virtual reality and augmented vision in medicine. *Stud Health Technol Inform* 1998; 50:252-257.
195. Virtanen P, Laatikainen L. Low vision aids in age-related macular degeneration. *Current Opinion on Ophthalmology* 1993 Jun; 4(3): 33-35.
196. Virtanen P, Laatikainen L. Primary success with low vision aids in age-related macular degeneration. *Acta Ophthalmol* 1991; 69(4): 484-490.
197. Walther HR, Krebs W. Results of occupational rehabilitation of patients with severe vision impairment. *Rehabilitation* (Stuttg) 1994 Feb; 33(1): 14-18. (German).
198. Warren M. Including occupational therapy in low vision rehabilitation. *Am J Occup Ther* 1995; 49(9): 857-860.

199. Warren M. Providing low vision rehabilitation services with occupational therapy and ophthalmology: a program description. *American Journal of Occupational Therapy* Oct. 1995; 49(9): 877-883.
200. Watson G, Jose RT. A training sequence for low vision patients. *J Am Optom Assoc* 1976; 47(11): 1407-1415.
201. Watson GR, De l'Aune W, Long S, Maino J, Stelmack J. Veterans' use of low vision devices for reading. *Optom Vis Sci* 1997 May; 74(5): 260-265.
202. Watson GR, Wright V, De l'Aune W. The efficacy of comprehension training and reading practice for print readers with macular loss. *J Vis Imp Blind* 1992; 86:37-43.
203. Williams TA. Low vision rehabilitation for a patient with a traumatic brain injury. *Am J Occup Ther* 1995 Oct; 49(9): 923-926.
204. Winn B, Whitaker D, Wlliott DB, et al. Factors affecting light adapted pupil size in normal human subjects. *Invest Ophthalmol Vis Sci* 1994; 35:1132-1137.
205. Wu DZ, Wu L, Chang FX, Jin C, Padula W. Visual rehabilitation in low vision patients with aging macular degeneration. *Journal of American Optometry Association* 1995 Jan; 66(1): 39-41.
206. Yuen HK. Template for a woman with cortical blindness. *The American Journal of Occupational Therapy* 1993 Feb; 47(2): 105-110.