

**5. MENTAL DISORDERS (290-319)**

In the International Classification of Diseases, 9th Revision (ICD-9), the corresponding Chapter V, "Mental Disorders," includes a glossary which defines the contents of each category. The introduction to Chapter V in ICD-9 indicates that the glossary is intended so that psychiatrists can make the diagnosis based on the descriptions provided rather than from the category titles. Lay coders are instructed to code whatever diagnosis the physician records.

Chapter 5, "Mental Disorders," in ICD-9-CM uses the standard classification format with inclusion and exclusion terms, omitting the glossary as part of the main text.

The mental disorders section of ICD-9-CM has been expanded to incorporate additional psychiatric disorders not listed in ICD-9. The glossary from ICD-9 does not contain all these terms. It now appears in Appendix B, which also contains descriptions and definitions for the terms added in ICD-9-CM. Some of these were provided by the American Psychiatric Association's Task Force on Nomenclature and Statistics who are preparing the Diagnostic and Statistical Manual, Third Edition (DSM-III), and others from A Psychiatric Glossary.

The American Psychiatric Association provided invaluable assistance in modifying Chapter 5 of ICD-9-CM to incorporate detail useful to American clinicians and gave permission to use material from the aforementioned sources.

1. Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 9th Revision, World Health Organization, Geneva, Switzerland, 1975.
2. American Psychiatric Association, Task Force on Nomenclature and Statistics, Robert L. Spitzer, M.D., Chairman.
3. A Psychiatric Glossary, Fourth Edition, American Psychiatric Association, Washington, D.C., 1975.

**PSYCHOSES (290-299)**

**Excludes:** mental retardation (317-319)

**ORGANIC PSYCHOTIC CONDITIONS (290-294)**

**Includes:** psychotic organic brain syndrome

**Excludes:** nonpsychotic syndromes of organic etiology (310.0-310.9)  
 psychoses classifiable to 295-298 and without impairment of orientation, comprehension, calculation, learning capacity, and judgement, but associated with physical disease, injury, or condition affecting the brain [e.g., following childbirth] (295.0-298.8)

290 Senile and presenile organic psychotic conditions

Code first the associated neurological condition

**Excludes:** dementia not classified as senile, presenile, or arteriosclerotic (294.10-294.11)  
 psychoses classifiable to 295-298 occurring in the senium without dementia or delirium (295.0-298.8)  
 senility with mental changes of nonpsychotic severity (310.1)  
 transient organic psychotic conditions (293.0-293.9)

290.0 Senile dementia, uncomplicated

Senile dementia:

NOS

simple type

**Excludes:** mild memory disturbances, not amounting to dementia, associated with senile brain disease (310.1)

ICD-9-CM Tabular List of Diseases (FY04)

senile dementia with:  
delirium or confusion (290.3)  
delusional [paranoid] features (290.20)  
depressive features (290.21)

- 290.1 Presenile dementia  
Brain syndrome with presenile brain disease  
**Excludes:** arteriosclerotic dementia (290.40-290.43)  
dementia associated with other cerebral conditions (294.10-294.11)
- 290.10 Presenile dementia, uncomplicated  
Presenile dementia:  
NOS  
simple type
- 290.11 Presenile dementia with delirium  
Presenile dementia with acute confusional state
- 290.12 Presenile dementia with delusional features  
Presenile dementia, paranoid type
- 290.13 Presenile dementia with depressive features  
Presenile dementia, depressed type
- 290.2 Senile dementia with delusional or depressive features  
**Excludes:** senile dementia:  
NOS (290.0)  
with delirium and/or confusion (290.3)
- 290.20 Senile dementia with delusional features  
Senile dementia, paranoid type  
Senile psychosis NOS
- 290.21 Senile dementia with depressive features
- 290.3 Senile dementia with delirium  
Senile dementia with acute confusional state  
**Excludes:** senile:  
dementia NOS (290.0)  
psychosis NOS (290.20)
- 290.4 Arteriosclerotic dementia  
Multi-infarct dementia or psychosis  
Use additional code to identify cerebral atherosclerosis (437.0)  
**Excludes:** suspected cases with no clear evidence of arteriosclerosis (290.9)
- 290.40 Arteriosclerotic dementia,uncomplicated  
Arteriosclerotic dementia:  
NOS  
simple type
- 290.41 Arteriosclerotic dementia with delirium  
Arteriosclerotic dementia with acute confusional state
- 290.42 Arteriosclerotic dementia with delusional features  
Arteriosclerotic dementia, paranoid type
- 290.43 Arteriosclerotic dementia with depressive features  
Arteriosclerotic dementia, depressed type

ICD-9-CM Tabular List of Diseases (FY04)

- 290.8 Other specified senile psychotic conditions  
Presbyophrenic psychosis
- 290.9 Unspecified senile psychotic condition

291	Alcoholic psychoses
-----	---------------------

- Excludes:** alcoholism without psychosis (303.0-303.9)
- 291.0 Alcohol withdrawal delirium  
Alcoholic delirium  
Delirium tremens
- Excludes:** alcohol withdrawal (291.81)
- 291.1 Alcohol amnestic syndrome  
Alcoholic polyneuritic psychosis  
Korsakoff's psychosis, alcoholic  
Wernicke-Korsakoff syndrome (alcoholic)
  - 291.2 Other alcoholic dementia  
Alcoholic dementia NOS  
Alcoholism associated with dementia NOS  
Chronic alcoholic brain syndrome
  - 291.3 Alcohol withdrawal hallucinosis  
Alcoholic:  
hallucinosis (acute)  
psychosis with hallucinosis
- Excludes:** alcohol withdrawal with delirium (291.0)  
schizophrenia (295.0-295.9) and paranoid states (297.0-297.9) taking the form  
of chronic hallucinosis with clear consciousness in an alcoholic
- 291.4 Idiosyncratic alcohol intoxication  
Pathologic:  
alcohol intoxication  
drunkenness
- Excludes:** acute alcohol intoxication (305.0)  
in alcoholism (303.0)  
simple drunkenness (305.0)
- 291.5 Alcoholic jealousy  
Alcoholic:  
paranoia  
psychosis, paranoid type
- Excludes:** nonalcoholic paranoid states (297.0-297.9)  
schizophrenia, paranoid type (295.3)
- 291.8 Other specified alcoholic psychosis
  - 291.81 Alcohol withdrawal  
Alcohol:  
abstinence syndrome or symptoms  
withdrawal syndrome or symptoms
- Excludes:** alcohol withdrawal:  
delirium (291.0)  
hallucinosis (291.3)  
delirium tremens (291.0)
- 291.89 Other

ICD-9-CM Tabular List of Diseases (FY04)

- 291.9 Unspecified alcoholic psychosis
  - Alcoholic:
    - mania NOS
    - psychosis NOS
  - Alcoholism (chronic) with psychosis

292	Drug psychoses
-----	----------------

Includes: drug-induced mental disorders  
organic brain syndrome associated with consumption of drugs  
Use additional code for any associated drug dependence (304.0-304.9)

Use additional E code to identify drug

- 292.0 Drug withdrawal syndrome
  - Drug:
    - abstinence syndrome or symptoms
    - withdrawal syndrome or symptoms
- 292.1 Paranoid and/or hallucinatory states induced by drugs
  - 292.11 Drug-induced organic delusional syndrome
    - Paranoid state induced by drugs
  - 292.12 Drug-induced hallucinosis
    - Hallucinatory state induced by drugs

**Excludes:** states following LSD or other hallucinogens, lasting only a few days or less ["bad trips"] (305.3)

- 292.2 Pathological drug intoxication
  - Drug reaction resulting in brief psychotic states
  - NOS
  - idiosyncratic
  - pathologic

**Excludes:** expected brief psychotic reactions to hallucinogens ["bad trips"] (305.3)  
physiological side-effects of drugs (e.g., dystonias)

- 292.8 Other specified drug-induced mental disorders
  - 292.81 Drug-induced delirium
  - 292.82 Drug-induced dementia
  - 292.83 Drug-induced amnestic syndrome
  - 292.84 Drug-induced organic affective syndrome
    - Depressive state induced by drugs
  - 292.89 Other
    - Drug-induced organic personality syndrome
- 292.9 Unspecified drug-induced mental disorder
  - Organic psychosis NOS due to or associated with drugs

293	Transient organic psychotic conditions
-----	--

Includes: transient organic mental disorders not associated with alcohol or drugs  
Code first the associated physical or neurological condition

**Excludes:** confusional state or delirium superimposed on senile dementia (290.3)  
dementia due to:

ICD-9-CM Tabular List of Diseases (FY04)

alcohol (291.0-291.9)  
arteriosclerosis (290.40-290.43)  
drugs (292.82)  
senility (290.0)

- 293.0 Acute delirium  
Acute:  
confusional state  
infective psychosis  
organic reaction  
posttraumatic organic psychosis  
psycho-organic syndrome  
Acute psychosis associated with endocrine, metabolic, or cerebrovascular disorder  
Epileptic:  
confusional state  
twilight state
- 293.1 Subacute delirium  
Subacute:  
confusional state  
infective psychosis  
organic reaction  
posttraumatic organic psychosis  
psycho-organic syndrome  
psychosis associated with endocrine or metabolic disorder
- 293.8 Other specified transient organic mental disorders
- 293.81 Organic delusional syndrome  
Transient organic psychotic condition, paranoid type
- 293.82 Organic hallucinosis syndrome  
Transient organic psychotic condition, hallucinatory type
- 293.83 Organic affective syndrome  
Transient organic psychotic condition, depressive type
- 293.84 Organic anxiety syndrome
- 293.89 Other
- 293.9 Unspecified transient organic mental disorder  
Organic psychosis:  
infective NOS  
posttraumatic NOS  
transient NOS  
Psycho-organic syndrome

294	Other organic psychotic conditions (chronic)
-----	--

Includes: organic psychotic brain syndromes (chronic), not elsewhere classified

- 294.0 Amnestic syndrome  
Korsakoff's psychosis or syndrome (nonalcoholic)

Excludes: alcoholic:  
amnestic syndrome (291.1)  
Korsakoff's psychosis (291.1)

ICD-9-CM Tabular List of Diseases (FY04)

294.1 Dementia in conditions classified elsewhere  
Code first any underlying physical condition as:  
dementia in:

Alzheimer's disease (331.0)  
cerebral lipidoses (330.1)  
dementia with Lewy bodies (331.82)  
dementia with Parkinsonism (331.82)  
epilepsy (345.0-345.9)  
frontal dementia (331.19)  
frontotemporal dementia (331.19)  
general paresis [syphilis] (094.1)  
hepatolenticular degeneration (275.1)  
Huntington's chorea (333.4)  
Jakob-Creutzfeldt disease (046.1)  
multiple sclerosis (340)  
Pick's disease of the brain (331.11)  
polyarteritis nodosa (446.0)  
syphilis (094.1)

**Excludes:** dementia:  
arteriosclerotic (290.40-290.43)  
presenile (290.10-290.13)  
senile (290.0)  
epileptic psychosis NOS (294.8)

294.10 Dementia in conditions classified elsewhere without behavioral disturbance  
Dementia in conditions classified elsewhere NOS

294.11 Dementia in conditions classified elsewhere with behavioral disturbance  
Aggressive behavior  
Combative behavior  
Violent behavior  
Wandering off

294.8 Other specified organic brain syndromes (chronic)  
Epileptic psychosis NOS  
Mixed paranoid and affective organic psychotic states

Use additional code for associated epilepsy (345.0-345.9)

**Excludes:** mild memory disturbances, not amounting to dementia (310.1)

294.9 Unspecified organic brain syndrome (chronic)  
Organic psychosis (chronic)

**OTHER PSYCHOSES (295-299)**

**Use additional code to identify any associated physical disease, injury, or condition affecting the brain with psychoses classifiable to 295-298**

**295 Schizophrenic disorders**

**Includes:** schizophrenia of the types described in 295.0-295.9 occurring in children

**Excludes:** childhood type schizophrenia (299.9)  
infantile autism (299.0)

The following fifth-digit subclassification is for use with category 295:

- 0 unspecified
- 1 subchronic
- 2 chronic

ICD-9-CM Tabular List of Diseases (FY04)

- 3 subchronic with acute exacerbation
- 4 chronic with acute exacerbation
- 5 in remission

- 295.0 Simple type  
Schizophrenia simplex  
**Excludes:** latent schizophrenia (295.5)
- 295.1 Disorganized type  
Hebephrenia  
Hebephrenic type schizophrenia
- 295.2 Catatonic type  
Catatonic (schizophrenia):  
agitation  
excitation  
excited type  
stupor  
withdrawn type  
Schizophrenic:  
catalepsy  
catatonia  
flexibilitas cerea
- 295.3 Paranoid type  
Paraphrenic schizophrenia  
**Excludes:** involuntal paranoid state (297.2)  
paranoia (297.1)  
paraphrenia (297.2)
- 295.4 Acute schizophrenic episode  
Oneirophrenia  
Schizophreniform:  
attack  
disorder  
psychosis, confusional type  
**Excludes:** acute forms of schizophrenia of:  
catatonic type (295.2)  
hebephrenic type (295.1)  
paranoid type (295.3)  
simple type (295.0)  
undifferentiated type (295.8)
- 295.5 Latent schizophrenia  
Latent schizophrenic reaction  
Schizophrenia:  
borderline  
incipient  
prepsychotic  
prodromal  
pseudoneurotic  
pseudopsychopathic  
**Excludes:** schizoid personality (301.20-301.22)
- 295.6 Residual schizophrenia  
Chronic undifferentiated schizophrenia  
Restzustand (schizophrenic)

ICD-9-CM Tabular List of Diseases (FY04)

Schizophrenic residual state

- 295.7 Schizo-affective type
    - Cyclic schizophrenia
    - Mixed schizophrenic and affective psychosis
    - Schizo-affective psychosis
    - Schizophreniform psychosis, affective type
  - 295.8 Other specified types of schizophrenia
    - Acute (undifferentiated) schizophrenia
    - Atypical schizophrenia
    - Cenesthopathic schizophrenia
- Excludes:** infantile autism (299.0)
- 295.9 Unspecified schizophrenia
    - Schizophrenia:
      - NOS
      - mixed NOS
      - undifferentiated NOS
    - Schizophrenic reaction NOS
    - Schizophreniform psychosis NOS

296	Affective psychoses
-----	---------------------

- Includes:** episodic affective disorders
- Excludes:** neurotic depression (300.4)  
reactive depressive psychosis (298.0)  
reactive excitation (298.1)

The following fifth-digit subclassification is for use with categories 296.0-296.6:

- 0 unspecified
- 1 mild
- 2 moderate
- 3 severe, without mention of psychotic behavior
- 4 severe, specified as with psychotic behavior
- 5 in partial or unspecified remission
- 6 in full remission

- 296.0 Manic disorder, single episode
    - Hypomania (mild) NOS single episode or unspecified
    - Hypomanic psychosis single episode or unspecified
    - Mania (monopolar) NOS single episode or unspecified
    - Manic-depressive psychosis or reaction, single episode or unspecified:
      - hypomanic, single episode or unspecified
      - manic, single episode or unspecified
- Excludes:** circular type, if there was a previous attack of depression (296.4)
- 296.1 Manic disorder, recurrent episode
    - Any condition classifiable to 296.0, stated to be recurrent
- Excludes:** circular type, if there was a previous attack of depression (296.4)
- 296.2 Major depressive disorder, single episode
    - Depressive psychosis, single episode or unspecified
    - Endogenous depression, single episode or unspecified
    - Involuntal melancholia, single episode or unspecified
    - Manic-depressive psychosis or reaction, depressed type, single episode or unspecified
    - Monopolar depression, single episode or unspecified
    - Psychotic depression, single episode or unspecified

ICD-9-CM Tabular List of Diseases (FY04)

- Excludes:** circular type, if previous attack was of manic type (296.5)  
depression NOS (311)  
reactive depression (neurotic) (300.4)  
psychotic (298.0)
- 296.3 Major depressive disorder, recurrent episode  
Any condition classifiable to 296.2, stated to be recurrent
- Excludes:** circular type, if previous attack was of manic type (296.5)  
depression NOS (311)  
reactive depression (neurotic) (300.4)  
psychotic (298.0)
- 296.4 Bipolar affective disorder, manic  
Bipolar disorder, now manic  
Manic-depressive psychosis, circular type but currently manic
- Excludes:** brief compensatory or rebound mood swings (296.99)
- 296.5 Bipolar affective disorder, depressed  
Bipolar disorder, now depressed  
Manic-depressive psychosis, circular type but currently depressed
- Excludes:** brief compensatory or rebound mood swings (296.99)
- 296.6 Bipolar affective disorder, mixed  
Manic-depressive psychosis, circular type, mixed
- 296.7 Bipolar affective disorder, unspecified  
Atypical bipolar affective disorder NOS  
Manic-depressive psychosis, circular type, current condition not specified as either manic or depressive
- 296.8 Manic-depressive psychosis, other and unspecified
- 296.80 Manic-depressive psychosis, unspecified  
Manic-depressive:  
reaction NOS  
syndrome NOS
- 296.81 Atypical manic disorder
- 296.82 Atypical depressive disorder
- 296.89 Other  
Manic-depressive psychosis, mixed type
- 296.9 Other and unspecified affective psychoses  
psychogenic affective psychoses (298.0-298.8)
- Excludes:**
- 296.90 Unspecified affective psychosis  
Affective psychosis NOS  
Melancholia NOS
- 296.99 Other specified affective psychoses  
Mood swings:  
brief compensatory  
rebound

297	Paranoid states (Delusional disorders)
-----	--

**Includes:** paranoid disorders

ICD-9-CM Tabular List of Diseases (FY04)

- Excludes:** acute paranoid reaction (298.3)  
alcoholic jealousy or paranoid state (291.5)  
paranoid schizophrenia (295.3)
- 297.0 Paranoid state, simple
- 297.1 Paranoia  
Chronic paranoid psychosis  
Sander's disease  
Systematized delusions
- Excludes:** paranoid personality disorder (301.0)
- 297.2 Paraphrenia  
Involutional paranoid state  
Late paraphrenia  
Paraphrenia (involutional)
- 297.3 Shared paranoid disorder  
Folie à deux  
Induced psychosis or paranoid disorder
- 297.8 Other specified paranoid states  
Paranoia querulans  
Sensitiver Beziehungswahn
- Excludes:** acute paranoid reaction or state (298.3)  
senile paranoid state (290.20)
- 297.9 Unspecified paranoid state  
Paranoid:  
disorder NOS  
psychosis NOS  
reaction NOS  
state NOS

298 Other nonorganic psychoses
--------------------------------

- Includes:** psychotic conditions due to or provoked by:  
emotional stress  
environmental factors as major part of etiology
- 298.0 Depressive type psychosis  
Psychogenic depressive psychosis  
Psychotic reactive depression  
Reactive depressive psychosis
- Excludes:** manic-depressive psychosis, depressed type (296.2-296.3)  
neurotic depression (300.4)  
reactive depression NOS (300.4)
- 298.1 Excitative type psychosis  
Acute hysterical psychosis  
Psychogenic excitation  
Reactive excitation
- Excludes:** manic-depressive psychosis, manic type (296.0-296.1)
- 298.2 Reactive confusion  
Psychogenic confusion  
Psychogenic twilight state
- Excludes:** acute confusional state (293.0)

ICD-9-CM Tabular List of Diseases (FY04)

- 298.3 Acute paranoid reaction  
Acute psychogenic paranoid psychosis  
Bouffée délirante  
**Excludes:** paranoid states (297.0-297.9)
- 298.4 Psychogenic paranoid psychosis  
Protracted reactive paranoid psychosis
- 298.8 Other and unspecified reactive psychosis  
Brief reactive psychosis NOS  
Hysterical psychosis  
Psychogenic psychosis NOS  
Psychogenic stupor  
**Excludes:** acute hysterical psychosis (298.1)
- 298.9 Unspecified psychosis  
Atypical psychosis  
Psychosis NOS

**299 Psychoses with origin specific to childhood**

- Includes:** pervasive developmental disorders  
**Excludes:** adult type psychoses occurring in childhood, as:  
affective disorders (296.0-296.9)  
manic-depressive disorders (296.0-296.9)  
schizophrenia (295.0-295.9)
- The following fifth-digit subclassification is for use with category 299:  
0 current or active state  
1 residual state

- 299.0 Infantile autism  
Childhood autism  
Infantile psychosis  
Kanner's syndrome  
**Excludes:** disintegrative psychosis (299.1)  
Heller's syndrome (299.1)  
schizophrenic syndrome of childhood (299.9)
- 299.1 Disintegrative psychosis  
Heller's syndrome  
Use additional code to identify any associated neurological disorder  
**Excludes:** infantile autism (299.0)  
schizophrenic syndrome of childhood (299.9)
- 299.8 Other specified early childhood psychoses  
Atypical childhood psychosis  
Borderline psychosis of childhood  
**Excludes:** simple stereotypes without psychotic disturbance (307.3)
- 299.9 Unspecified  
Child psychosis NOS  
Schizophrenia, childhood type NOS  
Schizophrenic syndrome of childhood NOS  
**Excludes:** schizophrenia of adult type occurring in childhood (295.0-295.9)

**NEUROTIC DISORDERS, PERSONALITY DISORDERS, AND OTHER NONPSYCHOTIC MENTAL DISORDERS (300-316)**

ICD-9-CM Tabular List of Diseases (FY04)

300	Neurotic disorders
-----	--------------------

- 300.0 Anxiety states
  - Excludes:** anxiety in:
    - acute stress reaction (308.0)
    - transient adjustment reaction (309.24)
    - neurasthenia (300.5)
    - psychophysiological disorders (306.0-306.9)
    - separation anxiety (309.21)
  - 300.00 Anxiety state, unspecified
    - Anxiety:
      - neurosis
      - reaction
      - state (neurotic)
    - Atypical anxiety disorder
  - 300.01 Panic disorder
    - Panic:
      - attack
      - state
  - 300.02 Generalized anxiety disorder
  - 300.09 Other
- 300.1 Hysteria
  - Excludes:** adjustment reaction (309.0-309.9)
    - anorexia nervosa (307.1)
    - gross stress reaction (308.0-308.9)
    - hysterical personality (301.50-301.59)
    - psychophysiologic disorders (306.0-306.9)
  - 300.10 Hysteria, unspecified
  - 300.11 Conversion disorder
    - Astasia-abasia, hysterical
    - Conversion hysteria or reaction
    - Hysterical:
      - blindness
      - deafness
      - paralysis
  - 300.12 Psychogenic amnesia
    - Hysterical amnesia
  - 300.13 Psychogenic fugue
    - Hysterical fugue
  - 300.14 Multiple personality
    - Dissociative identity disorder
  - 300.15 Dissociative disorder or reaction, unspecified
  - 300.16 Factitious illness with psychological symptoms
    - Compensation neurosis
    - Ganser's syndrome, hysterical

ICD-9-CM Tabular List of Diseases (FY04)

- 300.19 Other and unspecified factitious illness  
Factitious illness (with physical symptoms) NOS  
**Excludes:** multiple operations or hospital addiction syndrome (301.51)
- 300.2 Phobic disorders  
**Excludes:** anxiety state not associated with a specific situation or object (300.00-300.09)  
obsessional phobias (300.3)
- 300.20 Phobia, unspecified  
Anxiety-hysteria NOS  
Phobia NOS
- 300.21 Agoraphobia with panic attacks  
Fear of:  
open spaces with panic attacks  
streets with panic attacks  
travel with panic attacks
- 300.22 Agoraphobia without mention of panic attacks  
Any condition classifiable to 300.21 without mention of panic attacks
- 300.23 Social phobia  
Fear of:  
eating in public  
public speaking  
washing in public
- 300.29 Other isolated or simple phobias  
Acrophobia  
Animal phobias  
Claustrophobia  
Fear of crowds
- 300.3 Obsessive-compulsive disorders  
Anancastic neurosis  
Compulsive neurosis  
Obsessional phobia [any]  
**Excludes:** obsessive-compulsive symptoms occurring in:  
endogenous depression (296.2-296.3)  
organic states (e.g., encephalitis) schizophrenia (295.0-295.9)
- 300.4 Neurotic depression  
Anxiety depression  
Depression with anxiety  
Depressive reaction  
Dysthymic disorder  
Neurotic depressive state  
Reactive depression  
**Excludes:** adjustment reaction with depressive symptoms (309.0-309.1)  
depression NOS (311)  
manic-depressive psychosis, depressed type (296.2-296.3)  
reactive depressive psychosis (298.0)
- 300.5 Neurasthenia  
Fatigue neurosis  
Nervous debility  
Psychogenic:  
asthenia

ICD-9-CM Tabular List of Diseases (FY04)

general fatigue

Use additional code to identify any associated physical disorder

**Excludes:** anxiety state (300.00-300.09)  
neurotic depression (300.4)  
psychophysiological disorders (306.0-306.9)  
specific nonpsychotic mental disorders following organic brain damage (310.0-310.9)

300.6 Depersonalization syndrome  
Depersonalization disorder  
Derealization (neurotic)  
Neurotic state with depersonalization episode

**Excludes:** depersonalization associated with:  
anxiety (300.00-300.09)  
depression (300.4)  
manic-depressive disorder or psychosis (296.0-296.9)  
schizophrenia (295.0-295.9)

300.7 Hypochondriasis  
Body dysmorphic disorder

**Excludes:** hypochondriasis in:  
hysteria (300.10-300.19)  
manic-depressive psychosis, depressed type (296.2-296.3)  
neurasthenia (300.5)  
obsessional disorder (300.3)  
schizophrenia (295.0-295.9)

300.8 Other neurotic disorders

300.81 Somatization disorder  
Briquet's disorder  
Severe somatoform disorder

300.82 Undifferentiated somatoform disorder  
Atypical somatoform disorder  
Somatoform disorder NOS

300.89 Other  
Occupational neurosis, including writers' cramp  
Psychasthenia  
Psychasthenic neurosis

300.9 Unspecified neurotic disorder  
Neurosis NOS  
Psychoneurosis NOS

301 Personality disorders
---------------------------

**Includes:** character neurosis

Use additional code to identify any associated neurosis or psychosis, or physical condition

**Excludes:** nonpsychotic personality disorder associated with organic brain syndromes (310.0-310.9)

301.0 Paranoid personality disorder  
Fanatic personality  
Paranoid personality (disorder)  
Paranoid traits

**Excludes:** acute paranoid reaction (298.3)

ICD-9-CM Tabular List of Diseases (FY04)

alcoholic paranoia (291.5)  
paranoid schizophrenia (295.3)  
paranoid states (297.0-297.9)

- 301.1 Affective personality disorder  
**Excludes:** affective psychotic disorders (296.0-296.9)  
neurasthenia (300.5)  
neurotic depression (300.4)
- 301.10 Affective personality disorder, unspecified
- 301.11 Chronic hypomanic personality disorder  
Chronic hypomanic disorder  
Hypomanic personality
- 301.12 Chronic depressive personality disorder  
Chronic depressive disorder  
Depressive character or personality
- 301.13 Cyclothymic disorder  
Cycloid personality  
Cyclothymia  
Cyclothymic personality
- 301.2 Schizoid personality disorder  
**Excludes:** schizophrenia (295.0-295.9)
- 301.20 Schizoid personality disorder, unspecified
- 301.21 Introverted personality
- 301.22 Schizotypal personality
- 301.3 Explosive personality disorder  
Aggressive:  
personality  
reaction  
Aggressiveness  
Emotional instability (excessive)  
Pathological emotionality  
Quarrelsomeness  
**Excludes:** dyssocial personality (301.7)  
hysterical neurosis (300.10-300.19)
- 301.4 Compulsive personality disorder  
Anancastic personality  
Obsessional personality  
**Excludes:** obsessive-compulsive disorder (300.3)  
phobic state (300.20-300.29)
- 301.5 Histrionic personality disorder  
**Excludes:** hysterical neurosis (300.10-300.19)
- 301.50 Histrionic personality disorder, unspecified  
Hysterical personality NOS
- 301.51 Chronic factitious illness with physical symptoms  
Hospital addiction syndrome  
Multiple operations syndrome

ICD-9-CM Tabular List of Diseases (FY04)

Munchausen syndrome

301.59 Other histrionic personality disorder

Personality:  
emotionally unstable  
labile  
psychoinfantile

301.6 Dependent personality disorder

Asthenic personality  
Inadequate personality  
Passive personality

**Excludes:** neurasthenia (300.5)  
passive-aggressive personality (301.84)

301.7 Antisocial personality disorder

Amoral personality  
Asocial personality  
Dyssocial personality  
Personality disorder with predominantly sociopathic or asocial manifestation

**Excludes:** disturbance of conduct without specifiable personality disorder (312.0-312.9)  
explosive personality (301.3)

301.8 Other personality disorders

301.81 Narcissistic personality

301.82 Avoidant personality

301.83 Borderline personality

301.84 Passive-aggressive personality

301.89 Other

Personality:  
eccentric  
"haltlose" type  
immature  
masochistic  
psychoneurotic

**Excludes:** psychoinfantile personality (301.59)

301.9 Unspecified personality disorder

Pathological personality NOS  
Personality disorder NOS  
Psychopathic:  
constitutional state  
personality (disorder)

302 Sexual deviations and disorders
-------------------------------------

**Excludes:** sexual disorder manifest in:  
organic brain syndrome (290.0-294.9, 310.0-310.9)  
psychosis (295.0-298.9)

302.0 Ego-dystonic homosexuality

Ego-dystonic lesbianism  
Homosexual conflict disorder

**Excludes:** homosexual pedophilia (302.2)

ICD-9-CM Tabular List of Diseases (FY04)

- 302.1 Zoophilia  
Bestiality
- 302.2 Pedophilia
- 302.3 Transvestism  
**Excludes:** trans-sexualism (302.5)
- 302.4 Exhibitionism
- 302.5 Trans-sexualism  
**Excludes:** transvestism (302.3)
  - 302.50 With unspecified sexual history
  - 302.51 With asexual history
  - 302.52 With homosexual history
  - 302.53 With heterosexual history
- 302.6 Disorders of psychosexual identity  
Feminism in boys  
Gender identity disorder of childhood  
**Excludes:** gender identity disorder in adult (302.85)  
homosexuality (302.0)  
trans-sexualism (302.50-302.53)  
transvestism (302.3)
- 302.7 Psychosexual dysfunction  
**Excludes:** decreased sexual desire NOS (799.81)  
impotence of organic origin (607.84)  
normal transient symptoms from ruptured hymen  
transient or occasional failures of erection due to fatigue, anxiety, alcohol, or  
drugs
  - 302.70 Psychosexual dysfunction, unspecified
  - 302.71 With inhibited sexual desire  
**Excludes:** decreased sexual desire NOS (799.81)
  - 302.72 With inhibited sexual excitement  
Frigidity  
Impotence
  - 302.73 With inhibited female orgasm
  - 302.74 With inhibited male orgasm
  - 302.75 With premature ejaculation
  - 302.76 With functional dyspareunia  
Dyspareunia, psychogenic
  - 302.79 With other specified psychosexual dysfunctions
- 302.8 Other specified psychosexual disorders
  - 302.81 Fetishism

ICD-9-CM Tabular List of Diseases (FY04)

- 302.82 Voyeurism
- 302.83 Sexual masochism
- 302.84 Sexual sadism
- 302.85 Gender identity disorder of adolescent or adult life
- 302.89 Other
  - Nymphomania
  - Satyriasis
- 302.9 Unspecified psychosexual disorder
  - Pathologic sexuality NOS
  - Sexual deviation NOS

**303 Alcohol dependence syndrome**

Use additional code to identify any associated condition, as:

- alcoholic psychoses (291.0-291.9)
- drug dependence (304.0-304.9)
- physical complications of alcohol, such as:
  - cerebral degeneration (331.7)
  - cirrhosis of liver (571.2)
  - epilepsy (345.0-345.9)
  - gastritis (535.3)
  - hepatitis (571.1)
  - liver damage NOS (571.3)

**Excludes:** drunkenness NOS (305.0)

The following fifth-digit subclassification is for use with category 303:

- 0 unspecified
  - 1 continuous
  - 2 episodic
  - 3 in remission
- 303.0 Acute alcoholic intoxication
    - Acute drunkenness in alcoholism
  - 303.9 Other and unspecified alcohol dependence
    - Chronic alcoholism
    - Dipsomania

**304 Drug dependence**

**Excludes:** nondependent abuse of drugs (305.1-305.9)

The following fifth-digit subclassification is for use with category 304:

- 0 unspecified
  - 1 continuous
  - 2 episodic
  - 3 in remission
- 304.0 Opioid type dependence
    - Heroin
    - Meperidine
    - Methadone
    - Morphine
    - Opium
    - Opium alkaloids and their derivatives
    - Synthetics with morphine-like effects

ICD-9-CM Tabular List of Diseases (FY04)

- 304.1 Barbiturate and similarly acting sedative or hypnotic dependence
  - Barbiturates
  - Nonbarbiturate sedatives and tranquilizers with a similar effect:
    - chlordiazepoxide
    - diazepam
    - glutethimide
    - meprobamate
    - methaqualone
- 304.2 Cocaine dependence
  - Coca leaves and derivatives
- 304.3 Cannabis dependence
  - Hashish
  - Hemp
  - Marihuana
- 304.4 Amphetamine and other psychostimulant dependence
  - Methylphenidate
  - Phenmetrazine
- 304.5 Hallucinogen dependence
  - Dimethyltryptamine [DMT]
  - Lysergic acid diethylamide [LSD] and derivatives
  - Mescaline
  - Psilocybin
- 304.6 Other specified drug dependence
  - Absinthe addiction
  - Glue sniffing
- Excludes:** tobacco dependence (305.1)
- 304.7 Combinations of opioid type drug with any other
- 304.8 Combinations of drug dependence excluding opioid type drug
- 304.9 Unspecified drug dependence
  - Drug addiction NOS
  - Drug dependence NOS

305	Nondependent abuse of drugs
-----	-----------------------------

Note: Includes cases where a person, for whom no other diagnosis is possible, has come under medical care because of the maladaptive effect of a drug on which he is not dependent and that he has taken on his own initiative to the detriment of his health or social functioning.

- Excludes:** alcohol dependence syndrome (303.0-303.9)  
drug dependence (304.0-304.9)  
drug withdrawal syndrome (292.0)  
poisoning by drugs or medicinal substances (960.0-979.9)
- The following fifth-digit subclassification is for use with codes 305.0, 305.2-305.9
- 0 unspecified
  - 1 continuous
  - 2 episodic
  - 3 in remission

- 305.0 Alcohol abuse
  - Drunkenness NOS
  - Excessive drinking of alcohol NOS

ICD-9-CM Tabular List of Diseases (FY04)

- "Hangover" (alcohol)
  - Inebriety NOS
- Excludes:** acute alcohol intoxication in alcoholism (303.0)

alcoholic psychoses (291.0-291.9)
- 305.1 Tobacco use disorder

  - Tobacco dependence
- Excludes:** history of tobacco use (V15.82)
- 305.2 Cannabis abuse
- 305.3 Hallucinogen abuse

  - Acute intoxication from hallucinogens ["bad trips"]
  - LSD reaction
- 305.4 Barbiturate and similarly acting sedative or hypnotic abuse
- 305.5 Opioid abuse
- 305.6 Cocaine abuse
- 305.7 Amphetamine or related acting sympathomimetic abuse
- 305.8 Antidepressant type abuse
- 305.9 Other, mixed, or unspecified drug abuse

  - "Laxative habit"
  - Misuse of drugs NOS
  - Nonprescribed use of drugs or patent medicinals

306	Physiological malfunction arising from mental factors
-----	---

- Includes:** psychogenic:

  - physical symptoms not involving tissue damage
  - physiological manifestations not involving tissue damage
- Excludes:** hysteria (300.11-300.19)

  - physical symptoms secondary to a psychiatric disorder classified elsewhere
  - psychic factors associated with physical conditions involving tissue damage classified elsewhere (316)
  - specific nonpsychotic mental disorders following organic brain damage (310.0-310.9)
- 306.0 Musculoskeletal

  - Psychogenic paralysis
  - Psychogenic torticollis
- Excludes:** Gilles de la Tourette's syndrome (307.23)

  - paralysis as hysterical or conversion reaction (300.11)
  - tics (307.20-307.22)
- 306.1 Respiratory

  - Psychogenic:
    - air hunger
    - cough
    - hiccup
    - hyperventilation
    - yawning
- Excludes:** psychogenic asthma (316 and 493.9)
- 306.2 Cardiovascular

  - Cardiac neurosis

ICD-9-CM Tabular List of Diseases (FY04)

- Cardiovascular neurosis
  - Neurocirculatory asthenia
  - Psychogenic cardiovascular disorder
  - Excludes:** psychogenic paroxysmal tachycardia (316 and 427.2)
- 306.3 Skin
- Psychogenic pruritus
  - Excludes:** psychogenic:
    - alopecia (316 and 704.00)
    - dermatitis (316 and 692.9)
    - eczema (316 and 691.8 or 692.9)
    - urticaria (316 and 708.0-708.9)
- 306.4 Gastrointestinal
- Aerophagy
  - Cyclical vomiting, psychogenic
  - Diarrhea, psychogenic
  - Nervous gastritis
  - Psychogenic dyspepsia
  - Excludes:** cyclical vomiting NOS (536.2)
  - globus hystericus (300.11)
  - mucous colitis (316 and 564.9)
  - psychogenic:
    - cardiospasm (316 and 530.0)
    - duodenal ulcer (316 and 532.0-532.9)
    - gastric ulcer (316 and 531.0-531.9)
    - peptic ulcer NOS (316 and 533.0-533.9)
    - vomiting NOS (307.54)
- 306.5 Genitourinary
- Excludes:** enuresis, psychogenic (307.6)
  - frigidity (302.72)
  - impotence (302.72)
  - psychogenic dyspareunia (302.76)
- 306.50 Psychogenic genitourinary malfunction, unspecified
- 306.51 Psychogenic vaginismus
- Functional vaginismus
- 306.52 Psychogenic dysmenorrhea
- 306.53 Psychogenic dysuria
- 306.59 Other
- 306.6 Endocrine
- 306.7 Organs of special sense
- Excludes:** hysterical blindness or deafness (300.11)
  - psychophysical visual disturbances (368.16)
- 306.8 Other specified psychophysiological malfunction
- Bruxism
  - Teeth grinding
- 306.9 Unspecified psychophysiological malfunction
- Psychophysiologic disorder NOS

Psychosomatic disorder NOS

307	Special symptoms or syndromes, not elsewhere classified
-----	---

**Note:** This category is intended for use if the psychopathology is manifested by a single specific symptom or group of symptoms which is not part of an organic illness or other mental disorder classifiable elsewhere.

**Excludes:** those due to mental disorders classified elsewhere  
those of organic origin

307.0 Stammering and stuttering  
dysphasia (784.5)  
**Excludes:** lisping or lalling (307.9)  
retarded development of speech (315.31-315.39)

307.1 Anorexia nervosa  
**Excludes:** eating disturbance NOS (307.50)  
feeding problem (783.3)  
of nonorganic origin (307.59)  
loss of appetite (783.0)  
of nonorganic origin (307.59)

307.2 Tics  
**Excludes:** nail-biting or thumb-sucking (307.9)  
stereotypes occurring in isolation (307.3)  
tics of organic origin (333.3)

307.20 Tic disorder, unspecified

307.21 Transient tic disorder of childhood

307.22 Chronic motor tic disorder

307.23 Gilles de la Tourette's disorder  
Motor-verbal tic disorder

307.3 Stereotyped repetitive movements  
Body-rocking  
Head banging  
Spasmus nutans  
Stereotypes NOS  
**Excludes:** tics (307.20-307.23)  
of organic origin (333.3)

307.4 Specific disorders of sleep of nonorganic origin  
**Excludes:** narcolepsy (347)  
those of unspecified cause (780.50-780.59)

307.40 Nonorganic sleep disorder, unspecified

307.41 Transient disorder of initiating or maintaining sleep  
Hyposomnia associated with acute or intermittent emotional reactions  
or conflicts  
Insomnia associated with acute or intermittent emotional reactions or  
conflicts  
Sleeplessness associated with acute or intermittent emotional  
reactions or conflicts

307.42 Persistent disorder of initiating or maintaining sleep

ICD-9-CM Tabular List of Diseases (FY04)

Hyposomnia, insomnia, or sleeplessness associated with:  
anxiety  
conditioned arousal  
depression (major) (minor)  
psychosis

307.43 Transient disorder of initiating or maintaining wakefulness  
Hypersomnia associated with acute or intermittent emotional reactions  
or conflicts

307.44 Persistent disorder of initiating or maintaining wakefulness  
Hypersomnia associated with depression (major) (minor)

307.45 Phase-shift disruption of 24-hour sleep-wake cycle  
Irregular sleep-wake rhythm, nonorganic origin  
Jet lag syndrome  
Rapid time-zone change  
Shifting sleep-work schedule

307.46 Somnambulism or night terrors

307.47 Other dysfunctions of sleep stages or arousal from sleep  
Nightmares:  
NOS  
REM-sleep type  
Sleep drunkenness

307.48 Repetitive intrusions of sleep  
Repetitive intrusion of sleep with:  
atypical polysomnographic features  
environmental disturbances  
repeated REM-sleep interruptions

307.49 Other  
"Short-sleeper"  
Subjective insomnia complaint

307.5 Other and unspecified disorders of eating  
anorexia:  
nervosa (307.1)  
of unspecified cause (783.0)  
overeating, of unspecified cause (783.6)  
vomiting:  
NOS (787.0)  
cyclical (536.2)  
psychogenic (306.4)

307.50 Eating disorder, unspecified

307.51 Bulimia  
Overeating of nonorganic origin

307.52 Pica  
Perverted appetite of nonorganic origin

307.53 Psychogenic rumination  
Regurgitation, of nonorganic origin, of food with reswallowing  
Excludes: obsessional rumination (300.3)

ICD-9-CM Tabular List of Diseases (FY04)

307.54 Psychogenic vomiting

307.59 Other

Infantile feeding disturbances of nonorganic origin  
Loss of appetite of nonorganic origin

307.6 Enuresis

Enuresis (primary) (secondary) of nonorganic origin

**Excludes:** enuresis of unspecified cause (788.3)

307.7 Encopresis

Encopresis (continuous) (discontinuous) of nonorganic origin

**Excludes:** encopresis of unspecified cause (787.6)

307.8 Psychalgia

307.80 Psychogenic pain, site unspecified

307.81 Tension headache  
headache:

**Excludes:**

NOS (784.0)  
migraine (346.0-346.9)

307.89 Other

Psychogenic backache

**Excludes:** pains not specifically attributable to a psychological cause (in):

back (724.5)  
joint (719.4)  
limb (729.5)  
lumbago (724.2)  
rheumatic (729.0)

307.9 Other and unspecified special symptoms or syndromes, not elsewhere classified

Hair plucking

Lalling

Lisping

Masturbation

Nail-biting

Thumb-sucking

308 Acute reaction to stress
------------------------------

**Includes:** catastrophic stress  
combat fatigue  
gross stress reaction (acute)  
transient disorders in response to exceptional physical or mental stress which usually  
subside within hours or days

**Excludes:** adjustment reaction or disorder (309.0-309.9)  
chronic stress reaction (309.1-309.9)

308.0 Predominant disturbance of emotions

Anxiety as acute reaction to exceptional [gross] stress

Emotional crisis as acute reaction to exceptional [gross] stress

Panic state as acute reaction to exceptional [gross] stress

308.1 Predominant disturbance of consciousness

Fugues as acute reaction to exceptional [gross] stress

308.2 Predominant psychomotor disturbance

ICD-9-CM Tabular List of Diseases (FY04)

Agitation states as acute reaction to exceptional [gross] stress  
 Stupor as acute reaction to exceptional [gross] stress

308.3 Other acute reactions to stress

Acute situational disturbance  
 Brief or acute posttraumatic stress disorder

**Excludes:** prolonged posttraumatic emotional disturbance (309.81)

308.4 Mixed disorders as reaction to stress

308.9 Unspecified acute reaction to stress

309	Adjustment reaction
-----	---------------------

**Includes:** adjustment disorders

reaction (adjustment) to chronic stress

**Excludes:** acute reaction to major stress (308.0-308.9)  
 neurotic disorders (300.0-300.9)

309.0 Brief depressive reaction

Adjustment disorder with depressed mood  
 Grief reaction

**Excludes:** affective psychoses (296.0-296.9)  
 neurotic depression (300.4)  
 prolonged depressive reaction (309.1)  
 psychogenic depressive psychosis (298.0)

309.1 Prolonged depressive reaction

**Excludes:** affective psychoses (296.0-296.9)  
 brief depressive reaction (309.0)  
 neurotic depression (300.4)  
 psychogenic depressive psychosis (298.0)

309.2 With predominant disturbance of other emotions

309.21 Separation anxiety disorder

309.22 Emancipation disorder of adolescence and early adult life

309.23 Specific academic or work inhibition

309.24 Adjustment reaction with anxious mood

309.28 Adjustment reaction with mixed emotional features  
 Adjustment reaction with anxiety and depression

309.29 Other  
 Culture shock

309.3 With predominant disturbance of conduct

Conduct disturbance as adjustment reaction  
 Destructiveness as adjustment reaction

**Excludes:** destructiveness in child (312.9)  
 disturbance of conduct NOS (312.9)  
 dyssocial behavior without manifest psychiatric disorder (V71.01-V71.02)  
 personality disorder with predominantly sociopathic or asocial manifestations (301.7)

309.4 With mixed disturbance of emotions and conduct

ICD-9-CM Tabular List of Diseases (FY04)

- 309.8 Other specified adjustment reactions
  - 309.81 Prolonged posttraumatic stress disorder
    - Chronic posttraumatic stress disorder
    - Concentration camp syndrome
  - Excludes:** posttraumatic brain syndrome:
    - nonpsychotic (310.2)
    - psychotic (293.0-293.9)
  - 309.82 Adjustment reaction with physical symptoms
  - 309.83 Adjustment reaction with withdrawal
    - Elective mutism as adjustment reaction
    - Hospitalism (in children) NOS
  - 309.89 Other
- 309.9 Unspecified adjustment reaction
  - Adaptation reaction NOS
  - Adjustment reaction NOS

**310 Specific nonpsychotic mental disorders due to organic brain damage**

**Excludes:** neuroses, personality disorders, or other nonpsychotic conditions occurring in a form similar to that seen with functional disorders but in association with a physical condition (300.0-300.9, 301.0-301.9)

- 310.0 Frontal lobe syndrome
  - Lobotomy syndrome
  - Postleucotomy syndrome [state]
  - Excludes:** postcontusion syndrome (310.2)
- 310.1 Organic personality syndrome
  - Cognitive or personality change of other type, of nonpsychotic severity
  - Mild memory disturbance
  - Organic psychosyndrome of nonpsychotic severity
  - Presbyophrenia NOS
  - Senility with mental changes of nonpsychotic severity
  - Excludes:** memory loss of unknown cause (780.93)
- 310.2 Postconcussion syndrome
  - Postcontusion syndrome or encephalopathy
  - Posttraumatic brain syndrome, nonpsychotic
  - Status postcommotio cerebri
  - Excludes:** any organic psychotic conditions following head injury (293.0-294.0)
  - frontal lobe syndrome (310.0)
  - postencephalitic syndrome (310.8)
- 310.8 Other specified nonpsychotic mental disorders following organic brain damage
  - Postencephalitic syndrome
  - Other focal (partial) organic psychosyndromes
- 310.9 Unspecified nonpsychotic mental disorder following organic brain damage

**311 Depressive disorder, not elsewhere classified**

- Depressive disorder NOS
- Depressive state NOS
- Depression NOS

ICD-9-CM Tabular List of Diseases (FY04)

**Excludes:** acute reaction to major stress with depressive symptoms (308.0)  
affective personality disorder (301.10-301.13)  
affective psychoses (296.0-296.9)  
brief depressive reaction (309.0)  
depressive states associated with stressful events (309.0-309.1)  
disturbance of emotions specific to childhood and adolescence, with misery and unhappiness (313.1)  
mixed adjustment reaction with depressive symptoms (309.4)  
neurotic depression (300.4)  
prolonged depressive adjustment reaction (309.1)  
psychogenic depressive psychosis (298.0)

312	Disturbance of conduct, not elsewhere classified
-----	--

**Excludes:** adjustment reaction with disturbance of conduct (309.3)  
drug dependence (304.0-304.9)  
dysocial behavior without manifest psychiatric disorder (V71.01-V71.02)  
personality disorder with predominantly sociopathic or asocial manifestations (301.7)  
sexual deviations (302.0-302.9)

The following fifth-digit subclassification is for use with categories 312.0-312.2:

- 0 unspecified
- 1 mild
- 2 moderate
- 3 severe

312.0 Undersocialized conduct disorder, aggressive type  
Aggressive outburst  
Anger reaction  
Unsocialized aggressive disorder

312.1 Undersocialized conduct disorder, unaggressive type  
Childhood truancy, unsocialized  
Solitary stealing  
Tantrums

312.2 Socialized conduct disorder  
Childhood truancy, socialized  
Group delinquency

**Excludes:** gang activity without manifest psychiatric disorder (V71.01)

312.3 Disorders of impulse control, not elsewhere classified

312.30 Impulse control disorder, unspecified

312.31 Pathological gambling

312.32 Kleptomania

312.33 Pyromania

312.34 Intermittent explosive disorder

312.35 Isolated explosive disorder

312.39 Other

312.4 Mixed disturbance of conduct and emotions  
Neurotic delinquency

**Excludes:** compulsive conduct disorder (312.3)

ICD-9-CM Tabular List of Diseases (FY04)

312.8 Other specified disturbances of conduct, not elsewhere classified

312.81 Conduct disorder, childhood onset type

312.82 Conduct disorder, adolescent onset type

312.89 Other conduct disorder

312.9 Unspecified disturbance of conduct

Delinquency (juvenile)

313	Disturbance of emotions specific to childhood and adolescence
-----	---

**Excludes:** adjustment reaction (309.0-309.9)  
emotional disorder of neurotic type (300.0-300.9)  
masturbation, nail-biting, thumb-sucking, and other isolated symptoms (307.0-307.9)

313.0 Overanxious disorder

Anxiety and fearfulness of childhood and adolescence

Overanxious disorder of childhood and adolescence

**Excludes:** abnormal separation anxiety (309.21)

anxiety states (300.00-300.09)

hospitalism in children (309.83)

phobic state (300.20-300.29)

313.1 Misery and unhappiness disorder

**Excludes:** depressive neurosis (300.4)

313.2 Sensitivity, shyness, and social withdrawal disorder

**Excludes:** infantile autism (299.0)

schizoid personality (301.20-301.22)

schizophrenia (295.0-295.9)

313.21 Shyness disorder of childhood

Sensitivity reaction of childhood or adolescence

313.22 Introverted disorder of childhood

Social withdrawal of childhood or adolescence

Withdrawal reaction of childhood or adolescence

313.23 Elective mutism

**Excludes:** elective mutism as adjustment reaction (309.83)

313.3 Relationship problems

Sibling jealousy

**Excludes:** relationship problems associated with aggression, destruction, or other forms of conduct disturbance (312.0-312.9)

313.8 Other or mixed emotional disturbances of childhood or adolescence

313.81 Oppositional disorder

313.82 Identity disorder

313.83 Academic underachievement disorder

313.89 Other

313.9 Unspecified emotional disturbance of childhood

ICD-9-CM Tabular List of Diseases (FY04)

**314 Hyperkinetic syndrome of childhood**

**Excludes:** hyperkinesis as symptom of underlying disorder-code the underlying disorder

314.0 Attention deficit disorder

Adult  
Child

314.00 Without mention of hyperactivity  
Predominantly inattentive type

314.01 With hyperactivity  
Combined type  
Overactivity NOS  
Predominantly hyperactive/impulsive type  
Simple disturbance of attention with overactivity

314.1 Hyperkinesis with developmental delay  
Developmental disorder of hyperkinesis

Use additional code to identify any associated neurological disorder

314.2 Hyperkinetic conduct disorder  
Hyperkinetic conduct disorder without developmental delay

**Excludes:** hyperkinesis with significant delays in specific skills (314.1)

314.8 Other specified manifestations of hyperkinetic syndrome

314.9 Unspecified hyperkinetic syndrome  
Hyperkinetic reaction of childhood or adolescence NOS  
Hyperkinetic syndrome NOS

**315 Specific delays in development**

**Excludes:** that due to a neurological disorder (320.0-389.9)

315.0 Specific reading disorder

315.00 Reading disorder, unspecified

315.01 Alexia

315.02 Developmental dyslexia

315.09 Other  
Specific spelling difficulty

315.1 Specific arithmetical disorder  
Dyscalculia

315.2 Other specific learning difficulties  
specific arithmetical disorder (315.1)  
specific reading disorder (315.00-315.09)

**Excludes:**

315.3 Developmental speech or language disorder

315.31 Developmental language disorder  
Developmental aphasia  
Expressive language disorder  
Word deafness

**Excludes:** acquired aphasia (784.3)  
elective mutism (309.83, 313.0, 313.23)

ICD-9-CM Tabular List of Diseases (FY04)

315.32 Receptive language disorder (mixed)  
Receptive expressive language disorder

315.39 Other  
Developmental articulation disorder  
Dyslalia

**Excludes:** lisping and lalling (307.9)  
stammering and stuttering (307.0)

315.4 Coordination disorder  
Clumsiness syndrome  
Dyspraxia syndrome  
Specific motor development disorder

315.5 Mixed development disorder

315.8 Other specified delays in development

315.9 Unspecified delay in development  
Developmental disorder NOS

**316 Psychic factors associated with diseases classified elsewhere**

Psychologic factors in physical conditions classified elsewhere

Use additional code to identify the associated physical condition, as:

psychogenic:

asthma (493.9)  
dermatitis (692.9)  
duodenal ulcer (532.0-532.9)  
eczema (691.8, 692.9)  
gastric ulcer (531.0-531.9)  
mucous colitis (564.9)  
paroxysmal tachycardia (427.2)  
ulcerative colitis (556)  
urticaria (708.0-708.9)

psychosocial dwarfism (259.4)

**Excludes:** physical symptoms and physiological malfunctions, not involving tissue damage,  
of mental origin (306.0-306.9)

**MENTAL RETARDATION (317-319)**

**Use additional code(s) to identify any associated psychiatric or physical condition(s)**

**317 Mild mental retardation**

High-grade defect  
IQ 50-70  
Mild mental subnormality

**318 Other specified mental retardation**

318.0 Moderate mental retardation  
IQ 35-49  
Moderate mental subnormality

318.1 Severe mental retardation  
IQ 20-34  
Severe mental subnormality

ICD-9-CM Tabular List of Diseases (FY04)

318.2 Profound mental retardation  
IQ under 20  
Profound mental subnormality

319	Unspecified mental retardation
-----	--------------------------------

Mental deficiency NOS  
Mental subnormality NOS